

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of Customer address details	1	1	0	0	47.068 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of Customer	verify system allow user to do a modification on already	12	12	0	0	47.061 s
	address details	approved record					

(F)- check the functionality of Customer address details

PASSED	DURATION - 47.068 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 3:23:23.304 pm	// 3:24:10.372 pm /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify system allow user to do a modification on already approved record



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	14.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.472 s
	screenshot		
	AZENTO DE SE		
2	And user click on Inbox Icon	PASSED	0.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.628 s
	screenshot		
	AZENTO		

ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot 4 And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	And user click search icon	PASSED	0.178 s
4 And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
4 And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### PASSED 0.268 s 0.268 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.277 s 5.139 s PASSED 0.268 s		The state of the		
5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) screenshot PASSED 0.268 s	4	And user Enter Customer Address details Application ID	PASSED	0.268 s
5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The part of the p		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The passed in the passed		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot				
screenshot Compared Compared	5	And user click on First record of Appdata Entry	PASSED	5.139 s
** AZENTO		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
		screenshot		
		AZENTO O P P NO		
6 And user click on Additional customer Info Tab 2.182 s	6	And user click on Additional customer Info Tab	PASSED	2.182 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.816 s				
screenshot				
0		## AZENTO ## ## ## ## ## ## ## ## ## ## ## ## ##		
7 And user click on First Record Edit Icon PASSED 0.213 s	7	And user click on First Record Edit Icon	PASSED	0.213 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.770 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.770 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	CONTROL OF STATE OF S		
8	And user click on Address Information First Record Edit Icon	PASSED	0.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.531 s
	screenshot		
	### CONTROL ### CO		
9	And user Modify the Address type field	PASSED	1.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.673 s
	screenshot		
	### A CONTROL ### A P # A CONTROL ### A P # A CONTROL ###		
10	And user Modify the Address Status field	PASSED	0.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.618 s
	screenshot		
	CENTRO SERVICE SERV		
11	And user Modify the Residental status field	PASSED	0.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.530 s
	screenshot		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	STATE		
12	And user click the update the button	PASSED	5.671 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		




AZENTIO Engl... LOS V Aze... V (Step) AFTER STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) Dashboard APP CREATE NEWAPP BREXEC in02040 HLW 19-Sep-2022 15:10 Configurations APP_CREATE NEWAPP in02040 19-Sep-2022 9:59 X Transactions COLLATERAL MAKER 16-Sep-2022 16:59 Reports APP_CREATE NEWAPP BREXEC in02040 16-Sep-2022 16:46 APP_CREATE CHARGE MST MAKER 16-Sep-2022 15:42 (S) verify system allow user to do a APP_CREATE NEWAPP BREXEC 16-Sep-2022 14:16 in02040 modification on already approved record 20 16-Sep-2022 14:11 20 557 APP_CREATE BREXEC in02040 NEWAPP 16-Sep-2022 13:58 2, APP_CREATE OFFERING 16-Sep-2022 11:12


(F) check the functionality of Customer address details




EXPANDED SECTION




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

