

Cucumber Report

Jul 26, 2022, 2:06:05 PM

Start : Jul 26, 2:05:40.280 PM

End : Jul 26, 2:06:05.051 PM

Duration : 24.771 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 13
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	24.771 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	13	0	0	24.767 s





(F)- Product Master Retail Functionality

PASSED	DURATION - 24.771 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 2:05:40.280 PM // 2:06:05.051 PM /					

(S)- Product Master Retail Field validation

<div>PASSED</div> <div>DURATION - 24.767 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:05:40.284 PM // 2:06:05.051 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.794 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.626 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	4.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.288 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.696 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		
			
10	Then verify functionality of the field DM Code	PASSED	0.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then verify the field Remarks	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
			
13	Then user logout from the application	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality





The screenshot displays the Azentio Software interface. The top navigation bar includes a hamburger menu, language selection (English), location selection (LOS), and the software name (Azentio Software). The sidebar menu lists various configuration options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is currently blank, with a loading spinner visible in the center. A user profile icon for Puneet (01-Sep-2023) is located in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the Azentio Software interface with a dashboard titled "Product wise Analysis". The dashboard contains three charts: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". Each chart shows a loading spinner. The sidebar menu and top navigation bar are identical to the previous screenshot. The bottom of the dashboard indicates it is "Powered by Metabase".

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p>(S) Product Master Retail Field validation</p>		
<p>(F) Product Master Retail Functionality</p>		
<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p>(S) Product Master Retail Field validation</p>		
<p>(F) Product Master Retail Functionality</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table displays product data with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of loan data, all with 'Active' status. At the bottom, a pagination bar shows 'Showing 1 to 5 of 130 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR16	Loan	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is a 'Product Master' section with a back arrow and a red notification icon. The form contains several fields: 'Product Group' (a dropdown menu currently showing 'Lending'), 'Product Code' (a text input field), 'Product Description' (a dropdown menu with 'Select' and a list of options: Deposits, DM Code, Lending (checked), Trade, and Treasury), and 'Retail/Corporate' (a dropdown menu with 'Select'). There is also a 'Remarks' text area at the bottom.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the Azentio software. The form has a header with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text input field with 'PR19'), 'Product Description' (a text input field), 'Retail/Corporate' (a dropdown menu with 'Select' selected), 'DM Code' (a text input field), and 'Remarks' (a large text area). The form is styled with a clean, modern design and includes validation icons (red asterisks) next to the required fields.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



The screenshot shows the 'Product Master' form in the Azentio software. A modal dialog titled 'Product Description' is open in the center of the screen. The dialog has a close button (X) in the top right corner. It contains several input fields: 'Description(English)' (a dropdown menu with 'Loan' selected), 'Description(French)' (a text input field with 'd'accord'), 'Description(German)' (a text input field with 'OK'), and 'Description(Arabic)' (a text input field with 'موافق'). The background form is partially obscured by the modal dialog.

(F) Product Master Retail Functionality

English
LOS
Azentio Software

Puneet
01-Sep-2023

- [Asset Collateral Config](#)
- [Business Rules](#)
- [Corporate Masters](#)
- [Misc Config](#)
- [Other Masters](#)
- [Product Definitions](#)
- [Product Setup](#)
- [Asset Auto Master](#)
- [Asset CD Master](#)
- [Product master](#)
- [Sub Product Master](#)
- [Regulatory Product Defini...](#)
- [Project Setup](#)
- [Config Manager](#)

Product Master

Product Group *

Product Code *

Product Description *

Retail/Corporate *

Retail

Select

Corporate

Retail

DM Code

Remarks

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

EnglishLOS AZentio SoftwarePuneet01-Sep-2023

←Product Master

Product Group *LendingProduct Code *PR19


Product Description *LoanRetail/Corporate *Retail

DM CodeLoanRemarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality




The screenshot shows the Azentio Product Master form. The form has a header with a back arrow, the title "Product Master", and a save icon. Below the header, there are several input fields: Product Group (dropdown menu with "Lending" selected), Product Code (text input with "PR19"), Product Description (text input with "Loan"), Retail/Corporate (dropdown menu with "Retail" selected), DM Code (text input with "Loan"), and Remarks (text area with "HomeLoan").

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



The screenshot shows the Azentio Product Master form. The form has a header with a back arrow, the title "Product Master", and a save icon. Below the header, there are several input fields: Product Group (dropdown menu with "Lending" selected), Product Code (text input with "PR19"), Product Description (text input with "Loan"), Retail/Corporate (dropdown menu with "Retail" selected), DM Code (text input with "Loan"), and Remarks (text area with "HomeLoan").

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality