


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	28.344 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify the functionality of save button post entering all valid	23	7	1	15	28.339 s
	Address Details screen	details and clicking on save button					

DETAILED SECTION

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 28.344 s	Scenarios		Steps	
		Total - 1		Total - 23	
/ 8:28:21.217	PM // 8:28:49.561 PM /	Pass - 0	1	Pass - 7	23
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- verify the functionality of save button post entering all valid details and clicking on save button

FAILED DURATION - 28.339 s	10	- F	-	÷ -	- ;	-, -			· -	_			-,		-;-	·		Steps		
/ 8:28:21.222 PM // 8:28:49.561 PM /	8	#	-	-	-					•							-	Total - 23		
Check the functionality of Customer Address	4	11		-				- -										Pass - 7	23	
Details screen	2	扯					-	<u>-</u> ;-	+-			-	<u> </u>	-		<u> </u>	-	Skip - 15		7
@AT_CAD_002	7	=	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	- Citap - 10		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.805 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
	AZENTIO (MILENTE) TOTAL		
2	And User Login as maker	PASSED	3.444 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		

Then user should click on the menu toggle	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Interpretation of the search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.c		© AMMTO or to Ø # 1000 000 000 ∰. ↑ ○		
screenshot Then click on inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) ARTER_STEP - stepdefini	3	Then user should click on the menu toggle	PASSED	1.073 s
Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.add		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.292 s 0.314 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.314 s 0.314 s 0.314 s		ACCOUNTS CONTRACT CONTRA		
screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s PASSED 0.182 s	4	Then click on inbox	PASSED	0.292 s
5 And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s PASSED 0.182 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
5 And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s PASSED 0.182 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.278 s 0.278 s 0.278 s				
Screenshot 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s 0.182 s	5	And user click search icon	PASSED	0.283 s
6 Then search Customer Address Details record PASSED 0.169 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
6 Then search Customer Address Details record PASSED 0.169 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s				
	6	Then search Customer Address Details record	PASSED	0.169 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
		screenshot		


#	Step / Hook Details	Status	Duration
	C S S S S S S S S S		
7	And maker user open the record from inbox	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
	ALBERTO OF B P 1 000 000 000 000 00 00 00 00 00 00 00		
8	Then click on Additional customer info Segment button	FAILED	10.053 s
	org.openga.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[text()='Additional Customer Info"]/parent::ion-segment-button' (ried for 10 second(s) with 1 milliseconds interval) at org.openga.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openga.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait.java:231) at stepdefinitions.Customer_AddressDetails.click_on_additional_customer_info_segment_button(Customer_AddressDetails.java:49) at ?click on Additional customer info Segment button(flie://IC:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:257) Caused by: org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath"; "selector":"/iion-label[text()='Additional Customer Info"]/parent::ion-segment-button") (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PcG0X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga. selenium.chrome.ChromeDriver Command: [5813c7cac842fcf923bed2c0ce88f6c9, findElement {using=xpath, value=/lion-label[text()='Additional Customer Info"]/parent::ion-segment-button]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\inNDC-11AppDatalL}, goog:chromeOptions: {debuggerAddress: localhost:51125}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51125/devtoo, se:cdp'version: 100.0.4896.60, setWindowRect: tru		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103)		
	at stepdefinitions.Customer_AddressDetails.click_on_additional_customer_info_segment_button(Customer_AddressDetails.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)		
	at io.cucumber.java.lnvoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runlnSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker.invokeTestMethodRunner.java:240 at org.testng.internal.TestInvoker.invokeTestMethodS(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.runlTestRunner.java:396) at org.testng.SuiteRunner.runlTestRunner.java:397) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunner.Worker.runSuite(SuiteRunnerWorker.java:96) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1124) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1134) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1163) at org.testng.TestNG.runSuitesCrestNG.java:1063) at org.testng.TestNG.runSuitesCrestNG.java:1063) at org.testng.TestNG.runCutestNG.java:1063) at org.testng.TestNG.runCutestNG.java:1063) at org.testng.TestNG.runCutestNG.java:1081, at org.testng.gemote.AbstractRemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:77) *Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.199 s
	ACCOUNTS OF STATE OF		
9	Then click on Action button of Customer Personal Information	SKIPPED	0.000 s
10	Then from customer identification screen click on add button of Address details	SKIPPED	0.000 s
11	Then select Address Type	SKIPPED	0.000 s
12	Then select Address Status	SKIPPED	0.000 s
13	Then select Residential or Occupancy Status	SKIPPED	0.000 s
14	Then Enter Address Line1	SKIPPED	0.000 s

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
15	Then Enter Address Line2	SKIPPED	0.000 s
16	Then select Country	SKIPPED	0.000 s
17	Then select Province ID	SKIPPED	0.000 s
18	Then Enter Neighbourhood District Name	SKIPPED	0.001 s
19	Then select City ID	SKIPPED	0.000 s
20	Then Enter Zip Code	SKIPPED	0.001 s
21	Then Enter Mobile Number primary	SKIPPED	0.000 s
22	Then Enter Occupancy Date	SKIPPED	0.001 s
23	Then click on save button of Address Detail	SKIPPED	0.000 s







EXPANDED SECTION -- 13 --

