


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	2 m 23.279 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	Creation of Warehouse Master record_ Add Template	19	19	0	0	2 m 23.229 s
	Warehouse Master						

## **(F)-** check the functionality of the Warehouse Master

PASSED	DURATION - 2 m 23.279 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 12:59:40.859 pr	m // 1:02:04.138 pm /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)-** Creation of Warehouse Master record\_ Add Template



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	25.684 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.682 s
	screenshot		
	DESCRIPTION OF THE PROPERTY OF		
2	Then user click on configurations Tab	PASSED	1.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.365 s
	screenshot		
	TOTAL STATE OF THE		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  1 And user click list view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And user click on Add icon for Warehouse master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.089 s  1.146 s	#	Step / Hook Details	Status	Duration
And user click list view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And user click on Add icon for Warehouse master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - s	3	When user click Config Manager menu	PASSED	0.269 s
And user click list view icon of Warehouse Master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on Add icon for Warehouse master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user Enter the value in description and verify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
And user click list view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click on Add icon for Warehouse master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AF		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click on Add icon for Warehouse master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Enter the value in description and verify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_ST				
screenshot  And user click on Add icon for Warehouse master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user Enter the value in description and verify it  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Enter the value in Address field and verify it  And user Enter the value in Address field and verify it  And user Enter the value in Address field and verify it  PASSED  0.738 s	4	And user click list view icon of Warehouse Master	PASSED	0.394 s
And user click on Add icon for Warehouse master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Are screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user Enter the value in Address field and verify it  PASSED  0.738 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.685 s
And user click on Add icon for Warehouse master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Enter the value in description and verify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.191 s  And user Enter the value in Address field and verify it  And user Enter the value in Address field and verify it  PASSED  O.738 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user Enter the value in description and verify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.542 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.791 s  PASSED  0.738 s				
screenshot  And user Enter the value in description and verify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user Enter the value in Address field and verify it  AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.738 s	5	And user click on Add icon for Warehouse master	PASSED	1.089 s
And user Enter the value in description and verify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Enter the value in Address field and verify it  PASSED  0.191 s  PASSED  0.738 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.146 s
And user Enter the value in description and verify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Enter the value in Address field and verify it  PASSED  O.191 s  PASSED  O.738 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user Enter the value in Address field and verify it  PASSED  0.191 s  0.738 s		**************************************		
Screenshot  And user Enter the value in Address field and verify it  PASSED 0.738 s	6	And user Enter the value in description and verify it	PASSED	6.542 s
And user Enter the value in Address field and verify it  PASSED 0.738 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
And user Enter the value in Address field and verify it  PASSED 0.738 s		screenshot		
·		# 1 (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.164 s	7	And user Enter the value in Address field and verify it	PASSED	0.738 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
screenshot		screenshot		

# Step / Hoo	k Details S	Status Duration
A ATOMITO  If No Month into a		
8 And user Enter the value in country field and verify it	PAS	SED 1.278 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cu	cumber.java.Scenario) PAS	0.483 s
screenshot		
ADDITION  IN TO NOTE OF THE PROPERTY OF THE PR		
9 And user Enter the value in state field and verify it	PAS	0.824 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cu	cumber.java.Scenario) PAS	0.557 s
screenshot		
A COUNTS     Section State   S		
And user Enter the value in Location field and verify it	PAS	SSED 0.793 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cue	cumber.java.Scenario) PAS	0.460 s
screenshot		
A DESTRUCTION OF THE PRODUCTION OF THE PRODUCTIO		
And user Enter the value in Zip code field and verify it	PAS	SSED 1.214 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cuc	cumber.java.Scenario) PAS	0.265 s
screenshot		

#	Step / Hook Details	Status	Duration
	# # 800 800 80		
12	And user Enter the value in Phone field and verify it	PASSED	3.765 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
	*** ACCUTO***  ********  *******  ******  ******  ****		
13	And user Enter the value in Fax field and verify it	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
	# # 100 min		
14	And user Enter the value in Email field and verify it	PASSED	0.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
	## 500 100 100 100 100 100 100 100 100 100		
15	And user Enter the value in Contact person field and verify it	PASSED	0.455 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		

#	Step / Hook Details	Status	Duration
	AZENTO  D * COM		
16	And user save the warehouse master Record	PASSED	0.213 s
/	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.625 s
[	screenshot		
	** ASENTO** *** *** *** *** *** *** *** *** ***		
17	And user goto the Maker Inbox and store the Referance ID	PASSED	22.608 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.995 s
	screenshot		
	## AZENTO  ## 1		
18	Then user Click on Action Icon	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot	]	
	## ASSENTS  ## 1		
19	And user verify the submit button and submit the Record from Maker stage	PASSED	9.411 s
/	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	*** Company of the co		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --





EXPANDED SECTION -- 19 --

