Cucumber Report

Start : Feb 09, 5:06:21.638 PM	End : Feb 09, 5:07:57.547 PM	Duration : 1 m 35.909 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 20 FAILED - 0 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 20

Pass % — 100 % (Features)

Pass % — 100 % (Scenarios)

Pass % — 100 % (Steps)

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	1	0	0	1 m 35.909 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	To verify user is able to add new Deposite account record in the system by entering valid data	20	20	0	0	1 m 35.904 s

(F)- To verify the functionality of Deposit Account master

PASSED	DURATION - 1 m 35.909 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 5:06:21.638 PM // 5:07:57.547 PM /		Pass - 1	1	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify user is able to add new Deposite account record in the system by entering valid data

PASSED	DURATION - 1 m 35.904 s		Steps	
/ 5:06:21.643 PM // 5:07:57.547 PM /			Total - 20	
To verify the functionality of Deposit Account master			Pass - 20	20
			Fail - 0	
@DepositMaster_M1_4			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	37.698 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.536 s
	screenshot		
2	And Click the configuration	PASSED	0.744 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.451 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.632 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.766 s
	screenshot		
4	And Click the eye icon of deposit master	PASSED	0.765 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.814 s
	screenshot		
5	Then Click the Add button in the deposit master	PASSED	2.546 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.741 s
	screenshot		
6	Then choose the data set id for checker reject	PASSED	1.984 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.308 s
	screenshot		
7	Then Select the Bank name in deposit master	PASSED	1.782 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.532 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	And Select the branch name in deposit master	PASSED	2.797 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		
9	Then Choose the accounting type in deposit master	PASSED	0.568 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.764 s
	screenshot		
10	And Enter the account number in depost master	PASSED	0.399 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
11	Then Choose the account currency in deposit master	PASSED	1.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.387 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And Choose the payment account indicator	PASSED	1.871 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.525 s
	screenshot		
13	Then Select the chart of account mapping type in deposit master	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.538 s
	screenshot		
14	And Select the account status	PASSED	0.595 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.938 s
	screenshot		
15	Then Save the record in deposit master	PASSED	3.032 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
	screenshot		

#	Step / Hook Details	Status	Duration
16	And Click the inbox in deposit master	PASSED	0.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.499 s
	screenshot		
17	Then Search the record in serch field	PASSED	1.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.523 s
	screenshot		
18	And Get the reference id and store it in excel for checker reject in deposit account master	PASSED	3.829 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
19	And Click the first action icon in deposit master	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.655 s
	screenshot		

#	Step / Hook Details	Status	Duration
20	Then Submit the record in deposit master for checker reject	PASSED	10.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
	656		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	248		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	641		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	247		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	638		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	5479		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	533		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	1025		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	597		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	03-Feb-2023	
	599		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	03-Feb-2023	

Showing 1 to 10 of 773 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
	656		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	641		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	638		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	09-Feb-2023	
	597		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	03-Feb-2023	
	599		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	03-Feb-2023	
	582		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	03-Feb-2023	
	578		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	03-Feb-2023	
	565		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	02-Feb-2023	
	560		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	02-Feb-2023	
	559		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	02-Feb-2023	

Showing 1 to 10 of 36 entries

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master