# Cucumber Report

| **Start : Jul 25, 11:23:49.019 PM** | **End : Jul 25, 11:24:08.926 PM** | **Duration : 19.907 s** |
| --- | --- | --- |
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 8<br>FAILED - 1<br>SKIPPED - 13 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Product Master Retail Functionality | 1 | 0 | 1 | 0 | 19.907 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Product Master Retail Functionality | System should not allow user to save the records with invalid data | 22 | 8 | 1 | 13 | 19.904 s |

## (F)- Product Master Retail Functionality

| FAILED | DURATION - 19.907 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 11:23:49.019 PM // 11:24:08.926 PM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 22<br>Pass - 8<br>Fail - 1<br>Skip - 13 | 22 |

## (S)- System should not allow user to save the records with invalid data

| FAILED | DURATION - 19.904 s | | Steps | |
|---|---|---|---|---|
| / 11:23:49.022 PM // 11:24:08.926 PM / | | | Total - 22<br>Pass - 8<br>Fail - 1<br>Skip - 13 | 22 |
| Product Master Retail Functionality | | | | |
| @ProductMaster_Retail_invalid | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 9.957 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.144 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 0.001 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.115 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  |  |  |  |
| 3 | Then click on Product Setup | PASSED | 0.106 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.221 s |
|  | screenshot |  |  |
|  |  |  |  |
| 4 | Then click on Product Master eye icon | PASSED | 0.137 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.234 s |
|  | screenshot |  |  |
|  |  |  |  |
| 5 | Then click on Product Master add button | PASSED | 1.645 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.230 s |
|  | screenshot |  |  |
|  |  |  |  |
| 6 | Then verify functionality and asterik mark of the field Product Group | PASSED | 2.327 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.131 s |
|  | screenshot |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then verify functionality and asterik mark of the field Product Code | PASSED | 1.163 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.125 s |
| | screenshot | | |
| |  | | |
| 8 | Then verify functionality and asterik mark of the field RetailCorporate | PASSED | 0.205 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.119 s |
| | screenshot | | |
| |  | | |
| 9 | Then verify the field Remarks | FAILED | 0.138 s |
| | org.openqa.selenium.ElementNotInteractableException: element not interactable   (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [80962d55713807e893a0ef08e4a25491, sendKeysToElement {id=e5c2c946-3979-4b00-b31c-1a6f6d877af9, value=[Ljava.lang. CharSequence;@3ccb12d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51385}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51385/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (80962d55713807e893a0ef08e4a25491)] -> xpath: //ion-textarea[1]//textarea[1]] Session ID: 80962d55713807e893a0ef08e4a25491<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>at jdk.proxy2/jdk.proxy2.$Proxy45.sendKeys(Unknown Source)<br>at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:170)<br>at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:29)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.165 s |
| 10 | Then click on save button | SKIPPED | 0.000 s |
| 11 | Then validate the impact of any mandatory field blank | SKIPPED | 0.000 s |
| 12 | Then verify the functionality of Back button | SKIPPED | 0.000 s |
| 13 | Then click on Product Master add button | SKIPPED | 0.000 s |
| 14 | Then verify functionality and asterik mark of the field Product Group | SKIPPED | 0.003 s |
| 15 | Then verify functionality and asterik mark of the field Product Code | SKIPPED | 0.000 s |
| 16 | Then Enter Product Description | SKIPPED | 0.000 s |
| 17 | Then verify functionality and asterik mark of the field RetailCorporate | SKIPPED | 0.000 s |
| 18 | Then verify functionality of the field DM Code | SKIPPED | 0.000 s |
| 19 | Then verify the field Remarks with special characters value | SKIPPED | 0.000 s |
| 20 | Then click on save button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 21 | Then validate the impact of special characters value in any field | SKIPPED | 0.000 s |
| 22 | Then user logout from the application | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

---

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

**Product wise Analysis**

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by **Metabase**

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) System should not allow user to save the records with invalid data | |
| (F) Product Master Retail Functionality | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) System should not allow user to save the records with invalid data | |
| (F) Product Master Retail Functionality | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

---

**AZENTIO™**

**Product Master**

Product Master

| Product Group * | Product Code * |
|---|---|
| Lending | PR10 |

| Product Description * | Retail/Corporate * |
|---|---|
| | Retail |

DM Code

Remarks

Sidebar menu:
- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Top bar: English | LOS | Azentio Software | Puneet 01-Sep-2023