Cucumber Report

| *Start : Mar 20, 1:02:48.755 pm*	*End : Mar 20, 1:02:56.529 pm*	*Duration : 7.774 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 16

1   1   16

#	Feature Name	T	P	F	S	Duration
1	To verify the Appropriation master full flow	1	0	1	0	7.774 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the Appropriation master full flow	To verify the user can able to deactivate the record and the record should removed the record from the system	16	0	0	16	7.757 s

(F)- To verify the Appropriation master full flow

FAILED	DURATION - 7.774 s	Scenarios		Steps	
/ 1:02:48.755 pm // 1:02:56.529 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 16 Pass - 0 Fail - 0 Skip - 16	16

(S)- To verify the user can able to deactivate the record and the record should removed the record from the system

FAILED	DURATION - 7.757 s		Steps	
/ 1:02:48.772 pm // 1:02:56.529 pm /			Total - 16 Pass - 0 Fail - 0 Skip - 16	16
To verify the Appropriation master full flow				
@AT-AM-002				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	7.638 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:51203/devtools/browser/4c06fd79-bc74-4659-8ae0-4f913d0087f6 Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.59', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver 　at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:104) 　at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda$create$3(NettyWebSocket.java:137) 　at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:127) 　at org.openqa.selenium.devtools.Connection.<init>(Connection.java:73) 　at org.openqa.selenium.chromium.ChromiumDriver.lambdanew1(ChromiumDriver.java:102) 　at java.base/java.util.Optional.map(Optional.java:260) 　at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:100) 　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) 　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) 　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) 　at resources.BaseClass.initializeDriver(BaseClass.java:31) 　at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

#	Step / Hook Details	Status	Duration
1	Given User login as uls maker in asset CD master	SKIPPED	0.001 s
2	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
3	Then User click the config manager in Appropriation master	SKIPPED	0.000 s
4	And User click the Appropriation master edit icon	SKIPPED	0.001 s
5	And User click the action edit icon in Appropriation master	SKIPPED	0.001 s
6	And User click the status icon in appropriation master	SKIPPED	0.000 s
7	And User click the UpdateSave icon in Appropriation master	SKIPPED	0.000 s
8	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
9	And User search the appropriation master in inbox	SKIPPED	0.001 s
10	And User get the reference id in appropriation master test case2	SKIPPED	0.001 s
11	And User click the first record in appropriation master	SKIPPED	0.000 s
12	And User click the cancel icon in appropriation master	SKIPPED	0.001 s
13	And User enter the popup input messege in appropriation master	SKIPPED	0.001 s
14	And user click the popup cancel in appropriation master	SKIPPED	0.000 s
15	And User get the cancel confirmation messege in appropriation master	SKIPPED	0.000 s
16	And User verify the record removed from the system	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		