


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionalities of beneficiary details	1	1	0	0	1 m 3.931 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionalities of	Creation of Beneficiary Details record with invalid data	14	14	0	0	1 m 3.928 s
	beneficiary details						

DETAILED SECTION

(F)- To verify the functionalities of beneficiary details

PASSED	DURATION - 1 m 3.931 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 6:06:50.020 PM	1 // 6:07:53.951 PM /	Pass - 1	1	Pass - 14	14
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Beneficiary Details record with invalid data



#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to Application details view list	PASSED	44.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.475 s
	screenshot		


2	Then Choose the data set for invalide validation in beneficaiary details	PASSED	0.598 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.503 s
	screenshot		
	ACTION TO THE PROPERTY OF THE		


AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot/(io.cucumber.java.Scenario) And Click the search button in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot/(io.cucumber.java.Scenario) Then Enter as disbursement maker in the search bar in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot/(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.	#	Step / Hook Details	Status	Duration
And Click the search button in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then Enter as disbursement maker in the search bar in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) APASSED APAS	3	Then Click the inbox in in beneficiary details	PASSED	0.287 s
And Click the search button in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Enter as disbursement maker in the search bar in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.318 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
4 And Click the search button in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter as disbursement maker in the search bar in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.172 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.34 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter as disbursement maker in the search bar in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AGTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.172 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s				
screenshot Then Enter as disbursement maker in the search bar in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.230 s 2.122 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.318 s 4.172 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s	4	And Click the search button in beneficiary detail	PASSED	1.154 s
5 Then Enter as disbursement maker in the search bar in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click the beneficiary detail tab PASSED 0.129 s 0.230 s 2.122 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.122 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.172 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
Then Enter as disbursement maker in the search bar in beneficiary detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click the disbursement maker first action icon in beneficiary detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.122 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then Click the beneficiary detail tab PASSED 2.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Click the disbursement maker first action icon in beneficiary detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s				
screenshot And Click the disbursement maker first action icon in beneficiary detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click the beneficiary detail tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.122 s 0.318 s 2.172 s PASSED 2.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.172 s	5	Then Enter as disbursement maker in the search bar in beneficiary detail	PASSED	0.129 s
And Click the disbursement maker first action icon in beneficiary detail AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click the beneficiary detail tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.122 s PASSED 7 Then Click the beneficiary detail tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click the beneficiary detail tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.122 s 0.318 s PASSED PASSED 2.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s		screenshot		
AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot 7 Then Click the beneficiary detail tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 2.172 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.318 s		ASENTO		
Screenshot Then Click the beneficiary detail tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s	6	And Click the disbursement maker first action icon in beneficiary detail	PASSED	2.122 s
7 Then Click the beneficiary detail tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
7 Then Click the beneficiary detail tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s		The state of the		
	7	Then Click the beneficiary detail tab	PASSED	2.172 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.494 s
SUCCIONUL		screenshot		

#	Step / Hook Details	Status	Duration
	CONTROL TO THE PARTY OF THE PAR		
8	And Click the add button in the beneficiary detail	PASSED	1.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
	*** CAPTION*** ********************************		
9	Then save the record in beneficiary details	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
10	And Verify the bank field in beneficiary detail	PASSED	0.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
11	Then verify the impact when user enters only special characters value in any field in beneficiary details	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		


#	Step / Hook Details	Status	Duration
	*** O TANIS		
12	And verify the impact when user enter numeric value in character field in beneficiary detail	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.221 s
	*** OFFICE		
13	Then verify the impact when user enter characters value in numeric field in beneficiary detail	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
	ADDRESS AND ADDRES		
14	Then save the record in beneficiary details	PASSED	0.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
	*** CANCOLOR TO AND		

EXPANDED SECTION -- 8 --







EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

