


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	1 m 45.828 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal	verify user is able to modify existing record of customer	22	20	1	1	1 m 45.822 s
	Details App data Entry	details					

DETAILED SECTION -- 4 --

(F)- Check The functionality of the Personal Details App data Entry

FAILED	DURATION - 1 m 45.828 s	Scenarios		Steps	4
		Total - 1		Total - 22	
/ 2:34:56.103	pm // 2:36:41.931 pm /	Pass - 0	1	Pass - 20	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- verify user is able to modify existing record of customer details



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.505 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
	ACTION OF STATE OF ST		
2	Then user click on Transaction Module	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.518 s
	screenshot		

3 And user click on Application Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And user click on Inbox Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.695 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.468 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And user click on Inbox Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.917 s 0.695 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.468 s
Screenshot 4 And user click on Inbox Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.695 s 0.468 s
4 And user click on Inbox Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.695 s 0.468 s
4 And user click on Inbox Icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.695 s 0.468 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.468 s
screenshot
ASSETTION OF SECURITY OF SECUR
Name
5 And user click search icon PASSED 0.262 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.348 s
screenshot
ASSETTED ST 10 P 10
6 And user search Appdata Entry PASSED 0.554 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.267 s
screenshot

A SANTO G S A NO	
The state of the	
7 And user click on First record of Appdata Entry PASSED	0.448 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.234 s
screenshot	
A	
8 And user click on Customer Details Tab PASSED	6.164 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.778 s
screenshot	
A SENTIO If I I I I I I I I I I I I I I I I I I	
9 And user click the Add button annd verify it PASSED	0.312 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.453 s
screenshot	
A SATURE C OF THE SATURE OF T	
10 And user Choose customer Type PASSED	0.870 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.405 s
screenshot	

11 And user Enter CIF ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 12 And user Enter Application Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And user Enter Customer Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.299 s 12 And user Enter Application Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And user Enter Customer Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.689 s 0.270 s 0.270 s 0.270 s 0.270 s 0.270 s 0.276 s 0.276 s		## A SECULD ## A		
screenshot Ad user Enter Application Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.689 s PASSED 0.270 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.276 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s	11	And user Enter CIF ID	PASSED	0.333 s
12 And user Enter Application Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
12 And user Enter Application Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.039 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.270 s 13 And user Enter Customer Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user choose ID Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s PASSED 0.829 s PASSED 0.829 s		The state of the s		
screenshot 13 And user Enter Customer Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user choose ID Type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s	12	And user Enter Application Number	PASSED	0.689 s
13 And user Enter Customer Name PASSED 0.631 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And user choose ID Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
13 And user Enter Customer Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user choose ID Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.829 s O.829 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And user choose ID Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.276 s PASSED 0.829 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s		G TOWN OF THE STATE OF THE STAT		
Screenshot 14 And user choose ID Type AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.829 s 0.829 s 0.392 s	13	And user Enter Customer Name	PASSED	0.631 s
14 And user choose ID Type AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.829 s 0.392 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
14 And user choose ID Type AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.829 s 0.392 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s		a fine financial management of the contraction of t		
	14	And user choose ID Type	PASSED	0.829 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
screenshot		screenshot		

15 And user Enter ID Number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 26 And user Enter Mobile Number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 37 And user Choose Date of Birth AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 38 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 39 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 40 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 40 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 41 And user Choose Date of Birth 42 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 43 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 44 AFTER_STEP_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 45 AFTER_STEP_STEP_STEP_STEP_STEPSEDEFINITIONS. HooksClass. addScreenshot(io.cucumber.java.Scenario) 46 AFTER_STEP_STEP_STEPSEDEFINITIONS. HooksClass. addScreenshot(io.cucumber.java.Scenario) 47 AFTER_STEP_STEP_STEPSEDEFINITIONS. HooksClass. addScreenshot(io.cucumber.java.Scenario) 48 AFTER_STEP_STEP_STEPSEDEFINITIONS. HooksClass. addScreenshot(io.cucumber.java.Scenario) 49 AFTER_STEP_STEP_STEPSEDEFINITIONS. HooksClass. addScreenshot(io.cucumber.java.Scenario) 40 AFTER_STEP_STEPSEDEFINITI	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.269 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.269 s				
screenshot Ad user Enter Mobile Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s	15	And user Enter ID Number	PASSED	0.841 s
16 And user Enter Mobile Number PASSED 0.599 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And user Choose Date of Birth PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
16 And user Enter Mobile Number PASSED 0.599 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And user Choose Date of Birth AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 17 And user Choose Date of Birth AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 1.825 s PASSED 0.229 s 1.825 s PASSED 0.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.229 s 0.229 s		© the control of the		
Screenshot 17 And user Choose Date of Birth AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And user Enter Email ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s	16	And user Enter Mobile Number	PASSED	0.599 s
And user Choose Date of Birth AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Enter Email ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
And user Choose Date of Birth AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Enter Email ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 And user Enter Email ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s PASSED 0.459 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.259 s		C west of the control		
Screenshot 18 And user Enter Email ID AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.459 s 0.259 s	17	And user Choose Date of Birth	PASSED	1.825 s
18 And user Enter Email ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s 0.259 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
18 And user Enter Email ID AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.459 s 0.259 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s				
	18	And user Enter Email ID	PASSED	0.459 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
		screenshot]	

#	Step / Hook Details	Status	Duration
	ABSENTO C		
19	And user Click the search button	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.491 s
	screenshot		
	## Company Com		
20	And user click the Create New Record button	PASSED	0.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.603 s
	screenshot		
21	And user click on First Record Edit Icon	FAILED	1 m 0.576 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //tbody/tr[1]/td[2]/span[1]/button[1]' (tried for 60 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.PersonalDetails_AppDataEntry.user_click_on_first_record_edit_icon(PersonalDetails_AppDataEntry.java:93) at ?.user click on First Record Edit Icon(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ PersonalDetails_AppDataEntry.feature:124) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//tbody/ tr[1]/td[2]/span[1]/button[1]"} (Session info: chrome=104.0.5112.102) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab5982db902edd2d9684749cc60aeb10, findElement {using=xpath, value=//tbody/tr[1]/td[2]/span[1]/button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52474}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		

#	Step / Hook Details	Status	Duration
	ws://localhost:52474/devtoo, se:cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ab5982db902edd2d9684749cc60aeb10		
	at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.PersonalDetails_AppDataEntry.user_click_on_first_record_edit_icon(PersonalDetails_AppDataEntry.java:93)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		


DETAILED SECTION -- 11 --

	Step / Hook Details	Status	Duratio
а	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
a	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
a	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
a	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
a	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
a	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
a	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
a	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
a	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
a	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
a	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
a	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
a	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
a	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
a	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
a	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
a	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
a	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
a	at org.testng.TestRunner.run(TestRunner.java:596)		
a	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
a	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
a	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
a	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
a	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
a	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
a	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
а	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
a	at org.testng.TestNG.runSuites(TestNG.java:1063)		
a	at org.testng.TestNG.run(TestNG.java:1031)		
a	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
a	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
a	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
* N	ot displayable characters are replaced by '?'.		
ΔΕ	TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s


DETAILED SECTION -- 12 --

#				Step / Hook Details	Status	Duration
	Control of	Outside Attall Additions Curped Into Con-	ES SP H Squir 2011 - Servi P - Sourie State Servi P - Sourie State Servi P - Sourie State Servi P - Servi	+		
	Cunteress Inform Contractors C	Application -	Seption - Middle Server			
	Cast have * Cast	Februs First Same* Spound motivate Inc. of Children	Faller's Statish Name— Spicial Statish Rame Spicial Statish Rame Spicial Statish Rame			
	Section (Section 1) Section 1) Se	Goode* Description	Extension and * brief Driving V Select			
22	And user	verify th	e custome	r Type field	SKIPPED	0.000 s


EXPANDED SECTION -- 13 --




EXPANDED SECTION




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --




EXPANDED SECTION -- 18 --




EXPANDED SECTION -- 19 --




EXPANDED SECTION -- 20 --



EXPANDED SECTION -- 21 --



EXPANDED SECTION -- 22 --



EXPANDED SECTION -- 23 --

