

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To Verify the fuctionalities of Customer Employment	2	0	2	0	3 m 9.716 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Verify the fuctionalities of Customer Employment	To verify fields when nature of employment is Salaried	31	4	1	26	1 m 58.099 s
2	To Verify the fuctionalities of Customer Employment	To verify fields when nature of employment is Salaried	30	0	1	29	1 m 11.527 s

DETAILED SECTION -- 4 --

(F)- To Verify the fuctionalities of Customer Employment

FAILED	DURATION - 3 m 9.716 s	Scenarios		Steps	
		Total - 2		Total - 61	
/ 12:56:40.230) PM // 12:59:49.946 PM /	Pass - 0	2	Pass - 4	61
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 55	

(S)- To verify fields when nature of employment is Salaried



#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to Application details view list	PASSED	46.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.719 s
	screenshot		
	AZENTO # # P PO P		
2	Then Choose the dataset id to verify field when nature of employment is Salaried	PASSED	0.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.631 s
	screenshot		
	ASERTIC # # # # # # # # # # # # # # # # # # #		


#	Step / Hook Details	Status	Duration
3	Then Click the inbox in customer employment	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
1	And click the search button in customer employement	PASSED	1.126 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot	FASSED	0.1913
	## 180 80 80 80 80 80 80 80 80 80 80 80 80 8		
5	Then Enter app data entry in the text bar	FAILED	1 m 0.679 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //p-table[1]/div[1]/div[1]/span[2]/input[1]' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.TransactionCustomerEmployment.enter_app_data_entry_in_the_text_bar(TransactionCustomerEmployment.java:75) at ?.Enter app data entry in the text bar(file:///C./Users/inindc00073/git/repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/ features/CustomerEmployment.feature:42) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//p- table[1]/div[1]/div[1]/div[1]/span[2]/input[1]') (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [93e875dffab9382d0f6b7390c220beaa, findElement {using=xpath, value=//p- table[1]/div[1]/div[1]/sipan[2]/input[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:59899}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59899/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.TransactionCustomerEmployment.enter_app_data_entry_in_the_text_bar(TransactionCustomerEmployment.java:75)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		0.050
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot	_	
	## AUTONO ## AUTONO		
6	And click the first action icon in customer employement	SKIPPED	0.000 s
7	Then Click the customer finanace tab in customer employment	SKIPPED	0.000 s
8	And click the first edit icon in customer finance tab	SKIPPED	0.000 s
9	Then click the add button in customer employment list	SKIPPED	0.000 s
	• •		

#	Step / Hook Details	Status	Duration
10	And Verify the save and back button in customer employment	SKIPPED	0.000 s
11	And Fill the nature of employment as salaried in customer employment	SKIPPED	0.000 s
12	Then choose the employment period and validate in customer employment	SKIPPED	0.000 s
13	And Fill the employer name and validate in customer employment	SKIPPED	0.000 s
14	And Fill and verify the field employer id in customer employment	SKIPPED	0.000 s
15	Then select and verify the field Date of Joining in customer employment	SKIPPED	0.000 s
16	And select and verify the field Employment End date in customer emplyment	SKIPPED	0.001 s
17	Then select and verify the field Department in customer employment	SKIPPED	0.000 s
18	And select and verify the field Designation in customer employment	SKIPPED	0.000 s
19	Then select and verify the field employment type in customer employment	SKIPPED	0.000 s
20	And Fill and verify the field Direct Manager Contact Number Extension in customer employment	SKIPPED	0.000 s
21	And Fill and verify the field Direct Manager telephone in customer employment	SKIPPED	0.000 s
22	Then fill and verify the Employer Phone Number in customer employment	SKIPPED	0.000 s
23	Then fill and verify the field Employer City Code in customer employment	SKIPPED	0.000 s
24	Then fill and verify the field Employer Phone Extension in customer employment	SKIPPED	0.000 s
25	Then Fill and verify the field Total Experince Years in customer employment	SKIPPED	0.000 s
26	And select and verify the field Retirement Age in customer employment	SKIPPED	0.000 s
27	And Fill and verify the field Direct Manager in customer employment	SKIPPED	0.000 s
28	Then Fill the state in customer employment	SKIPPED	0.000 s
29	Then Fill the pincode in customer employment	SKIPPED	0.000 s
30	Then Fill the experience at current employment in customer employment	SKIPPED	0.000 s
31	Then save the record in customer employment as salaried	SKIPPED	0.000 s

(S)- To verify fields when nature of employment is Salaried



#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to Application details view list	FAILED	1 m 2.905 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b642dc20c8214449adb214822605ce1c, findElement {using=xpath, value=//ion-input[@ng-reflect-name='username']/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60000}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60000/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timplicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		
	b642dc20c8214449adb214822605ce1c		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:104)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:1547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source)		
	at java.base/java.lang.String.valueOf(String.java:4215)		
	at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298)		
	at java.base/java.lang.String.valueOf(String.java:4215)		
	at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:38)		
	at stepdefinitions.ApplicationDetail_disbursmentMaker.		
	launch_the_kuls_application_and_navigate_to_application_details_view_list(ApplicationDetail_disbursmentMaker.java:44)		
	at ?.Launch the kuls application and Navigate to Application details view list(file:///C://Users/inindc00073/git/		
	repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/CustomerEmployment.feature:144)		
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome. ChromeDriver Command: [b642dc20c8214449adb214822605ce1c, screenshot [3] Capabilities (acceptlinsecureCerts: false, browserName: chrome, browserVersion: '99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:UsersiNINDC-14AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:60000/j, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60000/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBiob: true, webauthn:virtualAuthenticators: true) Session ID: b642dc20c8214449adb214822605ce1c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openga.selenium.remote.RemoteWebDriver.pava:602) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDrive		
2	Then Click the inbox in customer employment	SKIPPED	0.001 s
3	And click the search button in customer employement	SKIPPED	0.000 s
4	Then Enter app data entry in the text bar	SKIPPED	0.000 s
5	And click the first action icon in customer employement	SKIPPED	0.001 s
6	Then Click the customer finanace tab in customer employment	SKIPPED	0.000 s
7	And click the first edit icon in customer finance tab	SKIPPED	0.000 s
8	Then click the add button in customer employment list	SKIPPED	0.000 s
9	And Verify the save and back button in customer employment	SKIPPED	0.000 s
10	And Fill the nature of employment as salaried in customer employment	SKIPPED	0.000 s
11	Then choose the employment period and validate in customer employment	SKIPPED	0.000 s
12	And Fill the employer name and validate in customer employment	SKIPPED	0.000 s
13	And Fill and verify the field employer id in customer employment	SKIPPED	0.001 s
14	Then select and verify the field Date of Joining in customer employment	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	And select and verify the field Employment End date in customer emplyment	SKIPPED	0.000 s
16	Then select and verify the field Department in customer employment	SKIPPED	0.000 s
17	And select and verify the field Designation in customer employment	SKIPPED	0.000 s
18	Then select and verify the field employment type in customer employment	SKIPPED	0.000 s
19	And Fill and verify the field Direct Manager Contact Number Extension in customer employment	SKIPPED	0.001 s
20	And Fill and verify the field Direct Manager telephone in customer employment	SKIPPED	0.000 s
21	Then fill and verify the Employer Phone Number in customer employment	SKIPPED	0.000 s
22	Then fill and verify the field Employer City Code in customer employment	SKIPPED	0.000 s
23	Then fill and verify the field Employer Phone Extension in customer employment	SKIPPED	0.000 s
24	Then Fill and verify the field Total Experince Years in customer employment	SKIPPED	0.000 s
25	And select and verify the field Retirement Age in customer employment	SKIPPED	0.000 s
26	And Fill and verify the field Direct Manager in customer employment	SKIPPED	0.001 s
27	Then Fill the state in customer employment	SKIPPED	0.000 s
28	Then Fill the pincode in customer employment	SKIPPED	0.000 s
29	Then Fill the experience at current employment in customer employment	SKIPPED	0.000 s
30	Then save the record in customer employment as salaried	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.085 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMU/ADPO16647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b642dc20c8214449adb214822605cetc, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60000}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60000/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b642dc20c8214449adb214822605ce1c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(PolegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:144) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:1		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

EXPANDED SECTION -- 13 --

