

# Cucumber Report

Jul 26, 2022, 1:54:15 PM

**Start : Jul 26, 1:53:51.793 PM**

**End : Jul 26, 1:54:14.556 PM**

**Duration : 22.763 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 13**

**FAILED - 0**

**SKIPPED - 0**







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	22.763 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	13	0	0	22.759 s




**(F)- Product Master Retail Functionality**

<b>PASSED</b>	<b>DURATION - 22.763 s</b>	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 1:53:51.793 PM // 1:54:14.556 PM /					

**(S)- Product Master Retail Field validation**

<div>PASSED</div> <div>DURATION - 22.759 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:53:51.797 PM // 1:54:14.556 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.641 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.675 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
			
10	Then verify functionality of the field DM Code	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then verify the field Remarks	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
13	Then user logout from the application	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed


Subproduct-wise Amount Financed

Scheme wise Amount Financed


Powered by Metabase



## (F) Product Master Retail Functionality



## (F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is the 'Product Master' title and a table. The table has columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. It displays five rows of loan products, all with 'Active' status. At the bottom, it shows 'Showing 1 to 5 of 130 entries' and a pagination control.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR16	Loan	R	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is the 'Product Master' title and a form. The form has fields for Product Group (Lending), Product Code, Product Description (with a dropdown menu open showing options: Deposits, Lending (selected), Trade, Treasury), and Retail/Corporate (Select). There is also a Remarks field. A red notification icon is visible in the top right corner of the form area.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality




The screenshot shows the Azentio Product Master form. The form has a header with a back arrow, the title "Product Master", and a save icon. Below the header, there are several input fields: Product Group (dropdown menu with "Lending" selected), Product Code (text input with "PR19"), Product Description (text input with a plus icon), Retail/Corporate (dropdown menu with "Select" selected), DM Code (text input), and Remarks (text input). The form is displayed on a light gray background.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



The screenshot shows the Azentio Product Master form with a modal dialog open. The modal dialog is titled "Product Description" and contains several input fields: Description(English) (dropdown menu with "Loan" selected), Description(French) (text input with "d'accord" selected), Description(German) (text input with "OK" selected), and Description(Arabic) (text input with "موافاق" selected). The modal dialog is displayed on a light gray background.

## (F) Product Master Retail Functionality

☰

English ▾

LOS ▾

Azentio Software ▾

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

000000

000000

•••

## (F) Product Master Retail Functionality

AZENTIO™

Asset Collateral ConfigBusiness RulesCorporate MastersMisc ConfigOther MastersProduct DefinitionsProduct SetupAsset Auto MasterAsset CD Master**Product master**Sub Product MasterRegulatory Product Defini...Project SetupConfig Manager

EnglishLOSAsiento SoftwarePuneet01-Sep-2023

Product Master

Product Group \*Lending

Product Code \*PR19

Product Description \*Loan

Retail/Corporate \*Retail

DM CodeLoan

Remarks

## (F) Product Master Retail Functionality

## (F) Product Master Retail Functionality

[Home](#)
[English ▾](#)
[LOS ▾](#)
[Azentio Software ▾](#)

Puneet  
01-Sep-2023

- [① Asset Collateral Config](#)
- [① Business Rules](#)
- [① Corporate Masters](#)
- [① Misc Config](#)
- [① Other Masters](#)
- [① Product Definitions](#)
- [① Product Setup](#)
- [Asset Auto Master](#)
- [Asset CD Master](#)
- [\*\*Product master\*\*](#)
- [① Sub Product Master](#)
- [① Regulatory Product Defini...](#)
- [① Project Setup](#)
- [① Config Manager](#)

## Product Master

+

Export ▾

Action	Product Group ▴▾	Product Code ▴▾	Product Description ▴▾	Retail/Corporate ▴▾	Status ▴▾
←	<h3 style="margin: 0;">Product Master</h3> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 10px;"> <div style="background-color: #2c3e50; color: white; padding: 5px 10px; border-radius: 5px;">←</div> <div style="flex-grow: 1;"></div> <div style="background-color: #f39c12; color: white; padding: 5px 10px; border-radius: 5px; display: flex; align-items: center;"> <span style="font-size: small; color: green; margin-left: 5px;">(1)</span> </div> </div> <hr style="border: 1px solid #3498db;"/> <div style="margin-top: 10px;"> <p><b>Product Master</b></p> <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Product Group * <span style="float: right;">▾</span></p> <div style="border: 1px solid #ccc; padding: 5px; min-height: 30px;">Lending</div> </div> <div style="width: 48%;"> <p>Product Code * <span style="float: right;">▾</span></p> <div style="border: 1px solid #ccc; padding: 5px; min-height: 30px;">PR19</div> </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 48%;"> <p>Product Description *</p> <div style="border: 1px solid #ccc; padding: 5px; min-height: 30px;">Loan <span style="float: right; font-size: x-small;">+ </span></div> </div> <div style="width: 48%;"> <p>Retail/Corporate *</p> <div style="border: 1px solid #ccc; padding: 5px; min-height: 30px;">Retail ▾</div> </div> </div> <div style="margin-top: 10px;"> <p>DM Code</p> <div style="border: 1px solid #ccc; padding: 5px; min-height: 30px;">Loan</div> </div> <div style="margin-top: 10px;"> <p>Remarks</p> <div style="border: 1px solid #ccc; padding: 5px; min-height: 30px;">HomeLoan</div> </div> </div>				

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality