Cucumber Report

| Start : Sep 22, 6:38:14.248 PM	End : Sep 22, 6:38:49.481 PM	Duration : 35.233 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 16 FAILED - 1 SKIPPED - 23

Features: 1

Scenarios: 1

Steps: 40

Pass %: 0 %

Pass %: 0 %

Pass %: 40 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	35.233 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	To verify user can not able to create the customer address deatisl with invalid input	40	16	1	23	35.229 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 35.233 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 6:38:14.248 PM // 6:38:49.481 PM /		Pass - 0	1	Pass - 16	40
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 23	

(S)- To verify user can not able to create the customer address deatisl with invalid input

| FAILED	DURATION - 35.229 s		Steps	
/ 6:38:14.252 PM // 6:38:49.481 PM /			Total - 40	
Check the functionality of Customer Address Details screen			Pass - 16	40
			Fail - 1	
@AT_CAD_004			Skip - 23	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.564 s
	screenshot		
2	And User Login as maker	PASSED	3.422 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.763 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on mail box	PASSED	0.505 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot 		
4	And search for app data entry record	PASSED	0.985 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot 		
5	And select the app data entry first record	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.971 s
	screenshot 		
6	And go to additional customer info tab	PASSED	0.672 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And select the additional customer info first record	PASSED	0.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot 		
8	And click on add button under the address details	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.771 s
	screenshot 		
9	And click on save button without filling the mandatory field	PASSED	0.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot 		
10	Then verify address type field should show the validation message	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then verify address status field should show the validation message	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
12	Then verify Residential or Occupancy Status should show validation message	PASSED	0.424 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
13	Then verify address line 1 field should show the validation message	PASSED	0.075 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
14	Then verify address line 2 field should show the validation message	PASSED	0.060 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	Then verify Country field should show the validation message	PASSED	0.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot 		
16	Then verify provice id field should show the validation message	PASSED	0.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot 		
17	Then verify Neighbourhood District Name field should show the validation message	FAILED	10.036 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (9c43a4f6089856e44b8c3c77c0b5ff57)] -> xpath: //ion-label[text()=' Neighbourhood/District Name ']//ancestor::digital-text-box//parent::ion-col//ion-badge] (tried for 10 second(s) with 1 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103)
	    at stepdefinitions.ULS_CustomerAddressDetails_Steps. verify_neighbourhood_district_name_field_should_show_the_validation_message(ULS_CustomerAddressDetails_Steps.java:148)
	    at ?.verify Neighbourhood District Name field should show the validation message(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:222)
	 * Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
18	Then verify City id field should show the validation message	SKIPPED	0.000 s
19	Then verify Zip Code field should show the validation message	SKIPPED	0.000 s
20	Then verify Occupancy Date field should show the validation message	SKIPPED	0.000 s
21	Then verify system should show the validation message post entering the special character input in address line one input box	SKIPPED	0.000 s
22	Then verify system should show the validation message post entering the special character input in address line two input box	SKIPPED	0.000 s
23	Then verify system should show the validation message post entering the special character input in neighboorhood district name input box	SKIPPED	0.000 s
24	Then verify system should show the validation message post entering the special character input in Zip code input box	SKIPPED	0.000 s
25	Then verify system should show the validation message post entering the special character input in Latitude details of the address input box	SKIPPED	0.001 s
26	Then verify system should show the validation message post entering the special character input in Logitude details of the address input box	SKIPPED	0.000 s
27	Then verify system should show the validation message post entering the special character input in Land mark input box	SKIPPED	0.000 s
28	Then verify system should show the validation message post entering the special character input in Landloard Name input box	SKIPPED	0.000 s
29	Then verify system should show the validation message post entering the special character input in Landloard Name input box	SKIPPED	0.000 s
30	Then verify system should show the validation message post entering the special character input in Landloard mobile number input box	SKIPPED	0.000 s
31	Then verify system should show the validation message post enter the above seven digit pin code	SKIPPED	0.001 s
32	Then verify system should show the validation post enter the negative po box number	SKIPPED	0.000 s
33	Then verify system should show the validation post enter the invalid landlord mobile number	SKIPPED	0.000 s
34	Then verify system should not allow user to enter character input in po box number	SKIPPED	0.000 s
35	Then verify system should not allow user to enter character input in duration of stay	SKIPPED	0.000 s
36	Then verify system should not allow user to enter character input in Rent amount	SKIPPED	0.000 s
37	Then verify system should show the validation for invalid mobile number in mobile number field	SKIPPED	0.000 s
38	Then verify system should show the validation for invalid mobile number in mobile number field	SKIPPED	0.000 s
39	When user enter above 7 digit in po box number field	SKIPPED	0.000 s
40	Then system should show the validation for po box number	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

AZENTIO ONEBanking

Engl... | LOS | Aze...

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	648	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 18:25	HLW	AHL		T	T
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	615	APP_CREATE	FCUVRFY	CPUEXEC	in02040	22-Sep-2022 16:45	HLW	AHL		T	T
	645	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 16:42	HLW	AHL		T	T
	618	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 16:35	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	639	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 15:8	HLW	AHL		T	T
	610	APP_CREATE	DISBCKR	OPECHK	in02040	22-Sep-2022 14:56	HLW	AHL		T	T

Showing 1 to 10 of 102 entries « ‹ 1 2 3 4 5 › » 10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

AZENTIO ONEBanking

Engl... | LOS | Aze...

Inbox

APPDATAENT

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	616	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 10:41	HLW	AHL		T	T

Showing 1 to 10 of 43 entries « ‹ 1 2 3 4 5 › » 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

AZENTIO
ONEBanking

Inbox

✕ APPDATAENT

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	616	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 10:41	HLW	AHL		T	T

Showing 1 to 10 of 43 entries « < **1** 2 3 4 5 > » 10 ⌄

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

AZENTIO
ONEBanking

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user can not able to create the customer address deatisl with invalid input	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user can not able to create the customer address deatisl with invalid input	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) To verify user can not able to create the customer address deatisl with invalid input

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user can not able to create the customer address deatisl with invalid input	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user can not able to create the customer address deatisl with invalid input	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen