


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	19.542 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to view Customer Information tab at	9	6	1	2	19.536 s
		New App Stage					

DETAILED SECTION -- 4 --

## (F)- Title of your feature

FAILED	DURATION - 19.542 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 12:21:51.721 F	PM // 12:22:11.263 PM /	Pass - 0	1	Pass - 6	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## **(S)-** To verify user is able to view Customer Information tab at New App Stage





#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	3.579 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		
	AZENTIO TO THE PROPERTY OF THE		
2	And login with valid credentials	PASSED	4.384 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
	AZENTO AMONDO DE ROMA DE REGIONA DE LA COMPANSA DE		


After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  And User click the module name dropdown in ULS application  After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.232 s  After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.248 s	
And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.232 s  0.248 s	84 s
4 And User click the module name dropdown in ULS application PASSED 0.232 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  + 0  0  0  0  0  0  0  0  0  0  0  0  0	
4 And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot	 32 s
Screenshot  ASTRONO	
AZENTO AMERICA SE	
5 And User select the module name as LOS in ULS application PASSED 5.506 s	06 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s	26 s
screenshot	
AINTO  AMONG IF I NO NO NO NO II  O	
6 And user click on the hamburger menu PASSED 0.394 s	94 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.262 s	62 s
screenshot	
AZENTO  PART D  PART D	
7 And user click on the transactions module FAILED 0.001 s	01 s
Step undefined	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s	90 s
screenshot	

#	Step / Hook Details	Status	Duration
	**************************************		
8	And user click on the appication manager option	SKIPPED	0.000 s
9	And user click on the customer details module	SKIPPED	0.000 s

EXPANDED SECTION -- 7







EXPANDED SECTION -- 10 --

