

Cucumber Report

Sep 22, 2022, 2:10:04 PM

Start : Sep 22, 2:08:49.121 PM

End : Sep 22, 2:10:03.036 PM

Duration : 1 m 13.915 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 26







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	1 m 13.915 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields	28	1	1	26	1 m 13.903 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 1 m 13.915 s	Scenarios		Steps	
/ 2:08:49.121 PM // 2:10:03.036 PM /		Total - 1		Total - 28	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 26	

(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

<div>FAILED</div> <div>DURATION - 1 m 13.903 s</div>			Steps	
/ 2:08:49.133 PM // 2:10:03.036 PM /			Total - 28	
Check the functionality of Customer Address Details screen			Pass - 1	
@AT_CAD_01			Fail - 1	
			Skip - 26	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.411 s
	screenshot		
			
2	And user click on Inbox Icon	FAILED	1 m 0.060 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ebb458a005b24c6c0366695a9dfb5ae4, findElement {using=xpath, value=//ion-icon[@ng-reflect-name='mail-unread-outline']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52400}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		

#	Step / Hook Details	Status	Duration
	<p>Proxy(), se:cdp: ws://localhost:52400/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ebb458a005b24c6c0366695a9dfb5ae4</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)</p> <p>atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>atorg.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>atorg.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>atorg.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>atorg.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy45.toString(Unknown Source)</p> <p>atjava.base/java.lang.String.valueOf(String.java:4215)</p> <p>atjava.base/java.lang.StringBuilder.append(StringBuilder.java:169)</p> <p>atorg.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298)</p> <p>atjava.base/java.lang.String.valueOf(String.java:4215)</p> <p>atjava.base/java.lang.StringBuilder.append(StringBuilder.java:169)</p> <p>atorg.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)</p> <p>athelper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103)</p> <p>atstepdefinitions.PersonalDetails_AppDataEntry.user_click_on_inbox_icon(PersonalDetails_AppDataEntry.java:68)</p> <p>at?.user click on Inbox Icon(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:114)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ebb458a005b24c6c0366695a9dfb5ae4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppDataL..}, goog:chromeOptions: {debuggerAddress: localhost:52400}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52400/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ebb458a005b24c6c0366695a9dfb5ae4</p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	atjdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) atorg.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) atstepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
3	And user click search icon	SKIPPED	0.000 s
4	And user Enter Customer Address details Application ID	SKIPPED	0.000 s
5	And user click on First record of Appdata Entry	SKIPPED	0.000 s
6	And user click on Additional customer Info Tab	SKIPPED	0.000 s
7	And user click on First Record Edit Icon	SKIPPED	0.000 s
8	And user click on Address Information Add Icon	SKIPPED	0.000 s
9	And user verify the Address Type field and Choose the value	SKIPPED	0.000 s
10	And user verify the Address status field and choose the value	SKIPPED	0.001 s
11	And user verify the Residential status field and choose the value	SKIPPED	0.000 s
12	And user verify the Address Line 1 field and Enter the Vaue	SKIPPED	0.000 s
13	And user verify the Address Line 2 field and Enter the Vaue	SKIPPED	0.000 s
14	And user verify the country field and choose the value	SKIPPED	0.000 s
15	And user verify the District Name field and Enter the value	SKIPPED	0.001 s
16	And user verify the Zip code field and Enter the value	SKIPPED	0.000 s
17	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
18	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.001 s
19	And user verify the Duration of stay field and Enter the value	SKIPPED	0.000 s
20	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.001 s
21	And user verify the Longtitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
23	And user verify the Occupancy date field and choose the date	SKIPPED	0.000 s
24	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
25	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
26	And user verify the Rent amount field and Enter the Value	SKIPPED	0.001 s
27	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.000 s
28	And user click the Save the button	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.078 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ebb458a005b24c6c0366695a9dfb5ae4, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52400}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52400/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ebb458a005b24c6c0366695a9dfb5ae4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

