

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	1	0	0	37.653 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to view Customer Information tab at	11	11	0	0	37.647 s
		New App Stage					

DETAILED SECTION -- 4 --

## (F)- Title of your feature

PASSED	DURATION - 37.653 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:22:05.058 AN	M // 9:22:42.711 AM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)-** To verify user is able to view Customer Information tab at New App Stage

PASSED DURATION - 37.647 s	15	1					-					Steps	
/ 9:22:05.064 AM // 9:22:42.711 AM /	10	-			 	 				-		Total - 11	
Title of your feature	5	-			 	 - 🛓 -				-		Pass - 11 Fail - 0	11
@tag @AT_CD_02	0	_	<u> </u>	_	 - + -	 _ 📕 .		-	-	10	11	Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	3.966 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
	AZENTIO TO THE PROPERTY OF THE		
2	And login with valid credentials	PASSED	4.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.622 s
	screenshot		
	AZENTIO		


#	Step / Hook Details	Status	Duration
3	And User get the test data for test case AT_CD_01	PASSED	0.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
	* AZENTO **AND D D D NO NO NO D		
4	And User click the module name dropdown in ULS application	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
	AMERICA AMERICA DE SOLUCIO DE LA CONTRACTOR DE LA CONTRAC		
5	And User select the module name as LOS in ULS application	PASSED	0.012 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
	ATENTO  ATENTO		
6	And user click on the hamburger menu	PASSED	4.011 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot	1	
	ACCUTION AND SET AND ALL AND SET AND S		
7	And user click on the transactions module	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot	1	
		1	


#	Step / Hook Details	Status	Duration
	AZENTO INDICE SE NO NO DE LA COMPANIO DEL COMPANIO DE LA COMPANIO DE LA COMPANIO DEL COMPANIO DE LA COMPANIO DEL COMPANIO DE LA COMPANIO DE LA COMPANIO DE LA COMPANIO DE LA COMPANIO DEL COMPANIO DE LA COMPANIO DEL COMPANIO DEL COMPANIO DEL COMPANIO DE LA COMPANIO DEL COMPANIO DE		
8	And user click on the appication manager option	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
	A SENTO INDICATE A SECURITION OF THE SECURITIES.		
9	And user click on the customer details module	PASSED	0.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
	ASENTO  INDEED TO LONG BOOK TO		
10	And user click the add button under customer details tab	PASSED	14.876 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
	ALENTO  Secretarion  Secretario		
11	And user click on the back button in personal details	PASSED	3.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	ASERTO		








EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

