

Cucumber Report

Jul 25, 2022, 11:30:54 PM

Start : Jul 25, 11:30:21.450 PM

End : Jul 25, 11:30:53.809 PM

Duration : 32.359 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 21

FAILED - 0

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	32.359 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	System should not allow user to save the records with invalid data	21	21	0	0	32.355 s


(F)- Product Master Retail Functionality

PASSED	DURATION - 32.359 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 21 Pass - 21 Fail - 0 Skip - 0	
/ 11:30:21.450 PM // 11:30:53.809 PM /					

(S)- System should not allow user to save the records with invalid data



<div>PASSED</div> <div>DURATION - 32.355 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 21</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:30:21.454 PM // 11:30:53.809 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.681 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
			
9	Then verify the field Remarks	PASSED	1.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		
			
10	Then click on save button	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then validate the impact of any mandatory field blank	PASSED	0.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
13	Then click on Product Master add button	PASSED	1.679 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
			
14	Then verify functionality and asterik mark of the field Product Group	PASSED	2.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then verify functionality and asterik mark of the field Product Code	PASSED	1.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
			
16	Then Enter Product Description	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
			
17	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
			
18	Then verify the field Remarks with special characters value	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	Then click on save button	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
20	Then validate the impact of special characters value in any field	PASSED	0.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
			
21	Then user logout from the application	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
			


(F) Product Master Retail Functionality

[illegible]


(F) Product Master Retail Functionality

[illegible]

(F) Product Master Retail Functionality



(F) Product Master Retail Functionality



English
LOS
Azentio Software

Puneet
01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

Showing 1 to 5 of 121 entries

<<
<
1
2
3
4
5
>
>>

5

English
LOS
Azentio Software

Puneet
01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

Showing 1 to 5 of 121 entries

<<
<
1
2
3
4
5
>
>>

5

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Description *

Select

Deposits

DM Code

Lending

Trade

Treasury

Product Code *

Retail/Corporate *

Select

Remarks

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Description *

Select

Deposits

DM Code

Lending

Trade

Treasury

Product Code *

Retail/Corporate *



Select

Remarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data



(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text input field with 'PR10'), 'Product Description' (a text input field), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text input field), and 'Remarks' (a text input field with 'HomeLoan'). There is a red asterisk next to the 'Product Group' and 'Product Code' labels, indicating they are required fields. At the bottom of the form, there is a grey button that says 'Please fill all the details'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text input field with 'PR10'), 'Product Description' (a text input field), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text input field), and 'Remarks' (a text input field with 'HomeLoan'). There is a red asterisk next to the 'Product Group' and 'Product Code' labels, indicating they are required fields. A blue label 'Required field' is visible next to the 'Product Description' field. At the bottom of the form, there is a grey button that says 'Please fill all the details'.

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet
01-Sep-2023

<

Product Master

Product Master

Product Group *

Lending

Product Description *

Required field

DM Code

Remarks

HomeLoan

Product Code *

PR10

Retail/Corporate *

Retail

Please fill all the details

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
 - Regulatory Product Defini...
 - Project Setup
 - Config Manager

English
LOS
Azentio Software

Puneet
01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
←	Product Master				

Product Master

Product Group *

Lending

Product Code *

PR10

Product Description *

Retail/Corporate *

Retail

DM Code

Remarks

Required field

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a search bar, an 'Export' button, and a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data. At the bottom, there is a pagination bar showing 'Showing 1 to 5 of 121 entries' and a circular icon with a gear symbol.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with a back arrow, the title 'Product Master', and a red notification icon. Below the header are four input fields: Product Group (with a dropdown menu showing 'Lending'), Product Code (a text input), Product Description (with a dropdown menu showing 'Select', 'Deposits', 'Lending' (selected), 'Trade', and 'Treasury'), and Retail/Corporate (with a dropdown menu showing 'Select').

(F) Product Master Retail Functionality

[illegible]

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Menu

English

LOS

Azentio Software

Grid Icon

Notification Bell

Puneet
01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Code *

PR10

Product Description *

Loan

Retail/Corporate *

Select

DM Code

Remarks

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Retail ▾

Select

Corporate

Retail

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

@#\$%&

Alphanumeric characters allowed

Product Code *

PR10

Retail/Corporate *

Retail ▾

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

@#\$%&

Alphanumeric characters allowed

Product Code *

PR10

Retail/Corporate *

Retail ▾

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

<

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan ⓘ

DM Code

Remarks

@#\$%

Alphanumeric characters allowed

Product Code *

PR10

Retail/Corporate *

Retail ▾

Please fill all the details

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English ▼

LOS ▼

Azentio Software ▼

Puneet
01-Sep-2023

<

Product Master

Product Master

Product Group *

Lending

Product Description *

Loan

DM Code

Remarks

@#\$%

Alphanumeric characters allowed

Product Code *

PR10

Retail/Corporate *

Retail

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows a web application interface for the 'Product Master' form. At the top, there is a header bar with a back arrow, the title 'Product Master', and a save icon with a red error indicator. Below the header, the form is divided into several sections. The 'Product Group' field is a dropdown menu with 'Lending' selected. The 'Product Code' field is a text input containing 'PR10'. The 'Product Description' field is a text input containing 'Loan'. The 'Retail/Corporate' field is a dropdown menu with 'Retail' selected. The 'DM Code' field is a text input that is currently empty. A dark blue error message banner at the bottom of the form reads 'Please fill all the details'. The form is styled with a light gray background and blue accents.

Product Master	
Product Group *	Product Code *
Lending	PR10
Product Description *	Retail/Corporate *
Loan	Retail
DM Code	

Please fill all the details