

Cucumber Report

Jul 21, 2022, 4:18:55 PM

Start : Jul 21, 4:18:50.598 PM

End : Jul 21, 4:18:54.689 PM

Duration : 4.091 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	4.091 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Checker	2	0	1	1	4.087 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 4.091 s	Scenarios		Steps	
/ 4:18:50.598 PM // 4:18:54.689 PM /		Total - 1	1	Total - 2	2
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Checker

<div>FAILED</div> <div>DURATION - 4.087 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:18:50.602 PM // 4:18:54.689 PM /				
Product Master Retail Functionality				
@Checker				

#	Step / Hook Details	Status	Duration
1	And User Login as Checker	FAILED	0.039 s
	<pre>java.lang.NullPointerException: Cannot invoke "String.hashCode()" because "userID" is null at stepdefinitions.KULS_Application_Login.uISApplicationLoginAsAChecker(KULS_Application_Login.java:50) at stepdefinitions.KULS_Login.user_login_as_checker(KULS_Login.java:44) at ?.User Login as Checker(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:106) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		
	+		
2	Then click on inbox	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checker

(F) Product Master Retail Functionality