

Cucumber Report

Jul 21, 2022, 12:43:52 AM

Start : Jul 21, 12:43:33.298 AM

End : Jul 21, 12:43:51.056 AM

Duration : 17.758 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	17.758 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product master	Product Master - Modify records (approve, reject and return) at checker stage	9	3	1	5	17.753 s



(F)- Check the functionality of product master


FAILED	DURATION - 17.758 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 3 Fail - 1 Skip - 5	
/ 12:43:33.298 AM // 12:43:51.056 AM /					

(S)- Product Master - Modify records (approve, reject and return) at checker stage

<div>FAILED</div> <div>DURATION - 17.753 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:43:33.303 AM // 12:43:51.056 AM /				
Check the functionality of product master				
@M6				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
			
2	And User Login as checker	PASSED	5.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on menu button	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
			
4	Then click on inbox button	FAILED	1.203 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-icon _ngcontent-qqy-c183="" name="mail-outline" ng-reflect-name="mail-outline" aria-label="mail outline" role="img" class="md hydrated"></ion-icon> is not clickable at point (598, 37). Other element would receive the click: <ion-item _ngcontent-qqy-c183="" button="true" type="button" lines="none" tooltipposition="bottom" class="p-element align-self-center pull-left item md item-lines-none item-fill-none in-list ion-activatable ion-focusable hydrated" ng-reflect-button="true" ng-reflect-type="button" ng-reflect-lines="none" ng-reflect-tooltip-position="bottom" ng-reflect-text="Inbox" role="listitem">...</ion-item> (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6b4c4a31c5b752029aa210b282c70633, clickElement {id=738dfcf5-b7f4-4e8d-a106-f941965cd073}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:64396}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64396/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (6b4c4a31c5b752029aa210b282c70633)] -> xpath: //ion-icon[@aria-label='mail outline']] Session ID: 6b4c4a31c5b752029aa210b282c70633</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.click_on_inbox_button(ProductMaster_Retail.java:129) at ?.click on inbox button(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:42) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.227 s
5	Then select the modified record to approve	SKIPPED	0.000 s
6	Then click on approve button	SKIPPED	0.004 s
7	Then enter remark for approve	SKIPPED	0.001 s
8	Then click on approved button	SKIPPED	0.000 s
9	Then user verify that system should display confirmation message after approved	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master

AZENTIO™

End-to-End Banking Suite

Enabling banks to continually redefine themselves, catering to the entire spectrum of banking functions – lending, core banking, treasury, trade finance, anti-money laundering and integrated risk management.

User ID

CONTINUE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at checker
stage

(F) Check the functionality of product
master

AZENTIO™

English ▾

No Module Mapped ▾


Azentio Software ▾


Sagar

01-Sep-2023

Loading...

Powered by Metabase

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p>(S) <u>Product Master - Modify records</u> (approve, reject and return) at checker stage</p>	
<p>(F) <u>Check the functionality of product</u> master</p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p>(S) <u>Product Master - Modify records</u> (approve, reject and return) at checker stage</p>	
<p>(F) <u>Check the functionality of product</u> master</p>	