

Cucumber Report

27 Sep 2023, 2:49:42 PM

Start : Sep 27, 2:48:15.981 PM

End : Sep 27, 2:49:40.724 PM

Duration : 1 m 24.743 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 14
FAILED - 1
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	1	0	1	0	1 m 24.743 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>To verify user is able to modify Customer Information record in the system</u>	19	14	1	4	1 m 24.734 s





(F)- Title of your feature




FAILED	DURATION - 1 m 24.743 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 19 Pass - 14 Fail - 1 Skip - 4	
/ 2:48:15.981 PM // 2:49:40.724 PM /					





(S)- To verify user is able to modify Customer Information record in the system

FAILED	DURATION - 1 m 24.734 s		Steps Total - 19 Pass - 14 Fail - 1 Skip - 4	
/ 2:48:15.990 PM // 2:49:40.724 PM /				
Title of your feature				
@AT_CD_05 @tag				

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	3.787 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
			
2	And login with valid credentials	PASSED	4.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.539 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And User get the test data for test case AT_CD_01	PASSED	0.551 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
			
4	And User click the module name dropdown in ULS application	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
			
5	And User select the module name as LOS in ULS application	PASSED	5.909 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
6	And User click the Mail box in ULS application	PASSED	0.358 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
7	And User click the Search button under inbox	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User search the Ref id under inbox	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
			
9	And User click the Entitle button under inbox	PASSED	0.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
10	And user click the customer details tab	PASSED	30.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
			
11	And user click on the first record edit button under customer details	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user clear the first name textfield	PASSED	0.591 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			
13	And user enter the name in first name textfield	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		
			
14	And user click on the update button	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
			
15	And user clear the first name textfield	FAILED	30.116 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [org.openqa.selenium.remote.RemoteWebElement@69a7a04c -> unknown locator] (tried for 30 second(s) with 1 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:103) at stepdefinitions.IJARAH_Steps.user_clear_the_first_name_textfield(IJARAH_Steps.java:854) at ?.user clear the first name textfield(file:///C:/Users/ININDC00627/git/ULS_ljarah_Tauqueer/KULS_Sankar/src/test/java/features/testijarah.		

#	Step / Hook Details	Status	Duration
	<p>feature:111)</p> <p>Caused by: org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [63cf350f9a48f243065981dc886bbafa, isElementDisplayed {id=9B40D40C6986C32CE070239AC89E1C0C_element_144}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\NINDC~2\AppData\Local\Temp\chrome-remote-devtools\53570}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:53570/devtools, se.cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [org.openqa.selenium.remote.RemoteWebElement@69a7a04c -> unknown locator] Session ID: 63cf350f9a48f243065981dc886bbafa</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:280) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) at stepdefinitions.IJARAHHooks.user_clear_the_first_name_textfield(IJARAHHooks.java:854) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And user click on the update button	SKIPPED	0.000 s
17	And user clear the first name textfield	SKIPPED	0.001 s
18	And user enter the name in first name textfield	SKIPPED	0.000 s
19	And user click on the update button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

AZENTIO™
ONEBanking

User ID

CONTINUE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

AZENTIO™
ONEBanking

User ID

Password



0 6 7 7 4 4

OTP 067744

SIGN IN


[Forgot Password?](#)



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) To verify user is able to modify
Customer Information record in the system




(F) Title of your feature



31-Jan-2023    Eng... Co... Cen... 





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature



31-Jan-2023    Eng... Co... Cen... 



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

AZENTIO

ONEBanking

31-Jan-2023

Eng...

LOS

Cen...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

AZENTIO

ONEBanking

31-Jan-2023

Eng...

LOS

Cen...

Inbox

Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
<input type="checkbox"/>	3253	shweta	Loan Application	Murabaha Consumer Durable Retail work Flow	in02040	New Application	BREXEC	27-Sep-2023	
<input type="checkbox"/>	3241	KIRAN KP	Loan Application	Home Loan Workflow	in02040	App Data Entry	CPUEXEC	26-Sep-2023	
<input type="checkbox"/>	3216	IjarahCust	Loan Application	Ijara Auto Retail work Flow	in02040	New Application	BREXEC	23-Sep-2023	
<input type="checkbox"/>	196		BPM Two Stage Workflow	Two Stage Workflow	in02040	maker	LOSMKR	22-Sep-2023	
<input type="checkbox"/>	3046	SKowsalya	Loan Application	Home Loan Workflow	in02040	App Data Entry	CPUEXEC	22-Sep-2023	
<input type="checkbox"/>	3209	test	Loan Application	Tawarruq Retail work Flow	in02040	New Application	BREXEC	21-Sep-2023	
<input type="checkbox"/>	3208	TEST	Loan Application	Tawarruq Retail work Flow	in02040	New Application	BREXEC	21-Sep-2023	
<input type="checkbox"/>	3199	meera	Loan Application	Consumer Durable Retail work Flow	in02040	App Data Entry	CPUEXEC	21-Sep-2023	
<input type="checkbox"/>	3138	Vikram	Loan Application	Home Loan Workflow	in02040	New Application	BREXEC	15-Sep-2023	
<input type="checkbox"/>	3036		Loan Application	Murabaha Auto Retail work Flow	in02040	New Application	BREXEC	06-Sep-2023	

Showing 1 to 10 of 59 entries

1234510

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

AZENTIO[®]

ONEBanking

31-Jan-2023

Eng...LOS...Cen...

Inbox

|

Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
	3253	shweta	Loan Application	Murabaha Consumer Durable Retail work Flow	in02040	New Application	BREXEC	27-Sep-2023	
	3241	KIRAN KP	Loan Application	Home Loan Workflow	in02040	App Data Entry	CPUEXEC	26-Sep-2023	
	3216	IjarahCust	Loan Application	Ijara Auto Retail work Flow	in02040	New Application	BREXEC	23-Sep-2023	
	196		BPM Two Stage Workflow	Two Stage Workflow	in02040	maker	L0SMKR	22-Sep-2023	
	3046	SKowsalya	Loan Application	Home Loan Workflow	in02040	App Data Entry	CPUEXEC	22-Sep-2023	
	3209	test	Loan Application	Tawarruq Retail work Flow	in02040	New Application	BREXEC	21-Sep-2023	
	3208	TEST	Loan Application	Tawarruq Retail work Flow	in02040	New Application	BREXEC	21-Sep-2023	
	3199	meera	Loan Application	Consumer Durable Retail work Flow	in02040	App Data Entry	CPUEXEC	21-Sep-2023	
	3138	Vikram	Loan Application	Home Loan Workflow	in02040	New Application	BREXEC	15-Sep-2023	
	3036		Loan Application	Murabaha Auto Retail work Flow	in02040	New Application	BREXEC	06-Sep-2023	

Showing 1 to 10 of 59 entries << < 1 2 3 4 5 > >> 10 ▾

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

Inbox									
Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
	3253	shweta	Loan Application	Murabaha Consumer Durable Retail work Flow	in02040	New Application	BREXEC	27-Sep-2023	
	3241	KIRAN KP	Loan Application	Home Loan Workflow	in02040	App Data Entry	CPUEXEC	26-Sep-2023	
	3216	IjarahCust	Loan Application	Ijara Auto Retail work Flow	in02040	New Application	BREXEC	23-Sep-2023	
	196		BPM Two Stage Workflow	Two Stage Workflow	in02040	maker	LOSMKR	22-Sep-2023	
	3046	SKowsalya	Loan Application	Home Loan Workflow	in02040	App Data Entry	CPUEXEC	22-Sep-2023	
	3209	test	Loan Application	Tawarruq Retail work Flow	in02040	New Application	BREXEC	21-Sep-2023	
	3208	TEST	Loan Application	Tawarruq Retail work Flow	in02040	New Application	BREXEC	21-Sep-2023	
	3199	meera	Loan Application	Consumer Durable Retail work Flow	in02040	App Data Entry	CPUEXEC	21-Sep-2023	
	3138	Vikram	Loan Application	Home Loan Workflow	in02040	New Application	BREXEC	15-Sep-2023	
	3036		Loan Application	Murabaha Auto Retail work Flow	in02040	New Application	BREXEC	06-Sep-2023	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the date 31-Jan-2023, a calendar icon, an envelope icon, a grid icon, language (Eng...), location (LOS), and a user profile (Cen...). The main header has tabs for Application Details, Customer details (selected), Additional Customer Info, and Notes Manager. The title is 'Customer Personal Information'. Below the title is a table with columns: Action, First Name, Middle Name, Last Name, Family Name, Customer Type, Applicant Type, and Status. The table contains five rows of data. The first row is 'Active', the second and third are 'In-active', and the fourth and fifth are 'Active'. At the bottom, it says 'Showing 1 to 5 of 12 entries' with pagination controls.

Action	First Name	Middle Name	Last Name	Family Name	Customer Type	Applicant Type	Status
	updatedfirstName	Kumar	Kumar		I	P	Active
	updatedfirstName	Kumar	Kumar		I	P	In-active
	updatedfirstName	Kumar	Kumar		I	P	In-active
	updatedfirstName	Kumar	Kumar		I	P	Active
	Anandh	Kumar	Kumar		I	P	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar is the same as the previous screenshot. The main header has tabs for Application Details, Customer details (selected), Additional Customer Info, and Notes Manager. The title is 'Customers Information'. Below the title is a form titled 'Personal Details'. The form has fields for Applicant Type (Primary Applicant), Customer Type (Individual Customer), and Title (Mr). It also has fields for First Name, Middle Name, Last Name, Family Name, First Name (Arabic), Middle Name (Arabic), Last Name (Arabic), Family Name (Arabic), Date Of Birth (01-Jan-1998), Age (25), Date of Birth (Hijri Date) (02-Sep-1418), Gender (MALE), Marital Status (Single), Education Level, and Nationality.

Personal Details

Applicant Type *
Primary Applicant

Customer Type *
Individual Customer

Title *
Mr

First Name *
Kumar

Middle Name
Kumar

Last Name *
Kumar

Family Name
Kumar

First Name (Arabic) *
كودل

Middle Name (Arabic)
كودل

Last Name (Arabic) *
كودل

Family Name (Arabic)
كودل

Date Of Birth *
01-Jan-1998

Age
25

Date of Birth (Hijri Date)
02-Sep-1418

Gender *
MALE

Marital Status *
Single

Education Level *
Nationality *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

The screenshot shows the 'Customers Information' form in the AZENTIO ONEBanking application. The form is titled 'Customers Information' and has a back arrow. It contains several sections: 'Personal Details' with fields for 'Applicant Type' (Primary Applicant), 'Customer Type' (Individual Customer), and 'Title' (Mr). Below these are fields for 'First Name', 'Middle Name', 'Last Name', 'Family Name', 'First Name (Arabic)', 'Middle Name (Arabic)', 'Last Name (Arabic)', 'Family Name (Arabic)', 'Date Of Birth' (01-Jan-1998), 'Age' (25), 'Date of Birth (Hijri Date)' (02-Sep-1418), 'Gender' (MALE), 'Marital Status' (Single), and 'Education Level'. There is a calendar icon next to the 'Date Of Birth' field.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

This is a duplicate of the screenshot above, showing the 'Customers Information' form in the AZENTIO ONEBanking application. The form is titled 'Customers Information' and has a back arrow. It contains several sections: 'Personal Details' with fields for 'Applicant Type' (Primary Applicant), 'Customer Type' (Individual Customer), and 'Title' (Mr). Below these are fields for 'First Name', 'Middle Name', 'Last Name', 'Family Name', 'First Name (Arabic)', 'Middle Name (Arabic)', 'Last Name (Arabic)', 'Family Name (Arabic)', 'Date Of Birth' (01-Jan-1998), 'Age' (25), 'Date of Birth (Hijri Date)' (02-Sep-1418), 'Gender' (MALE), 'Marital Status' (Single), and 'Education Level'. There is a calendar icon next to the 'Date Of Birth' field.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to modify
Customer Information record in the system

(F) Title of your feature

AZENTIO
ONEBanking

31-Jan-2023 [Calendar] [Envelope] [Grid] Eng... LOS Cen... [User Profile]

Application Details **Customer details** Additional Customer Info Notes Manager

Customer Personal Information

+ [Search]

Action	First Name ↑↓	Middle Name ↑↓	Last Name ↑↓	Family Name ↑↓	Customer Type ↑↓	Applicant Type ↑↓	Status ↑↓
[Edit] [Eye]	updatedfirstName	Kumar	Kumar		I	P	Active
[Edit] [Eye]	updatedfirstName	Kumar	Kumar		I	P	In-active
[Edit] [Eye]	updatedfirstName	Kumar	Kumar		I	P	In-active
[Edit] [Eye]	updatedfirstName	Kumar	Kumar		I	P	Active
[Edit] [Eye]	Anandh	Kumar	Kumar		I	P	Active

Showing 1 to 5 of 12 entries << < 1 2 3 > >> 5

[Gear Icon]