# Cucumber Report

| Start : Sep 25, 3:28:42.924 PM | End : Sep 25, 3:29:46.360 PM | Duration : 1 m 3.436 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 15<br>FAILED - 0<br>SKIPPED - 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Title of your feature | 1 | 1 | 0 | 0 | 1 m 3.436 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Title of your feature | To verify user is able to add new Customer Information record in the system by entering invalid data | 15 | 15 | 0 | 0 | 1 m 3.433 s |

## (F)- Title of your feature

| PASSED | DURATION - 1 m 3.436 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 15 | |
| / 3:28:42.924 PM // 3:29:46.360 PM / | | Pass - 1 | 1 | Pass - 15 | 15 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- To verify user is able to add new Customer Information record in the system by entering invalid data

| PASSED | DURATION - 1 m 3.433 s | | Steps | |
|---|---|---|---|---|
| / 3:28:42.927 PM // 3:29:46.360 PM / | | | Total - 15 | |
| Title of your feature | | | Pass - 15 | 15 |
| @AT_CD_03 @tag | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given navigate the IJARA URL | PASSED | 4.137 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.358 s |
| | screenshot | | |
| |  + | | |
| 2 | And login with valid credentials | PASSED | 4.118 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.562 s |
| | screenshot | | |
| |  + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And User get the test data for test case AT_CD_03 | PASSED | 0.570 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.296 s |
| | screenshot | | |
| |  | | |
| 4 | And User click the module name dropdown in ULS application | PASSED | 0.247 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s |
| | screenshot | | |
| |  | | |
| 5 | And User select the module name as LOS in ULS application | PASSED | 5.654 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | screenshot | | |
| |  | | |
| 6 | And User click the Mail box in ULS application | PASSED | 0.295 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.242 s |
| | screenshot | | |
| |  | | |
| 7 | And User click the Search button under inbox | PASSED | 0.228 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| |  | | |
| 8 | And User search the Ref id under inbox | PASSED | 0.223 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.148 s |
| | screenshot | | |
| |  | | |
| 9 | And User click the Entitle button under inbox | PASSED | 0.162 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | screenshot | | |
| |  | | |
| 10 | And user click the customer details tab | PASSED | 30.288 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.384 s |
| | screenshot | | |
| |  | | |
| 11 | And user click the add button under customer details tab | PASSED | 0.976 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.218 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 12 | And user click the save button under cusomer details | PASSED | 0.122 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.227 s |
| | screenshot | | |
| |  | | |
| 13 | And user verify the popup post clicking save button | PASSED | 0.046 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.199 s |
| | screenshot | | |
| |  | | |
| 14 | And user click on the first name textfield | PASSED | 9.142 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.198 s |
| | screenshot | | |
| |  | | |
| 15 | And user verify the invalid message of first name textfield | PASSED | 0.057 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.136 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| |  | | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) To verify user is able to add new Customer Information record in the system by entering invalid data | |
| (F) Title of your feature | |



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) To verify user is able to add new Customer Information record in the system by entering invalid data | |
| (F) Title of your feature | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Customer Information record in the system by entering invalid data

(F) Title of your feature

AZENTIO
ONEBanking

31-Jan-2023   Eng...   Co...   Cen...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Customer Information record in the system by entering invalid data

(F) Title of your feature

AZENTIO
ONEBanking

31-Jan-2023   Eng...   Co...   Cen...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Customer Information record in the system by entering invalid data

(F) Title of your feature

---

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Customer Information record in the system by entering invalid data

(F) Title of your feature

---

AZENTIO
ONEBanking
31-Jan-2023

AZENTIO
ONEBanking
31-Jan-2023

Inbox

Action

Showing 0 to 0 of 0 entries          10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Customer Information record in the
system by entering invalid data

(F) Title of your feature



| Action | Reference Id | Client Name | Event | Workflow | Employee | Stage Description | Role Code | Created Date | Approver Role |
|---|---|---|---|---|---|---|---|---|---|
|  | 3223 | Arabic | Loan Application | Tawarruq Retail work Flow | in02040 | New Application | BREXEC | 25-Sep-2023 |  |
|  | 3216 | IjarahCust | Loan Application | Ijara Auto Retail work Flow | in02040 | New Application | BREXEC | 23-Sep-2023 |  |
|  | 196 |  | BPM Two Stage Workflow | Two Stage Workflow | in02040 | maker | LOSMKR | 22-Sep-2023 |  |
|  | 3046 | SKowsalya | Loan Application | Home Loan Workflow | in02040 | App Data Entry | CPUEXEC | 22-Sep-2023 |  |
|  | 3209 | test | Loan Application | Tawarruq Retail work Flow | in02040 | New Application | BREXEC | 21-Sep-2023 |  |
|  | 3208 | TEST | Loan Application | Tawarruq Retail work Flow | in02040 | New Application | BREXEC | 21-Sep-2023 |  |
|  | 3199 | meera | Loan Application | Consumer Durable Retail work Flow | in02040 | App Data Entry | CPUEXEC | 21-Sep-2023 |  |
|  | 3138 | Vikram | Loan Application | Home Loan Workflow | in02040 | New Application | BREXEC | 15-Sep-2023 |  |
|  | 3036 |  | Loan Application | Murabaha Auto Retail work Flow | in02040 | New Application | BREXEC | 06-Sep-2023 |  |
|  | 3031 | Test Cok CD | Loan Application | Murabaha Auto Retail work Flow | in02040 | New Application | BREXEC | 06-Sep-2023 |  |

Showing 1 to 10 of 59 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Customer Information record in the
system by entering invalid data

(F) Title of your feature



| Action | Reference Id | Client Name | Event | Workflow | Employee | Stage Description | Role Code | Created Date | Approver Role |
|---|---|---|---|---|---|---|---|---|---|
|  | 3223 | Arabic | Loan Application | Tawarruq Retail work Flow | in02040 | New Application | BREXEC | 25-Sep-2023 |  |
|  | 3216 | IjarahCust | Loan Application | Ijara Auto Retail work Flow | in02040 | New Application | BREXEC | 23-Sep-2023 |  |
|  | 196 |  | BPM Two Stage Workflow | Two Stage Workflow | in02040 | maker | LOSMKR | 22-Sep-2023 |  |
|  | 3046 | SKowsalya | Loan Application | Home Loan Workflow | in02040 | App Data Entry | CPUEXEC | 22-Sep-2023 |  |
|  | 3209 | test | Loan Application | Tawarruq Retail work Flow | in02040 | New Application | BREXEC | 21-Sep-2023 |  |
|  | 3208 | TEST | Loan Application | Tawarruq Retail work Flow | in02040 | New Application | BREXEC | 21-Sep-2023 |  |
|  | 3199 | meera | Loan Application | Consumer Durable Retail work Flow | in02040 | App Data Entry | CPUEXEC | 21-Sep-2023 |  |
|  | 3138 | Vikram | Loan Application | Home Loan Workflow | in02040 | New Application | BREXEC | 15-Sep-2023 |  |
|  | 3036 |  | Loan Application | Murabaha Auto Retail work Flow | in02040 | New Application | BREXEC | 06-Sep-2023 |  |
|  | 3031 | Test Cok CD | Loan Application | Murabaha Auto Retail work Flow | in02040 | New Application | BREXEC | 06-Sep-2023 |  |

Showing 1 to 10 of 59 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Customer Information record in the
system by entering invalid data

(F) Title of your feature

| Action | Reference Id | Client Name | Event | Workflow | Employee | Stage Description | Role Code | Created Date | Approver Role |
|--------|-------------|-------------|-------|----------|----------|-------------------|-----------|--------------|---------------|
| | 2971 | Gowtham | Loan Application | Ijara Auto Retail work Flow | in02040 | New Application | BREXEC | 01-Sep-2023 | |

Showing 1 to 1 of 1 entries

Inbox

AZENTIO
ONEBanking

31-Jan-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Customer Information record in the
system by entering invalid data

(F) Title of your feature

AZENTIO
ONEBanking

31-Jan-2023

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Customer Information record in the system by entering invalid data

(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Customer Information record in the system by entering invalid data

(F) Title of your feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Customer Information record in the system by entering invalid data

(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Customer Information record in the system by entering invalid data

(F) Title of your feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) To verify user is able to add new
Customer Information record in the
system by entering invalid data

(F) Title of your feature