


FEATURES SUMMARY -- 2 --



| # | Feature Name   | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Check The functionality of the Personal Details App data Entry | 1 | 0 | 1 | 0 | 37.590 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name   | Scenario Name   | T  | P | F | S  | Duration |
|---|--|---|----|---|---|----|----------|
| 1 | Check The functionality of the Personal Details App data Entry | verify the availability of Add button on cuatomer details tab | 49 | 9 | 1 | 39 | 37.577 s |

**DETAILED SECTION** 

## (F)- Check The functionality of the Personal Details App data Entry

| FAILED        | DURATION - 37.590 s    | Scenarios |   | Steps      |    |
|---------------|------------------------|-----------|---|------------|----|
|               |                        | Total - 1 |   | Total - 49 |    |
| / 2:00:09.786 | pm // 2:00:47.376 pm / | Pass - 0  | 1 | Pass - 9   | 49 |
|               |                        | Fall - 1  |   | Fail - 1   |    |
|               |                        | Skip - 0  |   | Skip - 39  |    |

## (S)- verify the availability of Add button on cuatomer details tab



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User Launch the KULS url for Transaction                                   | PASSED | 16.557 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.726 s  |
|   | screenshot   |        |          |
|   | ALSOTTO  CO D P P II OND ON D D D D D D D D D D D D D D D D                      |        |          |
| 2 | Then user click on Transaction Module  | PASSED | 0.092 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.346 s  |
|   | screenshot   |        |          |


| 3 And user click on Application Details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.330 s  PASSED 0.361 s  O 361 s   | # | Step / Hook Details  | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  O.361 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  O.380 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  O.380 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  O.350 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  O.348 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  O.351 s  PASSED  O.351 s  PASSED  O.352 s  O.353 s  O.355 s |   | Q  |        |          |
| screenshot  4 And user click on Inbox Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user search Appdata Entry  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s  | 3 |  | PASSED | 0.530 s  |
| 4 And user click on Inbox Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user search Appdata Entry  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.361 s  |
| 4 And user click on Inbox Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Screenshot  9 ASSED  0.350 s  0.154 s  PASSED  0.348 s  0.348 s  |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s  PASSED  0.143 s   |   | Q server B   |        |          |
| Screenshot  5 And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user search Appdata Entry  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s  | 4 | And user click on Inbox Icon   | PASSED | 0.380 s  |
| 5 And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user search Appdata Entry  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s  0.348 s  0.348 s   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.350 s  |
| 5 And user click search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And user search Appdata Entry  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s  PASSED  0.151 s  PASSED  0.143 s   |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And user search Appdata Entry  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.348 s  PASSED  0.151 s  PASSED  0.151 s   |   | Note   |        |          |
| Screenshot  6 And user search Appdata Entry  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.151 s  0.143 s  | 5 | And user click search icon   | PASSED | 0.154 s  |
| 6 And user search Appdata Entry  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s  0.143 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.348 s  |
| 6 And user search Appdata Entry  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s  0.143 s  |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s  |   | Name   |        |          |
|  | 6 | And user search Appdata Entry  | PASSED | 0.151 s  |
| screenshot   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.143 s  |
|  |   | screenshot   |        |          |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | *** ACCUMUS***  *** OF STATE O |        |          |
| 7  | And user click on First record of Appdata Entry  | PASSED | 0.131 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.466 s  |
|    | screenshot   |        |          |
|    | ## ADMITTO    Company   Co |        |          |
| 8  | And user click on Customer Details Tab   | PASSED | 1.246 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.682 s  |
|    | screenshot     Compared   Compare |        |          |
| 9  | And user click the Add button annd verify it   | PASSED | 0.182 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.323 s  |
|    | screenshot   |        |          |
|    | C S P S NO   |        |          |
| 10 | And user Choose customer Type  | FAILED | 0.275 s  |
|    | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[text()=' Individual Customer ']//following-sibling::ion-radio"} (Session info: chrome=104.0.5112.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [dc7623c3df106f6ee173d01cce0c0a82, findElement {using=xpath, value=//ion-label[text()=' Individual Customer   Indivi |        |          |


| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | Individual Customer "J/following-sibling::ion-radio}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: (chromedriverVersion: 103.0.5060.134 (8ec6fce403b userDataDir: C:\Users\NINDC-1\AppDataL), goog:chromeOptions: (debuggerAddress: localhost:57402/), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WiNDOWS, platformName: WiNDOWS, proxy: Proxy(), sec.dp: ws:/localhost:57402/devtoo, sec.dp/ersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dc7623c3df106f6ee173d01cce0c0a82 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:144) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:144) at org.openqa.selenium.remote.RemoteWebDriver.execute(PttpCommandExecutor.java:144) at org.openqa.selenium.remote.RemoteWebDriver.execute(PttpCommandExecutor.java:144) at org.openqa.selenium.remote.RemoteWebDriver.execute(PttpComm         | PASSED  | 0.330 s  |
|    | Screenshot     Author   C   P   Max   Max   Max | -       |          |
| 11 |   | CKIDDED | 0.000 -  |
| 11 | And user Enter CIF ID   | SKIPPED | 0.000 s  |
| 12 | And user Enter Application Number   | SKIPPED | 0.001 s  |
| 13 | And user Enter Customer Name  | SKIPPED | 0.000 s  |
| 14 | And user choose ID Name   | SKIPPED | 0.000 s  |
| 15 | And user Enter ID Number  | SKIPPED | 0.000 s  |
| 16 | And user Enter Mobile Number  | SKIPPED | 0.000 s  |

| #  | Step / Hook Details                          | Status  | Duration |
|----|--|---------|----------|
| 17 | And user Choose Date of Birth                | SKIPPED | 0.000 s  |
| 18 | And user Enter Email ID                      | SKIPPED | 0.000 s  |
| 19 | And user Click the search button             | SKIPPED | 0.000 s  |
| 20 | And user click the Create New Record button  | SKIPPED | 0.000 s  |
| 21 | And user Enter the customer Type field       | SKIPPED | 0.000 s  |
| 22 | And user Enter the Applicant Type field      | SKIPPED | 0.000 s  |
| 23 | And user Enter the Salutation field          | SKIPPED | 0.000 s  |
| 24 | And user Enter the First Name field          | SKIPPED | 0.003 s  |
| 25 | And user Enter the Middle Name filed         | SKIPPED | 0.000 s  |
| 26 | And user Enter the Last Name field           | SKIPPED | 0.001 s  |
| 27 | And user Enter the Father First Name field   | SKIPPED | 0.000 s  |
| 28 | And user Enter the Father Middle Name field  | SKIPPED | 0.000 s  |
| 29 | And user Enter the Father Last Name Field    | SKIPPED | 0.001 s  |
| 30 | And user Enter the spouse First Name field   | SKIPPED | 0.000 s  |
| 31 | And user Enter the spouse Middle name field  | SKIPPED | 0.000 s  |
| 32 | And user Enter the spouse Last Name field    | SKIPPED | 0.000 s  |
| 33 | And user Enter the No of children field      | SKIPPED | 0.000 s  |
| 34 | And user Enter the spouse status field       | SKIPPED | 0.000 s  |
| 35 | And user Enter the Date of birth field       | SKIPPED | 0.000 s  |
| 36 | And user Enter the gender field              | SKIPPED | 0.000 s  |
| 37 | And user Enter the Education Level field     | SKIPPED | 0.001 s  |
| 38 | And user Enter the Marital status field      | SKIPPED | 0.000 s  |
| 39 | And user Enter the Nationality field         | SKIPPED | 0.000 s  |
| 40 | And user Enter the Ethinicity field          | SKIPPED | 0.000 s  |
| 41 | And user Enter the Religion field            | SKIPPED | 0.000 s  |
| 42 | And user Enter the Residental status field   | SKIPPED | 0.000 s  |
| 43 | And user Enter the Language field            | SKIPPED | 0.000 s  |
| 44 | And user Enter the No Of dependents field    | SKIPPED | 0.000 s  |
| 45 | And user Enter the Mothers maiden name field | SKIPPED | 0.001 s  |
| 46 | And user Enter the Type of Residence field   | SKIPPED | 0.000 s  |
| 47 | And user Enter the category of client field  | SKIPPED | 0.000 s  |
| 48 | And user Enter the Rating field              | SKIPPED | 0.000 s  |
| 49 | And user Enter the Remark fields             | SKIPPED | 0.000 s  |


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

