

Cucumber Report

Sep 22, 2022, 6:53:53 PM

Start : Sep 22, 6:53:28.818 PM

End : Sep 22, 6:53:51.742 PM

Duration : 22.924 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	22.924 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	Verify the Customer Address Information Parameter details List view	18	8	1	9	22.913 s

(F)- Check the functionality of Customer Address Details screen



FAILED	DURATION - 22.924 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 8 Fail - 1 Skip - 9	
/ 6:53:28.818 PM // 6:53:51.742 PM /					


(S)- Verify the Customer Address Information Parameter details List view

<div>FAILED</div> <div>DURATION - 22.913 s</div>			<div>Steps</div> <div>Total - 18</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 6:53:28.829 PM // 6:53:51.742 PM /				
Check the functionality of Customer Address Details screen				
@AT_CAD_010				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.978 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
	screenshot		
			
2	And User Login as maker	PASSED	4.459 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.699 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then user should click on the menu toggle	PASSED	0.470 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
			
4	Then click on inbox to search for the Customer Address Details record	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot		
			
5	Then click on search button to search the record of Customer Address Details	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
			
6	Then enter the reference id of the Customer Address Details record	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	0.758 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
			
9	Then select the Customer Address details record from the customer personal detail screen	FAILED	0.028 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-title[contains(text(),'Address Details')]"}</p> <p>(Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c2975138bdc9c22853cbf61a293801f, findElement {using=xpath, value=//ion-title[contains(text(),'Address Details')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63387}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63387/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c2975138bdc9c22853cbf61a293801f</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:26) at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:48) at stepdefinitions.CustomerAddressDetails. select_the_customer_address_details_record_from_the_customer_personal_detail_screen(CustomerAddressDetails.java:98) at ?.select the Customer Address details record from the customer personal detail screen(file:///C:/Users/inindc00091/git/ Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:99) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
			
10	Then Verify system should display mention fields on List view of Customer Address Information Parameter details	SKIPPED	0.001 s
11	Then Verify the values in List view should be non editable on List view of Customer Address details	SKIPPED	0.001 s
12	Then select the record of Address details from the customer identification screen	SKIPPED	0.001 s
13	Then Verify the functionality of Back button on List view of Customer Address details	SKIPPED	0.000 s
14	Then click on export to excel button system should download Excel file of Customer Address details	SKIPPED	0.000 s
15	Then click on export to pdf button system should download Pdf file of Customer Address details	SKIPPED	0.000 s
16	Then verify search box should display matching record with matched data of Customer Address details	SKIPPED	0.001 s
17	Then verify search box should not display any record with mismatched data of Customer Address details	SKIPPED	0.000 s
18	Then Verify the functionality of add button	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view


(F) Check the functionality of Customer
Address Details screen





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen




<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify the Customer Address Information Parameter details List view</u></p>	
<p><u>(F) Check the functionality of Customer Address Details screen</u></p>	
<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify the Customer Address Information Parameter details List view</u></p>	
<p><u>(F) Check the functionality of Customer Address Details screen</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

**AZENTIO**
ONEBanking










Dashboard

Configurations

Transactions

Reports


Inbox


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	648	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 18:25	HLW	AHL		T	T
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	615	APP_CREATE	FCUVRFY	CPUEXEC	in02040	22-Sep-2022 16:45	HLW	AHL		T	T
	645	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 16:42	HLW	AHL		T	T
	618	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 16:35	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	639	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 15:30	HLW	AHL		T	T

Engl...

LOS

Aze...



**AZENTIO**
ONEBanking










Dashboard

Configurations

Transactions

Reports


Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	648	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 18:25	HLW	AHL		T	T
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	615	APP_CREATE	FCUVRFY	CPUEXEC	in02040	22-Sep-2022 16:45	HLW	AHL		T	T
	645	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 16:42	HLW	AHL		T	T
	618	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 16:35	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	639	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 15:30	HLW	AHL		T	T

Engl...

LOS

Aze...



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Det Next

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the AZENTIO ONEBanking application. The top navigation bar includes a hamburger menu icon, the AZENTIO ONEBanking logo, and user profile details (Engl..., LOS, Aze...). A left sidebar contains a search bar and a menu with options: Dashboard, Configurations, Transactions, and Reports. The main content area is currently blank, and a blue circular button with a white icon is visible in the bottom right corner.