

Cucumber Report

12-Jun-2023, 6:00:34 pm

Start : Jun 12, 6:00:19.551 pm

End : Jun 12, 6:00:32.858 pm

Duration : 13.307 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 1

SKIPPED - 17







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	13.307 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	Verify the Customer Address Information Parameter details List view	19	1	1	17	13.299 s


(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 13.307 s	Scenarios		Steps	
/ 6:00:19.551 pm // 6:00:32.858 pm /		Total - 1		Total - 19	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- Verify the Customer Address Information Parameter details List view

<div>FAILED</div> <div>DURATION - 13.299 s</div>		<div>Steps</div> <div>Total - 19</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 17</div>	
/ 6:00:19.559 pm // 6:00:32.858 pm /			
Check the functionality of Customer Address Details screen			
@AT_CAD_010			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.839 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.853 s
	screenshot		
			
2	And User Login as maker for transaction screen	FAILED	0.050 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at resources.ExcelReader.getRowCount(ExcelReader.java:43) at stepdefinitions.ExcelData.getTestdata(ExcelData.java:21) at stepdefinitions.KULS_Login.user_login_as_maker_for_transaction_screen(KULS_Login.java:48) at ?>User Login as maker for transaction screen(file:///C:/Users/ININDC00071/git/Azentio_ULS_D/Devesh_AzentioULSFramework_ExcelTest/src/test/java/features/CustomerAddressDetails.feature:267) * Not displayable characters are replaced by '?'. </pre>		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.743 s
	screenshot		
			
3	Then select data set ID for customer address details testcase010	SKIPPED	0.000 s
4	Then user should click on the menu toggle	SKIPPED	0.004 s
5	Then click on inbox to search for the Customer Address Details record	SKIPPED	0.001 s
6	Then click on search button to search the record of Customer Address Details	SKIPPED	0.000 s
7	Then enter the reference id of the Customer Address Details record	SKIPPED	0.003 s
8	Then click on the entitle button of the Customer Address Details record of that reference id	SKIPPED	0.001 s
9	Then click on the Additional customer info tab in Customer Personal Information screen	SKIPPED	0.001 s
10	Then select the Customer Address details record from the customer personal detail screen	SKIPPED	0.001 s
11	Then Verify system should display mention fields on List view of Customer Address Information Parameter details	SKIPPED	0.001 s
12	Then Verify the values in List view should be non editable on List view of Customer Address details	SKIPPED	0.000 s
13	Then select the record of Address details from the customer identification screen	SKIPPED	0.000 s
14	Then Verify the functionality of Back button on List view of Customer Address details	SKIPPED	0.000 s
15	Then click on export to pdf button system should download Pdf file of Customer Address details	SKIPPED	0.000 s
16	Then click on export to excel button system should download Excel file of Customer Address details	SKIPPED	0.001 s
17	Then verify search box should display matching record with matched data of Customer Address details	SKIPPED	0.001 s
18	Then verify search box should not display any record with mismatched data of Customer Address details	SKIPPED	0.002 s
19	Then Verify the functionality of add button	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO™
ONEBanking

User ID

CONTINUE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO™
ONEBanking

User ID

CONTINUE