

# Cucumber Report

29-Nov-2022, 12:12:38 pm

**Start : Nov 29, 12:11:32.665 pm**

**End : Nov 29, 12:12:37.382 pm**

**Duration : 1 m 4.717 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 86**







#	Feature Name	T	P	F	S	Duration
1	<u>To test the property details tab</u>	1	0	1	0	1 m 4.717 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	To create the property details with valid data	87	0	1	86	1 m 4.710 s

**(F)- To test the property details tab**

<b>FAILED</b>	<b>DURATION - 1 m 4.717 s</b>	Scenarios		Steps	
/ 12:11:32.665 pm // 12:12:37.382 pm /		Total - 1	1	Total - 87	87
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 86	


**(S)- To create the property details with valid data**

<div>FAILED</div> <div>DURATION - 1 m 4.710 s</div>			Steps		
/ 12:11:32.672 pm // 12:12:37.382 pm /			Total - 87		
To test the property details tab			Pass - 0		
@AT_PD_001			Fail - 1		
			Skip - 86		

#	Step / Hook Details	Status	Duration
1	<p>Given User Launch the KULS url for Transaction</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-card-content//ion-col[1]//div//ion-button' (tried for 30 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:46)</p> <p>at stepdefinitions.CustomerEntityLayout_CustomerDebt_Step.</p> <p>user_launch_the_kuls_url_for_transaction(CustomerEntityLayout_CustomerDebt_Step.java:38)</p> <p>at ?.User Launch the KULS url for Transaction(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_Property_Details.feature:4)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-card-content//ion-col[1]//div//ion-button"} (Session info: chrome=107.0.5304.121) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9606e57e59ec149c8e1208a95849afd9, findElement {using=xpath, value=//ion-card-content//ion-col[1]//div//ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56951}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56951/devtoo..., se:cdpVersion: 107.0.5304.121,</p>	FAILED	55.145 s

#	Step / Hook Details	Status	Duration
	<p>setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9606e57e59ec149c8e1208a95849afd9</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:46)</p> <p>at stepdefinitions.CustomerEntityLayout_CustomerDebt_Step. user_launch_the_kuls_url_for_transaction(CustomerEntityLayout_CustomerDebt_Step.java:38)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.585 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	And click on mail box	SKIPPED	0.000 s
3	And search for app data entry record	SKIPPED	0.000 s
4	And select the app data entry first record	SKIPPED	0.001 s
5	And click on property detail record	SKIPPED	0.000 s
6	And click on add button in property details tab	SKIPPED	0.000 s
7	Then verify property details is showing in the screen	SKIPPED	0.001 s
8	Then verify address details is showing in screen	SKIPPED	0.000 s
9	Then verify charge details is showing in the screen	SKIPPED	0.000 s
10	Then verify construction details is showing in the screen	SKIPPED	0.000 s
11	And user update the Excelsheet Testdata for Property creation	SKIPPED	0.000 s
12	Then verify security type field should be visisble and mandatory dropdown	SKIPPED	0.003 s
13	And user can able to select the data from the security dropdown	SKIPPED	0.001 s
14	Then verify property city field should be mandatory lookup	SKIPPED	0.000 s
15	And user can able to select the data from the property city field	SKIPPED	0.000 s
16	Then verify Type Of Transaction field should be mandatory lookup	SKIPPED	0.002 s
17	And user can able to select the data from the Type Of Transaction field	SKIPPED	0.001 s
18	Then verify Purchased from field should be mandatory lookup	SKIPPED	0.000 s
19	And user can able to select the data from the Purchased from field	SKIPPED	0.001 s
20	Then verify Property Type field should be mandatory lookup	SKIPPED	0.000 s
21	And user can able to select the data from the Property Type field	SKIPPED	0.006 s
22	Then verify APF Status field should be mandatory dropdown	SKIPPED	0.001 s
23	And user can able to select the data from the APF Status field	SKIPPED	0.002 s
24	Then verify Construction Status field should be mandatory dropdown	SKIPPED	0.003 s
25	And user can able to select the data from the Construction Status field	SKIPPED	0.000 s
26	Then verify Property Category field should be mandatory dropdown	SKIPPED	0.000 s
27	And user can able to select the data from the Property Category field	SKIPPED	0.001 s
28	Then verify Nature of Property field should be mandatory lookup	SKIPPED	0.002 s
29	And user can able to select the data from the Nature of Property field	SKIPPED	0.001 s
30	Then verify Occupancy Status field should be mandatory lookup	SKIPPED	0.002 s
31	And user can able to select the data from the Occupancy Status field	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
32	Then verify name Of The Developer field should be mandatory lookup	SKIPPED	0.000 s
33	And user can able to select the data from the name Of The Developer field	SKIPPED	0.000 s
34	Then verify Project field should be mandatory lookup	SKIPPED	0.002 s
35	And user can able to select the data from the Project field	SKIPPED	0.000 s
36	Then verify Building Details field should be mandatory lookup	SKIPPED	0.002 s
37	And user can able to select the data from the Building Details field	SKIPPED	0.003 s
38	Then verify Unit Details field should be mandatory lookup	SKIPPED	0.000 s
39	And user can able to select the data from the Unit Details field	SKIPPED	0.000 s
40	Then verify address line 1 field should be non mendatory text box	SKIPPED	0.000 s
41	And user can able to enter the data into the address line 1 input box	SKIPPED	0.000 s
42	Then verify address line 2 field should be non mendatory text box	SKIPPED	0.002 s
43	And user can able to enter the data into the address line 2 input box	SKIPPED	0.001 s
44	Then verify address line 3 field should be text box	SKIPPED	0.002 s
45	And user can able to enter the data into the address line 3 input box	SKIPPED	0.001 s
46	Then verify country field should be non mandatory lookup	SKIPPED	0.001 s
47	And user can able to select the data from the country field	SKIPPED	0.000 s
48	Then verify state field should be non mandatory lookup	SKIPPED	0.001 s
49	And user can able to select the data from the state field	SKIPPED	0.000 s
50	Then verify District Neighbourhood field should be non mandatory textbox	SKIPPED	0.003 s
51	And user can able to enter the data from into District Neighbourhood field	SKIPPED	0.000 s
52	Then verify city field should be non mandatory lookup	SKIPPED	0.001 s
53	And user can able to select the data from the city field	SKIPPED	0.004 s
54	Then verify pincode field should be non mandatory textbox	SKIPPED	0.001 s
55	And user can able to enter the data from into pincode field	SKIPPED	0.000 s
56	Then verify Location Type field should be mandatory lookup	SKIPPED	0.000 s
57	And user can able to enter the data from into Location Type field	SKIPPED	0.000 s
58	Then verify distance from branch to property field should be mandatory lookup	SKIPPED	0.000 s
59	And user can able to enter the data from into distance from branch to property field	SKIPPED	0.000 s
60	Then verify Type Of Charge field should be mandatory dropdown	SKIPPED	0.000 s
61	And user can able to select the data from the Type Of Charge field	SKIPPED	0.002 s
62	Then verify Name Of Charge Holder field should be non mandatory textbox	SKIPPED	0.003 s
63	And user can able to enter the data from into Name Of Charge Holder field	SKIPPED	0.001 s
64	Then verify Amount to the Charge Holder field should be non mandatory currency field	SKIPPED	0.000 s
65	And user can able to enter the data from into Amount to the Charge Holder field	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
66	Then verify Measurement field should be mandatory dropdown	SKIPPED	0.002 s
67	And user can able to select the data from the Measurement field	SKIPPED	0.000 s
68	Then verify Approx Property Area field should be non mandatory textbox	SKIPPED	0.000 s
69	And user can able to enter the data from into Approx Property Area field	SKIPPED	0.000 s
70	Then verify Built Up Plot Area field should be non mandatory textbox	SKIPPED	0.001 s
71	And user can able to enter the data from into Built Up Plot Area field	SKIPPED	0.002 s
72	Then verify Carpet Area field should be non mandatory textbox	SKIPPED	0.001 s
73	And user can able to enter the data from into Carpet Area field	SKIPPED	0.000 s
74	Then verify Property Management field should be non mandatory lookup	SKIPPED	0.000 s
75	And user can able to select the data from the Property Management field	SKIPPED	0.000 s
76	Then verify Year Of Construction field should be non mandatory calendar	SKIPPED	0.000 s
77	And user can able to select the date from the Year Of Construction field	SKIPPED	0.001 s
78	Then verify percentage of completion field should be non mandatory textbox	SKIPPED	0.000 s
79	And user can able to enter the data from into percentage of completion field	SKIPPED	0.001 s
80	Then verify Expected Completion Date field should be non mandatory calendar	SKIPPED	0.000 s
81	And user can able to select the date from the Expected Completion Date field	SKIPPED	0.000 s
82	Then verify Agreement Date field should be non mandatory calendar	SKIPPED	0.002 s
83	And user can able to select the date from the Agreement Date field	SKIPPED	0.001 s
84	Then verify Agreement Validity Date field should be non mandatory calendar	SKIPPED	0.000 s
85	And user can able to select the date from the Agreement Validity Date field	SKIPPED	0.000 s
86	And save the property details record	SKIPPED	0.000 s
87	Then verify record is saved in the system	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To create the property details with  
valid data

(F) To test the property details tab

