


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	27.630 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify the availability of Add button on cuatomer details tab	49	14	1	34	27.622 s

DETAILED SECTION

(F)- Check The functionality of the Personal Details App data Entry

FAILED	DURATION - 27.630 s	Scenarios		Steps	
		Total - 1		Total - 49	
/ 3:07:04.941 p	om // 3:07:32.571 pm /	Pass - 0	1	Pass - 14	49
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 34	

(S)- verify the availability of Add button on cuatomer details tab



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.597 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
2	Then user click on Transaction Module	PASSED	0.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		

	504 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.3	
screenshot	371 s
4 And user click on Inbox Icon PASSED 0.5	531 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.3	307 s
## A STATION TOTAL CONTINUE OF THE PROPERTY	
5 And user click search icon PASSED 0.1	.46 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.1	.84 s
screenshot	
ASSISTED Compared by the co	
6 And user search Appdata Entry PASSED 0.1	.49 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.1	.49 s
screenshot	

7 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 8 And user click on Customer Details Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.456 s PASSED 0.456 s 0.576 s 0.576 s PASSED 0.188 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.409 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 And user click on Customer Details Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user Choose customer Type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And user Choose customer Type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.456 s 1.514 s PASSED 0.576 s 0.576 s		## CHAPTOO		
8 And user click on Customer Details Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user Choose customer Type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.810 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.810 s PASSED 0.279 s	7		PASSED	0.135 s
8 And user click on Customer Details Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user Choose customer Type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And user Choose customer Type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.610 s PASSED 0.279 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.456 s
8 And user click on Customer Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.186 s PASSED 0.409 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.610 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user Choose customer Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.576 s 0.576 s 0.409 s		## ACCUPATION Company		
9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user Choose customer Type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.610 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s	8	And user click on Customer Details Tab	PASSED	1.514 s
9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user Choose customer Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.186 s 0.409 s 0.409 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.576 s
9 And user click the Add button annot verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user Choose customer Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.186 s 0.409 s 0.409 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user Choose customer Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.409 s PASSED 0.610 s PASSED 0.279 s		ATOMICS IN STATE OF THE PROPERTY OF THE PROPE		
Screenshot 10 And user Choose customer Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.610 s 0.279 s	9	And user click the Add button annd verify it	PASSED	0.186 s
10 And user Choose customer Type AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.610 s 0.279 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.409 s
10 And user Choose customer Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.610 s 0.279 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s		## A STATE OF THE PROPERTY OF		
	10	And user Choose customer Type	PASSED	0.610 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
		screenshot		

#	Step / Hook Details	Status	Duration
	C Q Ø H NO NO NO NO NO DE CONTROL		
11	And user Enter CIF ID	PASSED	0.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
	A SERVICE CONTROL OF		
12	And user Enter Application Number	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.153 s
10		DACCED	0.107.
13	And user Enter Customer Name	PASSED	0.197 s 0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_Step - step - ste	PASSED	
14	And user choose ID Type	PASSED	0.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		


#	Step / Hook Details	Status	Duration
	TABLEY OF BE AND		
15	And user Enter ID Number	FAILED	1.171 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element		


#	Step / Hook Details	Status	Duration
	PersonalDetails_AppDataEntry.feature:59) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
	# ACRITICAL STATE OF THE PROPERTY OF THE PROPE		
16	And user Enter Mobile Number	SKIPPED	0.000 s
17	And user Choose Date of Birth	SKIPPED	0.000 s
18	And user Enter Email ID	SKIPPED	0.000 s
19	And user Click the search button	SKIPPED	0.001 s
20	And user click the Create New Record button	SKIPPED	0.000 s
21	And user Enter the customer Type field	SKIPPED	0.000 s
22	And user Enter the Applicant Type field	SKIPPED	0.000 s
23	And user Enter the Salutation field	SKIPPED	0.001 s
24	And user Enter the First Name field	SKIPPED	0.000 s
25	And user Enter the Middle Name filed	SKIPPED	0.000 s
26	And user Enter the Last Name field	SKIPPED	0.000 s
27	And user Enter the Father First Name field	SKIPPED	0.000 s
28	And user Enter the Father Middle Name field	SKIPPED	0.001 s
29	And user Enter the Father Last Name Field	SKIPPED	0.002 s
30	And user Enter the spouse First Name field	SKIPPED	0.000 s
31	And user Enter the spouse Middle name field	SKIPPED	0.001 s
32	And user Enter the spouse Last Name field	SKIPPED	0.000 s
33	And user Enter the No of children field	SKIPPED	0.000 s
34	And user Enter the spouse status field	SKIPPED	0.000 s
35	And user Enter the Date of birth field	SKIPPED	0.000 s
36	And user Enter the gender field	SKIPPED	0.000 s
37	And user Enter the Education Level field	SKIPPED	0.000 s
38	And user Enter the Marital status field	SKIPPED	0.000 s
39	And user Enter the Nationality field	SKIPPED	0.000 s
40	And user Enter the Ethinicity field	SKIPPED	0.000 s

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
41	And user Enter the Religion field	SKIPPED	0.000 s
42	And user Enter the Residental status field	SKIPPED	0.000 s
43	And user Enter the Language field	SKIPPED	0.001 s
44	And user Enter the No Of dependents field	SKIPPED	0.000 s
45	And user Enter the Mothers maiden name field	SKIPPED	0.000 s
46	And user Enter the Type of Residence field	SKIPPED	0.000 s
47	And user Enter the category of client field	SKIPPED	0.000 s
48	And user Enter the Rating field	SKIPPED	0.000 s
49	And user Enter the Remark fields	SKIPPED	0.000 s

EXPANDED SECTION -- 11 --







EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

