

Cucumber Report

23-Sep-2022, 4:49:08 pm

Start : Sep 23, 4:48:21.500 pm

End : Sep 23, 4:49:07.036 pm

Duration : 45.536 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To test the dept details screen</u>	1	0	1	0	45.536 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the dept details screen</u>	<u>verify while modification, when user keep any mandatory field blank and Fill the Invalid details</u>	14	13	1	0	45.526 s





(F)- To test the dept details screen

FAILED	DURATION - 45.536 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 13 Fail - 1 Skip - 0	
/ 4:48:21.500 pm // 4:49:07.036 pm /					




(S)- verify while modification, when user keep any mandatory field blank and Fill the Invalid details

<div>FAILED</div> <div>DURATION - 45.526 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:48:21.510 pm // 4:49:07.036 pm /				
To test the dept details screen				
@AT_DD_04				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	13.661 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot 		
2	And click on mail box	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot 		

#	Step / Hook Details	Status	Duration
3	And search for app data entry record	PASSED	0.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
			
4	And select the app data entry first record	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
			
5	And user click on Customer Financials Tab	PASSED	1.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.741 s
	screenshot		
			
6	And user click on First Record Edit Icon	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.109 s
	screenshot		
			
7	And click on pencil icon in financial commitment list view record	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.658 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Reupdate the finance type dropdown field	PASSED	1.885 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
			
9	And Reupdate the financial institution dropdown field	PASSED	0.509 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
			
10	And Reupdate the account number field	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
			
11	And Reupdate the sanction amount	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user update Invalid data to interest rate percentage field	PASSED	0.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
			
13	And save the updated record in customerfinancial commitment record	PASSED	2.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
			
14	<p>And user verify the validation Messgae for Invalid data</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-badge[contains(text(),' Positive Integer Allowed')]' (tried for 10 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_invalid_data(ULS_CustomerDeptDetailsSteps.java:1193) at ?user verify the validation Messgae for Invalid data(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenioULSFramework/src/test/java/features/ULS_CustomerDeptDetailsFEATURE.feature:81) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),' Positive Integer Allowed')]" (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5a8de5a12414846243b14e6b683a8ba0, findElement {using=xpath, value=//ion-badge[contains(text(),' Positive Integer Allowed')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:58602}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:</p>	FAILED	10.307 s

#	Step / Hook Details	Status	Duration
	<p>normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58602/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5a8de5a12414846243b14e6b683a8ba0</p> <p>at java.base/jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_invalid_data(ULS_CustomerDeptDetailsSteps.java:1193)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details


(F) To test the dept details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	470	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:46	HLW	AHL		T	
	285	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:18	HLW	AHL		T	
	507	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:17	HLW	AHL		T	
	508	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:11	HLW	AHL		T	
	662	APP_CREATE	DUPAPPDEC	BRMANG	in02040	23-Sep-2022 16:11	HLW	AHL		T	T
	666	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:16	HLW	AHL		T	T
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:08	HLW	AHL		T	T
	632	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:06	HLW	AHL		T	T
	515	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 15:0	HLW	AHL		T	
	541	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 14:57	HLW	AHL		T	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:08	HLW	AHL		T	T
	661	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 13:40	HLW	AHL		T	T
	262	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 12:17	HLW	AHL		T	
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the AZENTIO ONE Banking interface. On the left is a blue sidebar with a search bar and menu items: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry is visible with First Name 'kajal', Middle Name 'shekhr', Last Name 'bhoir', Customer Type 'I', Applicant Type 'P', and Status 'Active'. Below the table, it says 'Showing 1 to 1 of 1 entries'. At the top right, there are navigation links (Prev, Next), a search icon, and an 'Export' button. The top of the page includes the AZENTIO logo and user interface elements like language (Engl...), LOS, and a user profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the AZENTIO ONE Banking interface with the 'Customer Employment List' screen. The left sidebar is identical to the previous screenshot. The main content area has a tabbed interface with tabs: Application Info, Customer details, Additional Customer Info, Customer Financials (selected), Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. Below the tabs is a table with multiple rows of data, each starting with a checkbox and a small icon. The table is titled 'Income' at the bottom. The top of the page includes the AZENTIO logo and user interface elements like language (Engl...), LOS, and a user profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONE Banking

Application ID: Applicant Name: Customer ID:

Prev Application Info Customer details Additional Customer Info **Customer Financials** Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Customer Debt Details

Financial Commitments

Finance Type * Home Loan

Account Number * 10101

Sanction Amount * 100

Current Principal Balance * 1000

Maturity Date * 07-Aug-2024

Amount Considered * 100

Remarks * UpdatedRemark

Collateral Type * Shares

Frequency *

Financial Institution *

Financial Institution * Jazira Bank

Sanction Date * 07-Sep-2022

Interest Rate % * 80

Tenure (Months) * 100

Installment Amount * 100

Currency * INR

Next Due Date * 07-Jan-2020

Closed Date 07-Feb-2022

Last Payment Amount *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONE Banking

Application ID: Applicant Name: Customer ID:

Prev Application Info Customer details Additional Customer Info **Customer Financials** Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Customer Debt Details

Financial Commitments

Finance Type * Home Loan

Account Number * 10101

Sanction Amount * 100

Current Principal Balance * 1000

Maturity Date * 07-Aug-2024

Amount Considered * 100

Remarks * UpdatedRemark

Collateral Type * Shares

Frequency *

Financial Institution *

Financial Institution * Jazira Bank

Sanction Date * 07-Sep-2022

Interest Rate % * 80

Tenure (Months) * 100

Installment Amount * 100

Currency * INR

Next Due Date * 07-Jan-2020

Closed Date 07-Feb-2022

Last Payment Amount *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

100

Current Principal Balance *

1000

Maturity Date *

07-Aug-2024

Amount Considered *

100

Remarks *

UpdatedRemark

Collateral Type *

Shares

Frequency *

Monthly

Last Payment Date *

07-Mar-2022

Last 24 Cycle

1

Facility Status *

Active

Disbursement Date *

20-Sep-2022

Status

80

Tenure (Months) *

100

Installment Amount *

100

Currency *

INR

Next Due Date *

07-Jan-2020

Closed Date

07-Feb-2022

Last Payment Amount *

100

Product Name *

Dairy milk silk

Balance Transfer Flag

Remaining Tenure (Months) *

10

NPA CLASSIFICATION

Doubtful

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

100

Current Principal Balance *

1000

Maturity Date *

07-Aug-2024

Amount Considered *

100

Remarks *

UpdatedRemark

Collateral Type *

Shares

Frequency *

Monthly

Last Payment Date *

07-Mar-2022

Last 24 Cycle

1

Facility Status *

Active

Disbursement Date *

20-Sep-2022

Status

80

Tenure (Months) *

100

Installment Amount *

100

Currency *

INR

Next Due Date *

07-Jan-2020

Closed Date

07-Feb-2022

Last Payment Amount *

100

Product Name *

Dairy milk silk

Balance Transfer Flag

Remaining Tenure (Months) *

10

NPA CLASSIFICATION

Doubtful

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot displays the AZENTIO ONE Banking interface. The top navigation bar includes tabs for Prev, Application Info, Customer details, Additional Customer Info, Customer Financials (selected), Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. A green success message is visible in the top right corner.

The left sidebar contains a search menu and a navigation menu with options: Dashboard, Configurations, Transactions, and Reports.

The main content area is titled "Customer Employment List" and contains three sections:

- Customer Employment List:** A table with columns: Action, Employer Name, Nature of Employment, Employment Type, and Status. It shows one entry for "Bank of America" with a status of "Active".
- Income:** A table with columns: Action, Income header ID, Employer Name, Nature of Employment, Net income, Net Deduction, Considered Income, Currency, and Status. It shows one entry for "348" with a status of "Active".
- Financial Commitments:** A table with columns: Action, Financial Institution, Loan Amount, Installment Amount, Current Principal Balance, Tenure (months), Next Due date, Balance Outstanding, Currency, and Status. It shows one entry for "53153" with a status of "Active".

Each table has a "Showing 1 to 1 of 1 entries" message and pagination controls.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

This screenshot is identical to the one above, showing the AZENTIO ONE Banking interface with the same navigation, sidebar, and data tables for Customer Employment List, Income, and Financial Commitments.