# Cucumber Report

| Start : Jan 30, 3:34:40.518 PM | End : Jan 30, 3:36:02.231 PM | Duration : 1 m 21.713 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 3<br>FAILED - 1<br>SKIPPED - 21 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | _To verify the functionality of fee master_ | 1 | 0 | 1 | 0 | 1 m 21.713 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify the functionality of fee master | To verify user is able to add new Fee record in Fee Master | 25 | 3 | 1 | 21 | 1 m 21.698 s |

## (F)- To verify the functionality of fee master

| FAILED | DURATION - 1 m 21.713 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 25 | |
| / 3:34:40.518 PM // 3:36:02.231 PM / | | Pass - 0 | 1 | Pass - 3 | 25 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 21 | |

## (S)- To verify user is able to add new Fee record in Fee Master

| FAILED | DURATION - 1 m 21.698 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 25 | |
| / 3:34:40.533 PM // 3:36:02.231 PM / | | | Pass - 3 | 25 |
| To verify the functionality of fee master | | | Fail - 1 | |
| @FeeMaster_M1 | | | Skip - 21 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Get the URL and login as maker | PASSED | 37.267 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.404 s |
| | screenshot | | |
| |  | | |
| 2 | And Click the configuration | PASSED | 0.258 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.367 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | Then Click the config Manager | PASSED | 0.291 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.437 s |
| | screenshot<br> | | |
| 4 | And Click the eyeicon of the fee master | FAILED | 30.527 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[text()='Fee master']//parent::ion-label//following-sibling::ion-buttons/ion-button[2]' (tried for 30 second(s) with 5000 milliseconds interval)<br>   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)<br>   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)<br>   at stepdefinitions.FeeMaster.click_the_eyeicon_of_the_fee_master(FeeMaster.java:60)<br>   at ?.Click the eyeicon of the fee master(file:///C:/Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/features/FeeMaster.feature:10)<br>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[text()='Fee master']//parent::ion-label//following-sibling::ion-buttons/ion-button[2]"}   (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5676747577cd03165a1caf5e8374a9b2, findElement {using=xpath, value=//ion-label[text()='Fee master']//parent::ion-label//following-sibling::ion-buttons/ion-button[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59128}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59128/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5676747577cd03165a1caf5e8374a9b2<br>   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) | | |
| | at stepdefinitions.FeeMaster.click_the_eyeicon_of_the_fee_master(FeeMaster.java:60) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.343 s |
| | screenshot | | |
| 5 | Then Click the add button in fee master | SKIPPED | 0.000 s |
| 6 | And then print the fields avilable in charge tab | SKIPPED | 0.001 s |
| 7 | Then To verify the red astriek mark on all the mandatory fields in fee master | SKIPPED | 0.000 s |
| 8 | Then Check the functinality of charge description in charge tab | SKIPPED | 0.001 s |
| 9 | And Select the charge type in charge tab | SKIPPED | 0.001 s |
| 10 | Then select the charge flag in charge tab | SKIPPED | 0.000 s |
| 11 | And select the Due code in charge tab | SKIPPED | 0.000 s |
| 12 | Then Enter the legacy code1 | SKIPPED | 0.000 s |
| 13 | And Enter the legacy code2 | SKIPPED | 0.000 s |
| 14 | Then Choose the GST applicable state | SKIPPED | 0.000 s |
| 15 | And click the is tax allowed button | SKIPPED | 0.001 s |
| 16 | Then select the tax calculation method | SKIPPED | 0.000 s |
| 17 | And click the include in apr button | SKIPPED | 0.000 s |
| 18 | Then choose the amortize field in charge tab | SKIPPED | 0.000 s |
| 19 | And choose the deduct field in charge tab | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 20 | Then select the upfront filed in charge tab | SKIPPED | 0.000 s |
| 21 | And Select the amort rate method | SKIPPED | 0.003 s |
| 22 | Then Choose the fee amort tenure method | SKIPPED | 0.000 s |
| 23 | And Select the charge amount recovery | SKIPPED | 0.002 s |
| 24 | Then Choose the fee amort frequency | SKIPPED | 0.000 s |
| 25 | Then Save the record in charge tab | SKIPPED | 0.001 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Fee record in Fee Master

(F) To verify the functionality of fee master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Fee record in Fee Master

(F) To verify the functionality of fee master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new Fee
record in Fee Master

(F) To verify the functionality of fee master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new Fee
record in Fee Master

(F) To verify the functionality of fee master