
**Duration: 21.867 s** Start: Jul 25, 4:15:02.343 PM End: Jul 25, 4:15:24.210 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 54 64 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 14 % 100 100

FEATURES SUMMARY -- 2 --



| # | Feature Name                        | T | P | F | S | Duration |
|---|-------------------------------------|---|---|---|---|----------|
| 1 | Product Master Retail Functionality | 1 | 0 | 1 | 0 | 21.867 s |

SCENARIOS SUMMARY




| # | Feature Name                        | Scenario Name                                     | T  | P | F | S  | Duration |
|---|-------------------------------------|---|----|---|---|----|----------|
| 1 | Product Master Retail Functionality | verify Checker user is able to Approve the record | 64 | 9 | 1 | 54 | 21.864 s |

DETAILED SECTION -- 4 --

## **(F)- Product Master Retail Functionality**

| FAILED           | DURATION - 21.867 s   | Scenarios |   | Steps      |    |
|------------------|-----------------------|-----------|---|------------|----|
|                  |                       | Total - 1 |   | Total - 64 |    |
| / 4:15:02.343 PN | M // 4:15:24.210 PM / | Pass - 0  | 1 | Pass - 9   | 64 |
|                  |                       | Fail - 1  |   | Fail - 1   |    |
|                  |                       | Skip - 0  |   | Skip - 54  |    |

## (S)- verify Checker user is able to Approve the record



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launch the kuls application   | PASSED | 9.966 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.148 s  |
|   | screenshot   |        |          |
|   | AZENTIO    O   |        |          |
| 2 | And User Login as maker  | PASSED | 0.000 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.260 s  |
|   | screenshot   |        |          |

| AZENTIO  Super di describer B 4 Super Constitution B 4 Super Constit |        |         |
|--|--------|---------|
| Company   Comp   |        |         |
| Then click on Product Setup  | PASSED | 0.105 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.144 s |
| screenshot   |        |         |
| AZENTO  O MAN TO THE PARTY OF T |        |         |
| 4 Then click on Product Master eye icon  | PASSED | 0.126 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Property of the content of the c | PASSED | 0.153 s |
| AZENTIO  Solution  Solutio |        |         |
| 5 Then click on Product Master add button  | PASSED | 2.149 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.238 s |
| screenshot   |        |         |
| AZENTIO  State 10: state 1 |        |         |
| 6 Then verify functionality and asterik mark of the field Product Group  | PASSED | 2.305 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.127 s |
| screenshot   |        |         |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | AZENTIO  |        |          |
| 7  | Then verify functionality and asterik mark of the field Product Code   | PASSED | 1.258 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.104 s  |
|    | screenshot   |        |          |
|    | AZENTIO  |        |          |
| 8  | Then Enter Product Description   | PASSED | 0.169 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.097 s  |
|    | Screenshot   TENTO PRESENTATION PRESENTATION PROPRIES TO THE P |        |          |
| 9  | Then verify functionality and asterik mark of the field RetailCorporate  | PASSED | 1.199 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.126 s  |
|    | screenshot   |        |          |
|    | AZENTIO  |        |          |
| 10 | Then verify the field Remarks  | FAILED | 0.180 s  |
|    | org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23e1abeb686fcd4b558ec4045642da36, sendKeysToElement {id=853916b7-d295-4246-a705-bb4c8aa56178, value=[Ljava.lang. CharSequence;@51eb0e84}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:   |        |          |


| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:62658}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62658/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect:   |         |          |
|    | true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (23e1abeb686fcd4b558ec4045642da36)] -> xpath: //ion-textarea[1]//textarea[1]] Session ID: 23e1abeb686fcd4b558ec4045642da36  |         |          |
|    | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  |         |          |
|    | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   |         |          |
|    | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   |         |          |
|    | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   |         |          |
|    | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   |         |          |
|    | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  |         |          |
|    | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   |         |          |
|    | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  |         |          |
|    | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  |         |          |
|    | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  |         |          |
|    | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  |         |          |
|    | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  |         |          |
|    | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  |         |          |
|    | at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107)   |         |          |
|    | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  |         |          |
|    | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  |         |          |
|    | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  |         |          |
|    | at java.base/java.lang.reflect.Method.invoke(Method.java:568)  |         |          |
|    | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  |         |          |
|    | at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source)  |         |          |
|    | at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:183)  |         |          |
|    | at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/<br>ProductMaster_Retail.feature:58)   |         |          |
|    | * Not displayable characters are replaced by '?'.  |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.155 s  |
|    | screenshot   |         |          |
|    | AZENTIO  Service of Control of Co |         |          |
| 11 | Then click on save button  | SKIPPED | 0.000 s  |
| 12 | Then validate Success pop up   | SKIPPED | 0.000 s  |
| 13 | Then click on inbox  | SKIPPED | 0.000 s  |
| 12 | THEIT CITCK OIT ITIDOX   | SKIPPED | 0.000 5  |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
| 14 | And open record for Approve   | SKIPPED | 0.000 s  |
| 15 | Then submit the Record  | SKIPPED | 0.000 s  |
| 16 | Then click on Product Master eye icon                                   | SKIPPED | 0.000 s  |
| 17 | Then click on Product Master add button                                 | SKIPPED | 0.001 s  |
| 18 | Then verify functionality and asterik mark of the field Product Group   | SKIPPED | 0.000 s  |
| 19 | Then Enter Product Code for Return                                      | SKIPPED | 0.000 s  |
| 20 | Then Enter Product Description  | SKIPPED | 0.000 s  |
| 21 | Then verify functionality and asterik mark of the field RetailCorporate | SKIPPED | 0.000 s  |
| 22 | Then verify the field Remarks   | SKIPPED | 0.000 s  |
| 23 | Then click on save button   | SKIPPED | 0.001 s  |
| 24 | Then validate Success pop up  | SKIPPED | 0.000 s  |
| 25 | Then click on inbox   | SKIPPED | 0.000 s  |
| 26 | And open record for Return  | SKIPPED | 0.000 s  |
| 27 | Then submit the Record  | SKIPPED | 0.001 s  |
| 28 | Then click on Product Master eye icon                                   | SKIPPED | 0.000 s  |
| 29 | Then click on Product Master add button                                 | SKIPPED | 0.000 s  |
| 30 | Then verify functionality and asterik mark of the field Product Group   | SKIPPED | 0.000 s  |
| 31 | Then Enter Product Code for reject                                      | SKIPPED | 0.000 s  |
| 32 | Then Enter Product Description  | SKIPPED | 0.000 s  |
| 33 | Then verify functionality and asterik mark of the field RetailCorporate | SKIPPED | 0.000 s  |
| 34 | Then verify the field Remarks   | SKIPPED | 0.000 s  |
| 35 | Then click on save button   | SKIPPED | 0.000 s  |
| 36 | Then validate Success pop up  | SKIPPED | 0.000 s  |
| 37 | Then click on inbox   | SKIPPED | 0.000 s  |
| 38 | And open record for Reject  | SKIPPED | 0.000 s  |
| 39 | Then submit the Record  | SKIPPED | 0.000 s  |
| 40 | Then user logout from the application                                   | SKIPPED | 0.000 s  |
| 41 | And User Login as Checker   | SKIPPED | 0.000 s  |
| 42 | Then click on Menu  | SKIPPED | 0.000 s  |
| 43 | Then click on inbox   | SKIPPED | 0.000 s  |
| 44 | Then Open the record to approve it                                      | SKIPPED | 0.000 s  |
| 45 | Then approve the record   | SKIPPED | 0.000 s  |
| 46 | Then Open the record to return it                                       | SKIPPED | 0.000 s  |
| 47 | Then return the record  | SKIPPED | 0.000 s  |


DETAILED SECTION -- 9 --

| #  | Step / Hook Details                    | Status  | Duration |
|----|--|---------|----------|
| 48 | Then Open the record to reject it      | SKIPPED | 0.000 s  |
| 49 | Then reject the record                 | SKIPPED | 0.000 s  |
| 50 | Then user logout from the application  | SKIPPED | 0.000 s  |
| 51 | Given User launch the kuls application | SKIPPED | 0.000 s  |
| 52 | And User Login as maker                | SKIPPED | 0.000 s  |
| 53 | Then click on Product Setup            | SKIPPED | 0.000 s  |
| 54 | Then click on Product Master eye icon  | SKIPPED | 0.001 s  |
| 55 | Then click on search icon              | SKIPPED | 0.000 s  |
| 56 | Then search approved record            | SKIPPED | 0.000 s  |
| 57 | Then close the search input field      | SKIPPED | 0.000 s  |
| 58 | Then click on search icon              | SKIPPED | 0.000 s  |
| 59 | Then search Rejected record            | SKIPPED | 0.000 s  |
| 60 | Then close the search input field      | SKIPPED | 0.000 s  |
| 61 | Then click on Product Master edit icon | SKIPPED | 0.000 s  |
| 62 | Then click on search icon              | SKIPPED | 0.000 s  |
| 63 | Then search the record                 | SKIPPED | 0.000 s  |
| 64 | Then user logout from the application  | SKIPPED | 0.001 s  |


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

