Cucumber Report

| Start : Aug 10, 12:09:25.217 AM	End : Aug 10, 12:11:13.845 AM	Duration : 1 m 48.628 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 62

#	Feature Name	T	P	F	S	Duration
1	collateral Functionality	1	0	1	0	1 m 48.628 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	collateral Functionality	To verify System allow user to create new Asset collateral categorydetails record	64	1	1	62	1 m 48.624 s

(F)- collateral Functionality

FAILED	DURATION - 1 m 48.628 s	Scenarios		Steps	
/ 12:09:25.217 AM // 12:11:13.845 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 64 Pass - 1 Fail - 1 Skip - 62	64

(S)- To verify System allow user to create new Asset collateral categorydetails record

FAILED	DURATION - 1 m 48.624 s		Steps	
/ 12:09:25.221 AM // 12:11:13.845 AM /			Total - 64	
collateral Functionality			Pass - 1 Fail - 1	64
@collateral_Data @M1_M3			Skip - 62	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.746 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
2	And User Login as maker	FAILED	1 m 23.368 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6866d907d4e5bc1088191ef3ff04c46f, findElement {using=xpath, value=//ul[1]/li[3]/ion-accordion-group[1]/ion-accordion[1]/ion-item[1]/ion-icon[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53719}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53719/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6866d907d4e5bc1088191ef3ff04c46f
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy45.toString(Unknown Source)
	   at java.base/java.lang.String.valueOf(String.java:4215)
	   at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:298)
	   at java.base/java.lang.String.valueOf(String.java:4215)
	   at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)
	   at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:40)
	   at stepdefinitions.KULS_Login.user_login_as_maker(KULS_Login.java:39)
	   at ?.User Login as maker(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:29)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.143 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6866d907d4e5bc1088191ef3ff04c46f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53719}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53719/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6866d907d4e5bc1088191ef3ff04c46f		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
3	Then click on Asset collateral config	SKIPPED	0.001 s
4	Then click on collateral eye icon	SKIPPED	0.000 s
5	Then click on collateral add button	SKIPPED	0.000 s
6	Then verify Description field is multi langual	SKIPPED	0.000 s
7	Then Enter Asset collateral Category Code	SKIPPED	0.000 s
8	Then Enter collateral Module	SKIPPED	0.001 s
9	Then click on collateral Registration Required Toggle	SKIPPED	0.001 s
10	Then click on collateral Reposession Toggle	SKIPPED	0.000 s
11	Then Enter collateral Remarks	SKIPPED	0.001 s
12	Then click on collateral save button	SKIPPED	0.001 s
13	Then validate Success pop up	SKIPPED	0.000 s
14	Then click on collateral Edit icon	SKIPPED	0.000 s
15	Then open collateral wip record	SKIPPED	0.001 s
16	Then click on collateral view summary	SKIPPED	0.001 s
17	Then Validate Txn status is in Pending state	SKIPPED	0.000 s
18	Then close the collateral view summary	SKIPPED	0.000 s
19	Then edit the record with module field	SKIPPED	0.000 s
20	Then click on collateral save button	SKIPPED	0.000 s
21	Then validate Success pop up	SKIPPED	0.000 s
22	Then click on inbox	SKIPPED	0.000 s
23	Then click on search icon of record list	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
24	Then search collateral record	SKIPPED	0.000 s
25	And maker user open the record from inbox	SKIPPED	0.000 s
26	Then maker user submit the Record	SKIPPED	0.000 s
27	Then user logout from the application	SKIPPED	0.000 s
28	And User Login as Checker	SKIPPED	0.000 s
29	Then click on inbox	SKIPPED	0.000 s
30	Then click on search icon of record list	SKIPPED	0.000 s
31	Then search collateral record	SKIPPED	0.000 s
32	Then checker user open the record from inbox	SKIPPED	0.000 s
33	Then validate Txn status is completed	SKIPPED	0.000 s
34	Then close the collateral view summary	SKIPPED	0.000 s
35	Then checker user approve the record	SKIPPED	0.000 s
36	Then user logout from the application	SKIPPED	0.000 s
37	And User Login as maker	SKIPPED	0.000 s
38	Then click on Asset collateral config	SKIPPED	0.000 s
39	Then click on collateral eye icon	SKIPPED	0.000 s
40	Then search and validate the approved record	SKIPPED	0.000 s
41	Then Modify the approved record	SKIPPED	0.000 s
42	Then click on collateral save button	SKIPPED	0.000 s
43	Then validate Success pop up	SKIPPED	0.000 s
44	Then click on inbox	SKIPPED	0.000 s
45	Then click on search icon of record list	SKIPPED	0.000 s
46	Then search collateral record	SKIPPED	0.000 s
47	And maker user open the record from inbox	SKIPPED	0.000 s
48	Then maker user submit the Record	SKIPPED	0.000 s
49	Then user logout from the application	SKIPPED	0.000 s
50	And User Login as Checker	SKIPPED	0.000 s
51	Then click on inbox	SKIPPED	0.000 s
52	Then click on search icon of record list	SKIPPED	0.000 s
53	Then search collateral record	SKIPPED	0.000 s
54	Then checker user open the record from inbox	SKIPPED	0.000 s
55	Then validate Txn status is completed	SKIPPED	0.000 s
56	Then close the collateral view summary	SKIPPED	0.000 s
57	Then checker user reject the record	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
58	Then user logout from the application	SKIPPED	0.000 s
59	And User Login as maker	SKIPPED	0.000 s
60	Then click on Asset collateral config	SKIPPED	0.000 s
61	Then click on collateral eye icon	SKIPPED	0.000 s
62	Then search and validate the approved record	SKIPPED	0.000 s
63	Then validate after rejection no changes should occur	SKIPPED	0.000 s
64	Then user logout from the application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.218 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6866d907d4e5bc1088191ef3ff04c46f, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53719}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53719/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6866d907d4e5bc1088191ef3ff04c46f 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) 　at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) 　at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify System allow user to create
new Asset collateral categorydetails
record

(F) collateral Functionality

AZENTIO
ONEBanking

User ID

CONTINUE