Cucumber Report

Start : Apr 11, 4:09:10.317 pm	End : Apr 11, 4:09:14.048 pm	Duration : 3.731 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 26

#	Feature Name	T	P	F	S	Duration
1	To verify the Asset CD Master full flow	1	0	1	0	3.731 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	27	0	1	26	3.722 s

(F)- To verify the Asset CD Master full flow

FAILED	DURATION - 3.731 s	Scenarios		Steps	
		Total - 1		Total - 27	
/ 4:09:10.317 pm // 4:09:14.048 pm /		Pass - 0	1	Pass - 0	27
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 26	

(S)- To verify the Asset CD Master all flow

FAILED	DURATION - 3.722 s		Steps	
/ 4:09:10.326 pm // 4:09:14.048 pm /			Total - 27	
To verify the Asset CD Master full flow			Pass - 0	27
@AT-ACD-T001			Fail - 1	
			Skip - 26	

| #	Step / Hook Details	Status	Duration
1	And User get the testdata for Assert CD Master testcase001	FAILED	0.007 s
	java.lang.Error: Unresolved compilation problems: Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable User defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable User defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username		

#	Step / Hook Details	Status	Duration

	defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope
	    at dataProvider.JsonConfig.<init>(JsonConfig.java:599)
	    at stepdefinitions.KULS_Application_Login.<init>(KULS_Application_Login.java:31)
	    at stepdefinitions.KULS_Asset_CD_MasterStep.<init>(KULS_Asset_CD_MasterStep.java:31)
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)
	    at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:342)
	    at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)
	    at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)
	    at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)
	    at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)
	    at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)
	    at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)
	    at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)
	    at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)
	    at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:64)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:104)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)
	    at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)
	    at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)
	    at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)
	    at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)
	    at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)
	    at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)
	    at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)
	    at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.203 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.001 s
3	And User change module options from configuration to los	SKIPPED	0.000 s
4	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
5	And User click the config manager in Bounce master	SKIPPED	0.001 s
6	And User click the edit icon in asset CD master	SKIPPED	0.000 s
7	And User click the add icon in asset CD master	SKIPPED	0.000 s
8	And User verify the save back help button in asset CD master	SKIPPED	0.001 s
9	And User verify the all mentioned fields in asset CD master	SKIPPED	0.000 s
10	Then User click the back button in asset CD master	SKIPPED	0.000 s
11	And User click the add icon in asset CD master	SKIPPED	0.001 s
12	Then User verify the asset category fields in asset CD master	SKIPPED	0.000 s
13	And User enter the value in asset category for asset CD master	SKIPPED	0.000 s
14	And User enter the value in asset type for asset CD master	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	And User enter the value in manufacturer for asset CD master	SKIPPED	0.000 s
16	And User enter the value in model for asset CD master	SKIPPED	0.000 s
17	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
18	And User enter the value in country for asset CD master	SKIPPED	0.001 s
19	And User enter the value in remarks for asset CD master	SKIPPED	0.001 s
20	And User click the save button for asset CD master	SKIPPED	0.000 s
21	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
22	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
23	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.001 s
24	And User click the submit icon in asset CD master maker	SKIPPED	0.001 s
25	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
26	And User get confirmation message and checker id in asset CD master	SKIPPED	0.000 s
27	And User Logout from application	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the Asset CD Master all flow

(F) To verify the Asset CD Master full flow