


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	1	0	0	57.740 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to view Customer Information tab at	12	12	0	0	57.736 s
		New App Stage					

DETAILED SECTION -- 4 --

(F)- Title of your feature

PASSED	DURATION - 57.740 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 5:36:30.554 PN	Л // 5:37:28.294 PM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify user is able to view Customer Information tab at New App Stage





#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot		
	AZENTIO TO THE PROPERTY OF THE		
2	And login with valid credentials	PASSED	3.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.582 s
	screenshot		
	AZENTIO		


#	Step / Hook Details	Status	Duration
3	And User get the test data for test case AT_CD_01	PASSED	0.593 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
	AMERICO NAME OF E CO.		
	•		
4	And User click the module name dropdown in ULS application	PASSED	0.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
	AZENTO PARIO DE DE SE		
5	And User select the module name as LOS in ULS application	PASSED	5.558 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		0.200
	AZENTO AMOUNT AMOUNT		
6	And User click the Mail box in ULS application	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
	ALESTIO SANDE DE SOU DE		
7	And User click the Search button under inbox	PASSED	0.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		


8 And User search the Ref id under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the customer details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And user click the customer details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.401 s PASSED 0.154 s		ALTENTO SAID		
screenshot 9 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user click the customer details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.401 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.580 s	8	And User search the Ref id under inbox	PASSED	0.252 s
9 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.195 s 0.223 s passed 0.223 s 10 And user click the customer details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.580 s			PASSED	0.154 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user click the customer details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.401 s PASSED 0.223 s		AESTIO SAME OF ENGINEER		
screenshot 10 And user click the customer details tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.580 s	9	And User click the Entitle button under inbox	PASSED	0.195 s
10 And user click the customer details tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.580 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
10 And user click the customer details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.401 s O.580 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.580 s				
	10	And user click the customer details tab	PASSED	30.401 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.580 s
		screenshot		
AZENTO NAME AND DESCRIPTION NAME AND DESCR		ACRITIC NAME OF THE PROPERTY O		
11 And user click the add button under customer details tab PASSED 5.311 s	11	And user click the add button under customer details tab	PASSED	5.311 s
AFTER STEP - stendefinitions HooksClass addScreenshot(in quoumber java Scenario) PASSED 0.118 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
ALTEN_STEP Stepachinicons. Hooks class. addocted should be a stepachinic of the stepachin	1	screenshot	7	1

DETAILED SECTION -- 7 --









EXPANDED SECTION

