

Cucumber Report

Jul 21, 2022, 7:25:43 PM

Start : Jul 21, 7:24:43.733 PM

End : Jul 21, 7:25:42.479 PM

Duration : 58.746 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 19
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	58.746 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	21	19	1	1	58.744 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 58.746 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 19 Fail - 1 Skip - 1	
/ 7:24:43.733 PM // 7:25:42.479 PM /					



(S)- verify Checker user is able to Approve the record




<div>FAILED</div> <div>DURATION - 58.744 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 19</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 7:24:43.735 PM // 7:25:42.479 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot 		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	3.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	4.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	3.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
12	Then validate Success pop up	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
13	Then click on inbox	PASSED	3.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			
14	And open record for Approve	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then submit the Record	PASSED	8.416 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
			
16	Then Logout from Maker	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		
			
17	And User Login as Checker	PASSED	10.731 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
			
18	Then click on Menu	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	Then click on inbox	PASSED	3.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
			
20	Then Open the record to approve it	FAILED	0.017 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]/../td/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [29dd45ec14dda7daf5a9cce920daec39, findElement {using=xpath, value=//span[contains(text(),'null')]/../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\googchromeOptions: {debuggerAddress: localhost:52676}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52676/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 29dd45ec14dda7daf5a9cce920daec39</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.open_the_record_to_approve_it(ProductMaster_Retail.java:333) at ?.Open the record to approve it(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:109) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
			
21	Then approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table lists five entries, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 89 entries' with pagination controls. A search bar and an 'Export' button are in the top right of the table area.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	5634	dfdf	C	Active
	98303249	HOMPUR2	Housing Loan 2	R	Active
	98303249	KLLL		C	Active
	98303275	1212		R	Active
	98303249	HOMPUR1		R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the first screenshot. The main content area is titled 'Product Master' and contains a form with fields: Product Group (dropdown menu showing 'Lending'), Product Code (text input), Product Description (dropdown menu showing 'Select'), Retail/Corporate (dropdown menu showing 'Select'), DM Code (dropdown menu showing 'Lending' with a checkmark), and Remarks (text area). A 'Product Description' dropdown menu is open, showing options: Deposits, Lending (checked), Trade, and Treasury.

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

DM Code

Remarks

Product Code *

A ▾

Retail/Corporate *

Select ▾

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

OK

DM Code

Remarks

Product Code *

A

Retail/Corporate *

Select ▾

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

OK

DM Code

Remarks

Product Code *

A

Retail/Corporate *

Select ▾

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English ▾

LOS ▾

Azentio Software ▾

Puneet
01-Sep-2023

<

Product Master

Product Group *

Lending▾

Product Description *

OK📄

DM Code

Remarks

Product Code *

A

Retail/Corporate *

Select

Corporate

Retail✓

(F) Product Master Retail Functionality

[English](#)
[LOS](#)
[Azentio Software](#)

Puneet
01-Sep-2023

☰
Product Master
🔍

- [Asset Collateral Config](#)
- [Business Rules](#)
- [Corporate Masters](#)
- [Misc Config](#)
- [Other Masters](#)
- [Product Definitions](#)
- [Product Setup](#)
- [Asset Auto Master](#)
- [Asset CD Master](#)
- [Product master](#)
- [Sub Product Master](#)
- [Regulatory Product Defini...](#)
- [Project Setup](#)
- [Confin Manager](#)

Product Master

Product Group *

Product Code *

Product Description *

Retail/Corporate *

DM Code

Remarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio Product Master interface. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area shows a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table lists five records, all with status 'Active' and authorization status 'CHECKER'. A success message 'success' is visible in the top right corner. The bottom of the table shows pagination: 'Showing 1 to 5 of 113 entries'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

This screenshot is identical to the one above, showing the Azentio Product Master interface with the same navigation menu, table of product records, success message, and pagination.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the Azentio logo at the top. Below the logo are several menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Inbox' and shows a table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data. The first row is highlighted in orange. The top right of the interface shows a user profile for Puneet, dated 01-Sep-2023, and a search bar.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5645	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:24	TSW	
	5640	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:13	TSW	
	5639	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

This screenshot is identical to the one above, showing the Azentio software interface with the Product Master section. The sidebar, main content area, and table are the same. The table contains 10 rows of data, with the first row highlighted in orange. The top right of the interface shows a user profile for Puneet, dated 01-Sep-2023, and a search bar.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5645	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:24	TSW	
	5640	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:13	TSW	
	5639	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	

(F) Product Master Retail Functionality

☰

🔍

🗖

📄

📧

English

LOS

Azentio Software

👤

🔔

Puneet

01-Sep-2023

🔍

Profile

🔍

Inbox


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5640	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:13	TSW	
	5639	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	
	5623	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:41	TSW	

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record











(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record











(F) Product Master Retail Functionality

Inbox								
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5645	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:24	TSW	
	5643	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:21	TSW	
	5642	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:19	TSW	
	5637	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 18:59	TSW	
	5591	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 12:56	TSW	
	48	SCHEME_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 10:2	TSW	
	5558	PRODUCT_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 23:25	TSW	
	5554	PRODUCT_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 20:18	TSW	
	41	SCHEME_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 19:12	TSW	
	5551	SUB_PRD_MAST	CHECKER	LOSCHK	in01951	20-Jul-2022 18:42	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

Inbox								
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5645	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:24	TSW	
	5643	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:21	TSW	
	5642	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:19	TSW	
	5637	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 18:59	TSW	
	5591	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 12:56	TSW	
	48	SCHEME_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 10:2	TSW	
	5558	PRODUCT_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 23:25	TSW	
	5554	PRODUCT_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 20:18	TSW	
	41	SCHEME_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 19:12	TSW	
	5551	SUB_PRD_MAST	CHECKER	LOSCHK	in01951	20-Jul-2022 18:42	TSW	