


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	26.928 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify post clicking on Add button, the Customer Address	29	12	1	16	26.919 s
	Address Details screen	Information screen is getting open with all valid fields					

DETAILED SECTION

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 26.928 s	Scenarios		Steps	
		Total - 1		Total - 29	
/ 2:12:32.584	! PM // 2:12:59.512 PM /	Pass - 0	1	Pass - 12	29
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

FAILED DURATION - 26.919 s	6-1-	<u> </u>			1 L				1				<u> </u>	Steps		
/ 2:12:32.593 PM // 2:12:59.512 PM /											! .			Total - 29		
Check the functionality of Customer Address Details screen	2-	-				- 1							1 -	Pass - 12 Fail - 1	29	
@AT CAD 01	0-		-	<u> </u>			+		-	1		-	1 _	Skip - 16		
@V1_CVD_01		1 2	3	4	5 6	7	8	9	10 11	12	13	14	15			


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.058 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.467 s
	screenshot		
	AZENTIO MONI		
2	And User Login as maker	PASSED	3.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.906 s
	screenshot		

#	Step / Hook Details	Status	Duration
	AZINTO O D D D D D D D D D D D D D D D D D D		
3	And user click on Inbox Icon	PASSED	0.443 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot		
	ACTION DE SE SES SES SES SES SES SES SES SES S		
4	And year aliabases in an	DACCED	0.141.5
4	And user click search icon	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot	-	
	Company Comp		
5	And user Enter Customer Address details Application ID	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	ACCEPTO 100 100 100 100 100 100 100 1		
6	And user click on First record of Appdata Entry	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
	ACCEPTION OF COMMUNICATION O		
	•		


7. And user click on Additional customer Info Tab PASSED 1.629 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.636 s 8. And user click on First Record Edit Icon PASSED 0.169 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.747 s screenshot PASSED 0.287 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.287 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.509 s screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.755 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.755 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s 5creenshot 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.429 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.429 s	#	Step / Hook Details	Status	Duration
screenshot After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_Step - stepdefinitions. HooksClass.a	7	And user click on Additional customer Info Tab	PASSED	1.629 s
8 And user click on First Record Edit Icon AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.755 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.755 s PASSED 0.798 s PASSED 0.429 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.636 s
8 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And user click on Address Information Add Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) APASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) APASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) APASSED		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click on Address Information Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		ATTACK OF SECULO SECUE SECULO SECUE SECULO SECULO SECUE SECULO SECUE SECULO SECUE SE		
screenshot 9 And user click on Address Information Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.ja	8	And user click on First Record Edit Icon	PASSED	0.169 s
9 And user click on Address Information Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 11 And user verify the Address status field and choose the value PASSED 0.287 s PASSED 0.509 s PASSED 0.755 s PASSED 0.755 s PASSED 0.198 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.747 s
9 And user click on Address Information Add Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 10 And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - step		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 11 And user verify the Address status field and choose the value PASSED 0.509 s 0.509 s 0.755 s 0.755 s 0.755 s 0.798 s PASSED 0.429 s		Advention One		
screenshot 10 And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 11 And user verify the Address status field and choose the value PASSED 0.755 s 0.198 s PASSED 0.429 s	9	And user click on Address Information Add Icon	PASSED	0.287 s
And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The Address status field and choose the value PASSED O.755 s PASSED O.198 s PASSED O.429 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.509 s
10 And user verify the Address Type field and Choose the value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 11 And user verify the Address status field and choose the value PASSED 0.755 s 0.198 s PASSED 0.429 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 11 And user verify the Address status field and choose the value PASSED 0.198 s 0.429 s		ACTIVITIES Comparison Comp		
screenshot 11 And user verify the Address status field and choose the value PASSED 0.429 s	10	And user verify the Address Type field and Choose the value	PASSED	0.755 s
11 And user verify the Address status field and choose the value PASSED 0.429 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
· ·		screenshot		
· ·		ASSETTO		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.185 s	11	And user verify the Address status field and choose the value	PASSED	0.429 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	ASSETTIO (2) (2) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		
12	And user verify the Residental status field and choose the value	PASSED	1.178 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
	ACCUPTO IN THE PROPERTY OF TH		
13	And user verify the Address Line 1 field and Enter the Vaue	FAILED	1.139 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input (391,="" 511).="" <in-radio="" aria-checked="false" aria-labelledby="ion-rb-10-lbl" at="" autocapitalize="off" autocorrect="off" class="sc-ion-select-popwer-ios ios in-item interactive hydrated" click:="" clickable="" element="" is="" name="ion-input-3" not="" other="" placeholder="" point="" receive="" role="radio" spelicheck="false" tabindex="-1" the="" type="text" would=""/> (Journal of the common trade of the c		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Customer_Address_Information. user_verify_the_address_line_1_field_and_enter_the_vaue(Customer_Address_Information.java:102) at ?.user verify the Address Line 1 field and Enter the Vaue(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:125) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot	1	
	A ZENTO A CONTROL OF THE CONTROL OF		
14	And user verify the Address Line 2 field and Enter the Vaue	SKIPPED	0.000 s
15	And user verify the country field and choose the value	SKIPPED	0.001 s
16	And user verify the District Name field and Enter the value	SKIPPED	0.000 s
17	And user verify the Zip code field and Enter the value	SKIPPED	0.001 s
18	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
19	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.000 s
20	And user verify the Duration of stay field and Enter the value	SKIPPED	0.000 s
21	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the Longtitude details of the address field and Enter the Value	SKIPPED	0.000 s
23	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
24	And user verify the Occupancy date field and choose the date	SKIPPED	0.000 s
25	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s
26	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
27	And user verify the Rent amount field and Enter the Value	SKIPPED	0.000 s
28	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.000 s
29	And user click the Save the button	SKIPPED	0.000 s




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION --- 12 --






(S) verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

Ø

0

(F) Check the functionality of Customer Address Details screen




Offering

Next

Export V

EXPANDED SECTION --- 14 --



EXPANDED SECTION -- 15 --

