


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Model Master	1	1	0	0	29.101 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset Model	verify user is able to add new Template details record in the	10	10	0	0	29.095 s
	<u>Master</u>	system by entering invalid data					

(F)- Check the functionality of Asset Model Master

PASSED	DURATION - 29.101 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 5:56:09.792 pm	// 5:56:38.893 pm /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- verify user is able to add new Template details record in the system by entering invalid data


PASSED	DURATION - 29.095 s	15	lF											Steps		
/5:56:09 798	3 pm // 5:56:38.893 pm /	10			:									Total - 10		
														Pass - 10	10	
Check the fun	ctionality of Asset Model Master	5								!		- +	- +	Fail - 0	١٥	,
@AT_AAM_T	017	0 -	1	_										Skip - 0		
				1	2	3	4	5	6	7	8	9	10			


#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	15.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
	screenshot		
	ACCIONAL DE LA CONTRACTION DEL CONTRACTION DE LA		
2	Then user click on configurations Tab	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
	ACCOUNTS A P S ACCOUNTS A P		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on Asset Auto Master Edit icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on Temp view First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot And user click on Asset Auto Master Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	When user click Config Manager menu	PASSED	0.239 s
And user click on Asset Auto Master Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Temp view First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
And user click on Asset Auto Master Edit icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Temp view First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot And user click on Temp view First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click on Asset Model Master Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.743 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 1	4	And user click on Asset Auto Master Edit icon	PASSED	0.149 s
And user click on Temp view First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Asset Model Master Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.287 s 0.743 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passet 0.715 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.688 s
After_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on Temp view First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Asset Model Master Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.246 s PASSED 0.287 s 0.743 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.715 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Asset Model Master Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
Screenshot And user click on Asset Model Master Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.743 s PASSED 0.715 s	5	And user click on Temp view First Record Edit Icon	PASSED	0.246 s
And user click on Asset Model Master Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.715 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
And user click on Asset Model Master Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot				
screenshot ***The state of the	6	And user click on Asset Model Master Tab	PASSED	0.743 s
# 2 P SQ SQ SQ SQ F		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.715 s
		screenshot		
7 And user click on Asset Model Master Add icon PASSED 0.194 s				
7 11d door on 7 loose moder rad for 1	7	And user click on Asset Model Master Add icon	PASSED	0.194 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.704 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.704 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	AZENTO		
8	And user Enter Characters value in Numeric Fields	PASSED	0.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.184 s
	# 1		
9	And user click on Asset Model Master Save button	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.604 s
	screenshot		
10	And user Validate the Message and verify it	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		







EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

