


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the functionality of Customer Document Details screen | 1 | 1 | 0 | 0 | 32.643 s |




| - | # Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|---|----|----|---|---|----------|
| | Check the functionality of Customer | Verify system should allow user to do a modification with | 14 | 14 | 0 | 0 | 32.636 s |
| | Document Details screen | valid data | | | | | |

(F)- Check the functionality of Customer Document Details screen

| PASSED | DURATION - 32.643 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 14 | |
| / 3:22:04.653 PN | 1 // 3:22:37.296 PM / | Pass - 1 | 1 | Pass - 14 | 14 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Verify system should allow user to do a modification with valid data





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.024 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.404 s |
| | screenshot | | |
| | AZENTIO | | |
| 2 | And User Login as maker | PASSED | 3.253 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.780 s |
| | screenshot | | |
| | AMENTO II DE DE SAN DE DE SAN DE DE DE SAN DE | | |


| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| screenshot 4 Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s PASSED 0.107 s 0.174 s | 3 | Then user should click on the menu toggle in login page | PASSED | 0.386 s |
| Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.341 s PASSED O.106 s PASSED O.106 s PASSED O.108 s PASSED O.109 s PASSED O.174 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.376 s |
| 4 Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.591 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.341 s 0.341 s 0.341 s 0.341 s PASSED 0.106 s PASSED 0.183 s 0.183 s 0.183 s 0.184 s PASSED 0.185 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.591 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.591 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.192 s | | AZENTO C C C C C C C C C C C C C C C C C C C | | |
| Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.093 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.174 s Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.591 s PASSED O.192 s | 4 | Then click on inbox to search for the Customer Document Details record | PASSED | 0.161 s |
| Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s PASSED 0.183 s Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.093 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.591 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.341 s |
| Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s 0.183 s 0.183 s 0.194 s | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.183 s 0.183 s 0.193 s 0.174 s | | One | | |
| Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.093 s 0.174 s PASSED 0.591 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s | 5 | Then click on search button to search the record of Customer Document Details in inbox | PASSED | 0.106 s |
| 6 Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.093 s 0.174 s 0.174 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.183 s |
| Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.093 s 0.174 s 0.174 s PASSED 0.591 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.591 s | | screenshot | 1 | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s 0.174 s PASSED 0.591 s PASSED 0.192 s | | | | |
| 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.591 s 0.192 s | 6 | Then enter the reference id of the Customer Document Details record | PASSED | 0.093 s |
| 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.591 s 0.192 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.591 s 0.192 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s | | ACCUPATION AT COLUMN 1 COLUMN | | |
| | 7 | Then click on the entitle button of the Customer Document Details record of that reference id | PASSED | 0.591 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.192 s |
| | | screenshot | 7 | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | SENTION OR OF B SOURCE AND SOURCE SALES | | |
| 8 | Then click on the Document Details tab | PASSED | 1.128 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.494 s |
| | screenshot | | |
| | A CONTROL OF THE SECOND | | |
| 9 | Then open the record of Customer Document Details to modify | PASSED | 1.046 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.435 s |
| | screenshot | | |
| | ATTACH O | | |
| 10 | Then verify system should allow user to do a modification of Customer Document Details record before approved | PASSED | 2.954 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.224 s |
| | screenshot | | |
| | SECURIO OF SECURIO OF | | |
| 11 | Then verify system should allow user to do a modification with valid data | PASSED | 0.213 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.226 s |
| | screenshot | | |
| | ASSETTIO OR DE TOUR MAN AND MAN AND TOUR MA | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 12 | Then verify system display the confirmation message post clicking on save button of Customer Employment Details record | PASSED | 1.509 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.286 s |
| | screenshot | | |
| | ATENTO STATE OF THE PROPERTY | | |
| 13 | And verify the same record of Customer Document Details should get saved in a system | PASSED | 0.451 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.312 s |
| | screenshot | | |
| | ATANIO STATE OF THE PROPERTY | | |
| 14 | Then verify the functionality of Back button of Customer Document Details record | PASSED | 1.835 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.469 s |
| | screenshot | | |
| | ACENTO CONTROLLED CON | | |









EXPANDED SECTION -- 11 --



EXPANDED SECTION --- 12 --



EXPANDED SECTION



EXPANDED SECTION -- 14 --

