# Cucumber Report

| *Start : Sep 06, 2:52:08.284 pm* | *End : Sep 06, 2:52:34.325 pm* | *Duration : 26.041 s* |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 10<br>FAILED - 1<br>SKIPPED - 0 |

1

1

11

Pass %  0 %

Pass %  0 %

Pass %  90 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check The functionality of the Personal Details App data Entry | 1 | 0 | 1 | 0 | 26.041 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check The functionality of the Personal Details App data Entry | verify user is able to modify  existing record of customer details | 11 | 10 | 1 | 0 | 26.035 s |

## (F)- Check The functionality of the Personal Details App data Entry

| FAILED | DURATION - 26.041 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 11 | |
| / 2:52:08.284 pm // 2:52:34.325 pm / | | Pass - 0 | 1 | Pass - 10 | 11 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- verify user is able to modify existing record of customer details

| FAILED | DURATION - 26.035 s | | Steps | |
|---|---|---|---|---|
| / 2:52:08.290 pm // 2:52:34.325 pm / | | | Total - 11 | |
| Check The functionality of the Personal Details App data Entry | | | Pass - 10 | 11 |
| | | | Fail - 1 | |
| @AT_PDE_003 | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User Launch the KULS url for Transaction | PASSED | 10.943 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.468 s |
| | screenshot | | |
| |  | | |
| 2 | Then user click on Transaction Module | PASSED | 0.123 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.347 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And user click on Application Details | PASSED | 0.501 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.442 s |
| | screenshot | | |
| |  | | |
| 4 | And user click on Inbox Icon | PASSED | 0.440 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.359 s |
| | screenshot | | |
| |  | | |
| 5 | And user click search icon | PASSED | 0.148 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.273 s |
| | screenshot | | |
| |  | | |
| 6 | And user search Appdata Entry | PASSED | 0.165 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.136 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And user click on First record of Appdata Entry | PASSED | 0.156 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.397 s |
| | screenshot | | |
| |  | | |
| 8 | And user click on Customer Details Tab | PASSED | 1.276 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.695 s |
| | screenshot | | |
| |  | | |
| 9 | And user click on First Record Edit Icon | PASSED | 0.199 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.813 s |
| | screenshot | | |
| |  | | |
| 10 | And user Modify the Applicant Type field | PASSED | 0.805 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.299 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | And user click the Save the button | FAILED | 0.091 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@ng-reflect-text='Save']"}   (Session info: chrome=104.0.5112.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d4ce1d77386908e35902b5061b377657, findElement {using=xpath, value=//button[@ng-reflect-text='Save']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54298}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54298/devtoo..., se:cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d4ce1d77386908e35902b5061b377657
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
    at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source)
    at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)
    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
    at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992)
    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
    at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)<br>at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)<br>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)<br>at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)<br>at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)<br>at stepdefinitions.PersonalDetails_AppDataEntry.user_click_the_save_the_button(PersonalDetails_AppDataEntry.java:821)<br>at ?.user click the Save the button(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:114)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.181 s |
| | screenshot<br> | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) verify user is able to modify  existing record of customer details

(F) Check The functionality of the Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) verify user is able to modify  existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

### Inbox

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|---|---|---|---|---|---|---|---|---|
| | 10725 | APP_CREATE | OFFERING | CREOFF | in02040 | 01-Sep-2022 12:39 | HLW | AHL |
| | 10720 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 29-Aug-2022 13:37 | HLW | AHL |
| | 10739 | APP_CREATE | NEWAPP | BREXEC | in02040 | 11-Aug-2022 10:29 | HLW | AHL |
| | 10738 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 10-Aug-2022 17:10 | HLW | AHL |
| | 10727 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 10-Aug-2022 13:50 | HLW | AHL |
| | 10734 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 08-Aug-2022 12:33 | HLW | AHL |
| | 159 | FLOATING_RATE | MAKER | LOSMKR | in02040 | 08-Aug-2022 12:16 | TSW | |
| | 10728 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 06-Aug-2022 13:12 | HLW | AHL |
| | 10733 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 06-Aug-2022 12:59 | HLW | AHL |
| | 3 | APP_CREATE | NEWAPP | BREXEC | in02040 | 05-Aug-2022 18:36 | HLW | AHL |

Showing 1 to 10 of 175 entries  «  ‹  1  2  3  4  5  ›  »  10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry



| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|---|---|---|---|---|---|---|---|---|
|  | 10725 | APP_CREATE | OFFERING | CREOFF | in02040 | 01-Sep-2022 12:39 | HLW | AHL |
|  | 10720 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 29-Aug-2022 13:37 | HLW | AHL |
|  | 10739 | APP_CREATE | NEWAPP | BREXEC | in02040 | 11-Aug-2022 10:29 | HLW | AHL |
|  | 10738 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 10-Aug-2022 17:10 | HLW | AHL |
|  | 10727 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 10-Aug-2022 13:50 | HLW | AHL |
|  | 10734 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 08-Aug-2022 12:33 | HLW | AHL |
|  | 159 | FLOATING_RATE | MAKER | LOSMKR | in02040 | 08-Aug-2022 12:16 | TSW |  |
|  | 10728 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 06-Aug-2022 13:12 | HLW | AHL |
|  | 10733 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 06-Aug-2022 12:59 | HLW | AHL |
|  | 3 | APP_CREATE | NEWAPP | BREXEC | in02040 | 05-Aug-2022 18:36 | HLW | AHL |

Showing 1 to 10 of 175 entries  «  ‹  1  2  3  4  5  ›  »  10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry



| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|---|---|---|---|---|---|---|---|---|
|  | 10725 | APP_CREATE | OFFERING | CREOFF | in02040 | 01-Sep-2022 12:39 | HLW | AHL |
|  | 10720 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 29-Aug-2022 13:37 | HLW | AHL |
|  | 10739 | APP_CREATE | NEWAPP | BREXEC | in02040 | 11-Aug-2022 10:29 | HLW | AHL |
|  | 10738 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 10-Aug-2022 17:10 | HLW | AHL |
|  | 10727 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 10-Aug-2022 13:50 | HLW | AHL |
|  | 10734 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 08-Aug-2022 12:33 | HLW | AHL |
|  | 159 | FLOATING_RATE | MAKER | LOSMKR | in02040 | 08-Aug-2022 12:16 | TSW |  |
|  | 10728 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 06-Aug-2022 13:12 | HLW | AHL |
|  | 10733 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 06-Aug-2022 12:59 | HLW | AHL |
|  | 3 | APP_CREATE | NEWAPP | BREXEC | in02040 | 05-Aug-2022 18:36 | HLW | AHL |

Showing 1 to 10 of 175 entries  «  ‹  1  2  3  4  5  ›  »  10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to modify  existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

---

**AZENTIO**
ONEBanking

Prev | Application Info | **Customer details** | Additional Customer Info | Customer Financials | Facility Info | Document Details | Next

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Facility Details

Customer employment

← Customers Information                    Initiate Video KYC

**Personal Details**

| Customer Type * | Applicant Type * | Salutation * |
| Individual Customer | Guarantor | Mr |

| KYC Status | First Name * | Middle Name |
|  | Aakash |  |

| Last Name * | Father's First Name * | Father's Middle Name * |
| Patel |  |  |

| Father's Last Name * | Spouse's First Name | Spouse's Middle Name |
|  |  |  |

| Spouse's Last Name | No. Of Children | Spouse Status |
|  |  | Select |

| Date Of Birth * | Gender * | Education Level * |
|  | MALE | Graduate |

| Marital Status * | Nationality * | Ethinicity |
| Married | Indian | Asian |