Cucumber Report

Start : Nov 23, 2:50:13.522 PM	End : Nov 23, 2:50:53.944 PM	Duration : 40.422 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 4

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of project master	1	0	1	0	40.422 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of project master	To verify the impact when user keep any mandatory field blank and click on save button	12	7	1	4	40.418 s

(F)- Check the functionality of project master

FAILED	DURATION - 40.422 s	Scenarios		Steps	
/ 2:50:13.522 PM // 2:50:53.944 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 12 Pass - 7 Fail - 1 Skip - 4	12

## (S)- To verify the impact when user keep any mandatory field blank and click on save button

FAILED	DURATION - 40.418 s		Steps	
/ 2:50:13.526 PM // 2:50:53.944 PM /			Total - 12 Pass - 7 Fail - 1 Skip - 4	12
Check the functionality of project master				
@AT-PM-T019				

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	19.901 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		
	+		
2	And Click the configuration	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
4	Then choose the data set id for blank field validation in project master	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
5	And Click the project setup edit icon in project master for validation	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
6	And Click the action edit icon project master for mandatoryField validation	PASSED	5.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		
7	And Click the building details add icon in project master	PASSED	1.843 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.496 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	And Verify the impact when user enters only special characters value in any field	FAILED	5.384 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	    at stepdefinitions.ULS_ProjectMaster.
	verify_the_impact_when_user_enters_only_special_characters_value_in_any_field(ULS_ProjectMaster.java:316)
	    at ?.Verify the impact when user enters only special characters value in any field(file:///C:/Users/inindc00073/git/repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/ULS_ProjectMaster.feature:55)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.206 s
9	And Verify the impact when user enter numeric value in character field	SKIPPED	0.001 s
10	And Verify the impact when user enter characters value in numeric field	SKIPPED	0.000 s
11	Then Click the save button in project master	SKIPPED	0.000 s
12	And Verify the impact when user keep any mandatory field blank	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact when user keep any mandatory field blank and click on save button

(F) Check the functionality of project master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact when user keep any mandatory field blank and click on save button

(F) Check the functionality of project master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact when user keep
any mandatory field blank and click on
save button

(F) Check the functionality of project
master