

Cucumber Report

Jul 25, 2022, 11:35:45 PM

Start : Jul 25, 11:35:11.876 PM

End : Jul 25, 11:35:44.914 PM

Duration : 33.038 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 21

FAILED - 0

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	33.038 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	System should not allow user to save the records with invalid data	21	21	0	0	33.035 s



(F)- Product Master Retail Functionality

PASSED	DURATION - 33.038 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 21 Pass - 21 Fail - 0 Skip - 0	
/ 11:35:11.876 PM // 11:35:44.914 PM /					

(S)- System should not allow user to save the records with invalid data

<div><div>PASSED</div><div>DURATION - 33.035 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 21</div><div>Pass - 21</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 11:35:11.879 PM // 11:35:44.914 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot 		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.642 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
9	Then verify the field Remarks	PASSED	1.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
10	Then click on save button	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then validate the impact of any mandatory field blank	PASSED	0.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
			
13	Then click on Product Master add button	PASSED	1.627 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
14	Then verify functionality and asterik mark of the field Product Group	PASSED	2.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then verify functionality and asterik mark of the field Product Code	PASSED	1.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
			
16	Then Enter Product Description	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
			
17	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
			
18	Then verify the field Remarks with special characters value	PASSED	1.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	Then click on save button	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
			
20	Then validate the impact of special characters value in any field	PASSED	0.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
			
21	Then user logout from the application	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	<div><div>AZENTIO™</div><div><div><div></div><div></div><div></div></div></div><div><div>Asset Collateral Config</div><div>Business Rules</div><div>Corporate Masters</div><div>Misc Config</div><div>Other Masters</div><div>Product Definitions</div><div>Product Setup</div></div></div>	<div><div><div>English</div><div>LOS</div><div>Azentio Software</div><div></div><div></div><div>Puneet</div><div>01-Sep-2023</div></div><div>Product wise Analysis</div><div><div>Product-wise Amount Financed</div><div>Subproduct-wise Amount Financed</div><div>Scheme wise Amount Financed</div></div><div>Powered by Metabase</div></div>
<p>(S) System should not allow user to save the records with invalid data</p>		
<p>(F) Product Master Retail Functionality</p>	<div><div>AZENTIO™</div><div><div><div></div><div></div><div></div></div></div><div><div>Asset Collateral Config</div><div>Business Rules</div><div>Corporate Masters</div><div>Misc Config</div><div>Other Masters</div><div>Product Definitions</div><div>Product Setup</div><div>Asset Auto Master</div><div>Asset CD Master</div><div>Product master</div><div>Sub Product Master</div><div>Regulatory Product Defini...</div><div>Project Setup</div><div>Config Manager</div></div></div>	<div><div><div>English</div><div>LOS</div><div>Azentio Software</div><div></div><div></div><div>Puneet</div><div>01-Sep-2023</div></div></div>

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top bar with a search icon, an 'Export' button, and a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data. At the bottom, it says 'Showing 1 to 5 of 121 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	desc11	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data



(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area has a top bar with a back arrow, the title 'Product Master', and a save icon with a red error indicator. Below the title is a form with fields: Product Group (dropdown with 'Lending' selected), Product Code (text input), Product Description (dropdown with 'Select' selected), Retail/Corporate (dropdown with 'Select' selected), DM Code (dropdown with 'Lending' selected), and Remarks (text area). A modal dropdown menu is open for the Product Description field, showing options: Deposits, Lending (checked), Trade, and Treasury.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data



(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality



(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

☰

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Code *

PR10

Product Description *

Retail/Corporate *

Retail

DM Code

Remarks

HomeLoan

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

☑️English ▼LOS ▼Azentio Software ▼🗖️🔔👤Puneet01-Sep-2023📱

<Product Master

Product Master

Product Group *
Lending ▼

Product Code *
PR10

Product Description *

Required field

Retail/Corporate *
Retail ▼

DM Code


Remarks
HomeLoan

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality

The image shows the 'Product Master' form in the Azentio software. The form has a header with a back arrow and a save icon. Below the header, there are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR10'), 'Product Description' (text input with a required field error message), and 'Retail/Corporate' (dropdown menu with 'Retail' selected). There are also fields for 'DM Code' and 'Remarks' (text input with 'HomeLoan'). At the bottom, there is a blue button with the text 'Please fill all the details'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The image shows the 'Product Master' form in the Azentio software. The form has a header with a back arrow and a save icon. Below the header, there are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'PR10'), 'Product Description' (text input with a required field error message), and 'Retail/Corporate' (dropdown menu with 'Retail' selected). There are also fields for 'DM Code' and 'Remarks' (text input with 'HomeLoan'). At the bottom, there is a blue button with the text 'Please fill all the details'.

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Select ▾

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Select ▾

- Sub Product Master
- Regulatory Product Definition
- Project Setup
- Config Manager

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has a header with a back arrow, the title 'Product Master', and a save icon. Below the header, there are input fields for Product Group (Lending), Product Code (PR10), Product Description (Loan), and DM Code. A dropdown menu for Retail/Corporate is open, showing options: Select, Corporate, and Retail (which is selected with a checkmark). The Remarks field is empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar is the same as in the previous screenshot. The main form area has the same header and input fields. However, the Remarks field now contains the text '@#\$%'. Below the Remarks field, a blue tooltip message states 'Alphanumeric characters allowed'. The dropdown menu for Retail/Corporate is no longer open.

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

☒

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

Loan

DM Code

Product Code *

PR10

Retail/Corporate *

Retail ▾

Remarks

@#\$%

Alphanumeric characters allowed

Please fill all the details

(F) Product Master Retail Functionality

[illegible]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows a web application interface for the 'Product Master' form. At the top, there is a header bar with a back arrow, the title 'Product Master', and a help icon. Below the header, the form is titled 'Product Master' and contains several input fields. The 'Product Group' field is a dropdown menu with 'Lending' selected. The 'Product Code' field is a text input with 'PR10' entered. The 'Product Description' field is a text input with 'Loan' entered. The 'Retail/Corporate' field is a dropdown menu with 'Retail' selected. The 'DM Code' field is a text input that is currently empty. A dark blue error message banner at the bottom of the form reads 'Please fill all the details'. The form is styled with a light gray background and blue accents.