

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Offer Details Functionality	1	1	0	0	1 m 12.712 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Offer Details Functionality	To check the functionality of Finance details section in Offer	17	17	0	0	1 m 12.709 s
		Details					

DETAILED SECTION -- 4 --

## **(F)- Offer Details Functionality**

PASSED	DURATION - 1 m 12.712 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 2:27:05.047 F	PM // 2:28:17.759 PM /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To check the functionality of Finance details section in Offer Details



#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application	PASSED	1 m 1.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	ADMINISTRATION OF THE PROPERTY		
2	And User Login as maker	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		


3 And Navigate to Mail box AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  4 And Sarch the value in Mail box AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  6 Then open Facility Info Record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAd Sarch the value in Mail box  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.170 s  PASSED  0.128 s		Books Comment of Comme		
screenshot  And Sarch the value in Mail box  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.170 s  PASSED  0.128 s	3	And Navigate to Mail box	PASSED	0.242 s
4 And Sarch the value in Mail box  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.128 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
4 And Sarch the value in Mail box  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AAD Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.107 s  PASSED  1.170 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.170 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.128 s		Section   Sect		
Screenshot  And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then open Facility Info Record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.170 s  PASSED  0.128 s	4	And Sarch the value in Mail box	PASSED	0.107 s
5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.170 s  PASSED  0.128 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.170 s  PASSED  0.128 s		screenshot	7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.170 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.139 s		© to the state of		
Screenshot  6 Then open Facility Info Record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.128 s	5	And Click on action icon of first record in offering details	PASSED	2.118 s
6 Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.128 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
6 Then open Facility Info Record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.128 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s		Normal Property   Normal Pro		
	6	Then open Facility Info Record	PASSED	1.170 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
		screenshot		

7 Then Verify Offer Details Section displayed data should be in read only mode  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 Then verify all the fields should be available on the Finance Details section  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Sozeenshot  9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.185 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then verify all the fields should be available on the Finance Details section  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s  PASSED  0.406 s  PASSED  0.093 s		ALINYO   Subject   Subje		
screenshot  8 Then verify all the fields should be available on the Finance Details section  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s  0.093 s  0.093 s	7	·	PASSED	1.246 s
8 Then verify all the fields should be available on the Finance Details section  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s  PASSED  0.093 s  0.185 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.185 s  0.117 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.093 s  0.185 s  0.187 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.093 s  0.185 s  0.187 s		A ADDRIVE		
Screenshot  9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.185 s  0.117 s	8	Then verify all the fields should be available on the Finance Details section	PASSED	0.406 s
9 Then verify the field Total Down Payment Amount should be in read only mode  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.185 s  0.117 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s		AND S D II WO S		
	9	Then verify the field Total Down Payment Amount should be in read only mode	PASSED	0.185 s
Screenshot    MANTO   MANTO   BANTO		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
ADDITION  ADDITI		screenshot		
		ALOND S S S S S S S S S S S S S S S S S S S		
Then verify the field Profit Amount should be in read only mode  PASSED 0.166 s	10	Then verify the field Profit Amount should be in read only mode	PASSED	0.166 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.079 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
screenshot		screenshot		


11 Then verify the field Total Contract Value should be in read only mode  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.141 s  0.093 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.093 s	
screenshot	
ASKYO  DANCE B SO	
Then verify the field Additional Down payment should be in read only mode 0.145 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.088 s	
screenshot    Approx   Approx	
13 Then verify the field Down Payment Percentage should be in read only mode PASSED 0.156 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.079 s	
screenshot	
### A STATE  ### A	
Then verify all the fields should be available on the Credit Risk Factor section  PASSED 0.129 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.101 s	

#	Step / Hook Details	Status	Duration
	ALBATTO		
15	Then verify all the fields of Credit Risk Factor section should be in read only mode	PASSED	0.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
	ALTENTO   State   Control   Contro		
16	Then verify all the fields should be available on the Credit Score Details section	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	screenshot		
	A CANTON		
17	Then verify all the fields of Credit Score Details section should be in read only mode	PASSED	0.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		
	RADIO BE SERVICE STATE OF THE SERVICE STATE STAT		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

