

Cucumber Report

27-Oct-2022, 5:16:47 pm

Start : Oct 27, 5:15:25.452 pm

End : Oct 27, 5:16:44.479 pm

Duration : 1 m 19.027 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>Verify the functionalities of Collateral subtype master Module</u>	1	0	1	0	1 m 19.027 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify the functionalities of Collateral subtype master Module	Validate the user can able to update collateral sub type record	16	9	1	6	1 m 19.021 s





(F)- Verify the functionalities of Collateral subtype master Module




FAILED	DURATION - 1 m 19.027 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 9 Fail - 1 Skip - 6	
/ 5:15:25.452 pm // 5:16:44.479 pm /					

(S)- Validate the user can able to update collateral sub type record


<div>FAILED</div> <div>DURATION - 1 m 19.021 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 5:15:25.458 pm // 5:16:44.479 pm /				
Verify the functionalities of Collateral subtype master Module				
@Collateral_SubType_M9				

#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to collateral subtype module view list	PASSED	22.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
			
2	And Select the existing record in collateral sub type	PASSED	2.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.545 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And Update test data for collateral sub type update	PASSED	2.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
			
4	And Update the value in Description field of collateral sub type	PASSED	0.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
5	And Update the value in Asset_CollateralSubtypeCode field for chcker return	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.058 s
	screenshot		
			
6	And Update the value in Asset_CollateralType field	PASSED	0.693 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
	screenshot		
			
7	And Update the value in Exposure field	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Update the value in Asset_CollateralValuationTolerance field	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
			
9	And Update the value in Remarks field of collateral sub type	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
			
10	Then Click on Save button in collateral subtype	FAILED	30.560 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//div[@role='alert'])[2]' (tried for 30 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_CollateralSubType_Step.click_on_save_button_in_collateral_subtype(KULS_CollateralSubType_Step.java:61)</p> <p>at ?.Click on Save button in collateral subtype(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CollateralSubTypeMasterFeature.feature:223)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//div[@role='alert'])[2]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDPO14547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.Chrome.ChromeDriver Command: [01998cf2e22b3807831559f8c8bfb1fc, findElement {using=xpath, value=(//div[@role='alert'])[2]}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:60545}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60545/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: }</p>		

#	Step / Hook Details	Status	Duration
	<pre> {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 01998cf2e22b3807831559f8c8bfb1fc at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CollateralSubType_Step.click_on_save_button_in_collateral_subtype(KULS_CollateralSubType_Step.java:61) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.223 s

#	Step / Hook Details	Status	Duration
11	And Click on Mail icon for collateral sub type	SKIPPED	0.000 s
12	And Search the collateral sub type record	SKIPPED	0.000 s
13	And Store the reference number and click on first collateral subtype record	SKIPPED	0.001 s
14	And Validate the record in mail box with updated record for checker return	SKIPPED	0.000 s
15	Then Submit the collateral sub type record from maker user	SKIPPED	0.000 s
16	And User Capture Checker id from the submit popup	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

The screenshot shows the AZENTIO ONEBanking application interface. The left sidebar menu is open, displaying various modules under 'Configurations'. The 'Collateral sub type' module is highlighted. The main content area is currently blank, showing only the top navigation bar with the AZENTIO logo, a search bar, and user profile information.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

The screenshot shows the AZENTIO ONEBanking application interface with the 'List of Asset/Collateral subtype' table displayed. The table has columns for Action, Asset/Collateral type Subtype Code, Description, and Status. The table contains five rows of data, all with a status of 'Active'. The bottom of the table shows pagination information: 'Showing 1 to 5 of 36 entries' and a page number '5'.

Action	Asset/Collateral type Subtype Code	Description	Status
	2031	Sample	Active
	3031	Test	Active
	7013	UPD	Active
	11	test	Active
	1012	SSD	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

Collateral Sub Type

Description *

Sample

Asset/Collateral Type *

SHAR

Asset/Collateral Valuation Tolerance % *

74

Status

Asset/Collateral Subtype Code *

2031

Exposure % *

98

Remarks *

Yes

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

SHAR

Asset/Collateral Valuation Tolerance % *

74

Status

Asset/Collateral Subtype Code *

2031

Exposure % *

98

Remarks *

Yes

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

- Collateral
- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

SHAR

Asset/Collateral Valuation Tolerance % *

74

Asset/Collateral Subtype Code *

5029

Exposure % *

98

Remarks *

Yes

Status

ON

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

- Collateral
- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

LIEN

Asset/Collateral Valuation Tolerance % *

74

Asset/Collateral Subtype Code *

5029

Exposure % *

98

Remarks *

Yes

Status

ON

Collateral Sub Type List:

- UPD
- LIEN
- DEREN
- SHAR
- TBILL
- CMA
- Code 2
- toode31
- toode32

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

The screenshot shows the 'Collateral Sub Type' form in the AZENTIO ONE Banking application. The left sidebar contains a menu with 'Collateral sub type' selected. The form fields are as follows:

Field	Value
Description *	UPD
Asset/Collateral Type *	LIEN
Asset/Collateral Valuation Tolerance % *	74
Asset/Collateral Subtype Code *	5029
Exposure % *	50
Remarks *	Yes

The Status toggle is currently turned on.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

The screenshot shows the 'Collateral Sub Type' form in the AZENTIO ONE Banking application. The left sidebar contains a menu with 'Collateral sub type' selected. The form fields are as follows:

Field	Value
Description *	UPD
Asset/Collateral Type *	LIEN
Asset/Collateral Valuation Tolerance % *	48
Asset/Collateral Subtype Code *	5029
Exposure % *	50
Remarks *	Yes

The Status toggle is currently turned on.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONE Banking

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

LIEN

Asset/Collateral Valuation Tolerance % *

48

Status

Asset/Collateral Subtype Code *

5029

Exposure % *

50

Remarks *

ok update

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Validate the user can able to update
collateral sub type record

(F) Verify the functionalities of Collateral
subtype master Module

AZENTIO

ONE Banking

Search the menu

Dashboard

Configurations

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Transactions

Reports

Collateral Sub Type

Description *

UPD

Asset/Collateral Type *

LIEN

Asset/Collateral Valuation Tolerance % *

48

Status

Asset/Collateral Subtype Code *

5029

Exposure % *

50

Remarks *

ok update

Internal Server Error