

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	42.044 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Creation of Living Expense Parameter record with invalid	12	12	0	0	42.040 s
	Expenses Master	<u>data</u>					

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 42.044 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 6:37:11.618 pm	// 6:37:53.662 pm /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expense Parameter record with invalid data



	#	Step / Hook Details	Status	Duration
1	-	Given user log in as uls application maker	PASSED	15.750 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
		screenshot		
		ATENTO Wanted # 2 Mill Mill Mill Wanted # 3 Mill Wanted #		
2	<u>-</u>	Then user click on configurations Tab	PASSED	0.754 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
		screenshot		
		A PRINTO Second 2 2 20 20 20 20 20 20 20 20 20 20 20 20		


	Status	Duration
3 When user click Config Manager menu	PASSED	0.197 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
screenshot		
ACENTO Wanted St. Discontinued to the local state of the local state		
4 And user Goto the Temp view screen of living Expense	PASSED	0.802 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.705 s
screenshot		
AMBITIO		
5 And user click on First record in living Expense	PASSED	1.071 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.721 s
screenshot		
ASSITIO		
6 And user click on Living Expenses Parameter	PASSED	0.584 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
screenshot		
7 And user click on Add Icon for Living Expenses	PASSED	2.311 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.126 s
screenshot		

8 And user Pass the Exceldata value for ParaMeter Invalid PASSED 0.185 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user Enter Invalid value in Description and verify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user Enter Invalid value in Description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.285 s PASSED 0.285 s PASSED 0.285 s PASSED 0.285 s 0.285 s PASSED 0.287 s PASSED 0.287 s PASSED 0.288 s		ASSETTO IN CONTROL OF THE PROPERTY OF THE PRO		
screenshot 9 And user Enter Invalid value in Description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.235 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.307 s	8	And user Pass the Exceldata value for ParaMeter Invalid	PASSED	0.185 s
9 And user Enter Invalid value in Description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.235 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.307 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.228 s 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.235 s 0.235 s 0.237 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s 0.228 s 0.235 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.235 s 0.235 s		ASSETTO IN COLUMN 1		
Screenshot 10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.235 s PASSED 0.307 s	9	And user Enter Invalid value in Description and verify it	PASSED	0.576 s
10 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.235 s PASSED 0.307 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.307 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.307 s		AZENTO		
	10	And user save the Record in Living Expensess	PASSED	0.235 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
LESTIO CARREST STORY OF THE PROPERTY OF THE PR		screenshot		
11 And Validate the Message and verify it PASSED 0.061 s	11	And Validate the Message and verify it	PASSED	0.061 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.409 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.409 s
screenshot		screenshot]	


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	CANTO		
12	And user verify the Blank field in Living Expense	PASSED	0.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

