

# Cucumber Report

Jul 25, 2022, 1:50:47 PM

Start : Jul 25, 1:50:20.750 PM

End : Jul 25, 1:50:46.383 PM

Duration : 25.633 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 13  
FAILED - 0  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	25.633 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	13	0	0	25.625 s




**(F)- Product Master Retail Functionality**





<b>PASSED</b>	<b>DURATION - 25.633 s</b>	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 1:50:20.750 PM // 1:50:46.383 PM /					

**(S)- Product Master Retail Field validation**

<div>PASSED</div>	<div>DURATION - 25.625 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:50:20.758 PM // 1:50:46.383 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.857 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot 		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.760 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
10	Then verify functionality of the field DM Code	PASSED	1.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then verify the field Remarks	PASSED	2.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	2.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
			
13	Then user logout from the application	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation


(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

🔧

📄

📁

🔍

📊

📅

🔗 Asset Collateral Config

🔗 Business Rules

🔗 Corporate Masters

🔗 Misc Config

🔗 Other Masters

🔗 Product Definitions

**🔗 Product Setup**

🔗 Regulatory Product Defini...

🔗 Project Setup

🔗 Config Manager

☰

📧 English ▾ LOS ▾ Azentio Software ▾ 

📱

🔔

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

🔧

📄

📁

🔍

📊

📅

🔗 Asset Collateral Config

🔗 Business Rules

🔗 Corporate Masters

🔗 Misc Config

🔗 Other Masters

🔗 Product Definitions

🔗 Product Setup

**🏠 Product master**

🏠 Sub Product Master

🔗 Regulatory Product Defini...

🔗 Project Setup

🔗 Config Manager

☰

📧 English ▾ LOS ▾ Azentio Software ▾ 

📱

🔔

Puneet

01-Sep-2023

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area displays a table titled 'Product Master' with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 115 entries' with pagination controls. The top right shows user information for Puneet, dated 01-Sep-2023.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main area is a form titled 'Product Master' with fields for Product Group (set to 'Lending'), Product Code, Product Description (with a dropdown menu open showing options: Select, Deposits, Lending (checked), Trade, and Treasury), Retail/Corporate (set to 'Select'), and Remarks. The top right shows user information for Puneet, dated 01-Sep-2023.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has the following fields: Product Group (Lending), Product Code (PR07), Product Description (empty), Retail/Corporate (Select), DM Code (empty), and Remarks (empty). The form is titled 'Product Master' and has a back arrow and a save icon in the top right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form with a modal open for 'Product Description'. The modal has a title bar with a checkmark and a close button. It contains five text input fields: Description(English) (Loan), Description(French) (d'accord), Description(German) (OK), and Description(Arabic) (موافق). The background form is partially visible, showing the same fields as the first screenshot. The left sidebar and top navigation bar are also visible.

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group \*

Lending ▾

Product Description \*

Loan

DM Code

Remarks

Product Code \*

PR07

Retail/Corporate \*

Retail ▾

Select

Corporate

Retail ✓

## (F) Product Master Retail Functionality

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group \*

Lending

Product Description \*

Loan

DM Code

Loan

Remarks

Product Code \*

PR07

Retail/Corporate \*

Retail

## (F) Product Master Retail Functionality

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

**Product Master**

Product Group \*  
Lending

Product Code \*  
PR07

Product Description \*  
Loan

Retail/Corporate \*  
Retail

DM Code  
Loan

Remarks  
HomeLoan

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation











(F) Product Master Retail Functionality

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

**Product Master**

+ Search Export

Action	Product Group ↑↓	Product Code ↑↓	Product Description ↑↓	Retail/Corporate ↑↓	Status ↑↓
 	98303249	PR07	Loan	R	Active
 	98303249	PR04	Loan	R	Active
 	98303249	PR11	Loan	R	Active
 	98303249	PR01	Loan	R	Active
 	98303249	A	OK	R	Active

Showing 1 to 5 of 115 entries << < 1 2 3 4 5 > >> 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality