

Cucumber Report

09-Sep-2022, 6:00:21 pm

Start : Sep 09, 5:59:51.952 pm

End : Sep 09, 6:00:20.295 pm

Duration : 28.343 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 14
FAILED - 1
SKIPPED - 41







#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	28.343 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify the availability of Add button and create a new Record of customer details tab	56	14	1	41	28.333 s

(F)- Check The functionality of the Personal Details App data Entry



FAILED	DURATION - 28.343 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 56 Pass - 14 Fail - 1 Skip - 41	
/ 5:59:51.952 pm // 6:00:20.295 pm /					




(S)- verify the availability of Add button and create a new Record of customer details tab


<div>FAILED</div> <div>DURATION - 28.333 s</div>			<div>Steps</div> <div>Total - 56</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 41</div>	
/ 5:59:51.962 pm // 6:00:20.295 pm /				
Check The functionality of the Personal Details App data Entry				
@AT_PDE_002				


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	10.826 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	5.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot		
			
4	And user click on Inbox Icon	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
5	And user click search icon	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
6	And user search Appdata Entry	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
7	And user click on First record of Appdata Entry	PASSED	0.224 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.308 s
8	And user click on Customer Details Tab	PASSED	1.073 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.343 s
9	And user click the Add button and verify it	PASSED	0.351 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.388 s
10	And user Choose customer Type	PASSED	0.561 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
			
11	And user Enter CIF ID	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
			
12	And user Enter Application Number	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
			
13	And user Enter Customer Name	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
14	And user choose ID Type	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
			
15	And user Enter ID Number	FAILED	0.181 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a32a2611e7e485d8b0da76a4e5cd2ac, sendKeysToElement {id=a4d27dd1-b33d-4803-b441-250c2282dd88, value=[Ljava.lang.CharSequence;@50df37eb]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52536}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52536/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2a32a2611e7e485d8b0da76a4e5cd2ac)] -> xpath: //ion-label[text()=' ID Number ']/following-sibling::ion-input//input] Session ID: 2a32a2611e7e485d8b0da76a4e5cd2ac</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)</p>		


#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.PersonalDetails_AppDataEntry.user_enter_id_number(PersonalDetails_AppDataEntry.java:639) at ?.user Enter ID Number(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:59) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
			
16	And user Enter Mobile Number	SKIPPED	0.000 s
17	And user Choose Date of Birth	SKIPPED	0.000 s
18	And user Enter Email ID	SKIPPED	0.000 s
19	And user Click the search button	SKIPPED	0.000 s
20	And user click the Create New Record button	SKIPPED	0.000 s
21	And user Enter the customer Type field	SKIPPED	0.000 s
22	And user Enter the Applicant Type field	SKIPPED	0.000 s
23	And user Enter the Salutation field	SKIPPED	0.000 s
24	And user Enter the First Name field	SKIPPED	0.000 s
25	And user Enter the Middle Name filed	SKIPPED	0.000 s
26	And user Enter the Last Name field	SKIPPED	0.000 s
27	And user Enter the Father First Name field	SKIPPED	0.000 s
28	And user Enter the Father Middle Name field	SKIPPED	0.001 s
29	And user Enter the Father Last Name Field	SKIPPED	0.000 s
30	And user Enter the spouse First Name field	SKIPPED	0.000 s
31	And user Enter the spouse Middle name field	SKIPPED	0.000 s
32	And user Enter the spouse Last Name field	SKIPPED	0.001 s
33	And user Enter the No of children field	SKIPPED	0.000 s
34	And user Enter the spouse status field	SKIPPED	0.000 s
35	And user Enter the Date of birth field	SKIPPED	0.000 s
36	And user Enter the gender field	SKIPPED	0.000 s
37	And user Enter the Education Level field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
38	And user Enter the Marital status field	SKIPPED	0.000 s
39	And user Enter the Nationality field	SKIPPED	0.000 s
40	And user Enter the Ethnicity field	SKIPPED	0.000 s
41	And user Enter the Religion field	SKIPPED	0.000 s
42	And user Enter the Residential status field	SKIPPED	0.001 s
43	And user Enter the Language field	SKIPPED	0.000 s
44	And user Enter the No Of dependents field	SKIPPED	0.000 s
45	And user Enter the Mothers maiden name field	SKIPPED	0.000 s
46	And user Enter the Type of Residence field	SKIPPED	0.000 s
47	And user Enter the category of client field	SKIPPED	0.000 s
48	And user Enter the Rating field	SKIPPED	0.000 s
49	And user Enter the Remark fields	SKIPPED	0.000 s
50	And user Enter the Phone Number in Contact Details	SKIPPED	0.000 s
51	And user Enter the Mobile Number Primary in Contact Details	SKIPPED	0.000 s
52	And user Enter the Mobile Number Secondary in Contact Details	SKIPPED	0.000 s
53	And user Enter the Email Address in Contact Details	SKIPPED	0.001 s
54	And user Select the Preferred contact Methods in Contact Details	SKIPPED	0.000 s
55	And user Enter the Preferred time for contact in Contact Details	SKIPPED	0.000 s
56	And user click the Save the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab


(F) Check The functionality of the
Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot shows the AZENTIO ONEBanking application. The left sidebar contains a menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Application Details' and displays a grid of application cards. The top navigation bar includes a search bar, a menu icon, a notification bell with 3 alerts, a calendar icon, and language/region dropdowns (Engl..., LOS, Aze...). A user profile icon is visible in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot shows the AZENTIO ONEBanking application. The left sidebar contains a menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Inbox' and displays a table of application records. The top navigation bar includes a search bar, a menu icon, a notification bell with 3 alerts, a calendar icon, and language/region dropdowns (Engl..., LOS, Aze...). A user profile icon is visible in the top right corner.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXFC	in02040	06-Aug-	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details
islamic

Customer
identification details

Customer address
details

Application Details

Inbox

×

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL

×

AppData

×

AppData

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Inbox X AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
Entitle	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:14	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 16:8	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Prev Application Info **Customer details** Additional Customer Info Cust Next

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Application manager
- Customer details
- Customer details islamic
- Customer identification details
- Customer address details
- Application Details

Customer Personal Information

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			Aakash		Patel	I	P	Active

Showing 1 to 1 of 1 entries

Navigation: Prev, Application Info, Customer details, Additional Customer Info, Cust, Next

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Application manager
- Customer details
- Customer details islamic
- Customer identification details
- Customer address details
- Application Details

Search Customer

Search Clear

Customer Type *
Individual Customer

Application Number
Corporate Customer

ID Type *
Individual Customer
Select

Mobile Number

Email ID

CIF ID

Customer Name

ID Number

Date Of Birth

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer Search Clear

Customer Type * Individual Customer CIF ID 165

Application Number Customer Name

ID Type * Select ID Number

Mobile Number Date Of Birth

Email ID

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer Search Clear

Customer Type * Individual Customer CIF ID 165

Application Number 561 Customer Name

ID Type * Select ID Number

Mobile Number Date Of Birth

Email ID

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number 561

Customer Name Azentio

ID Type * Select

ID Number

Mobile Number

Date Of Birth

Email ID

Add

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number 561

Customer Name Azentio

ID Type * Aadhar

ID Number *

Date Of Birth

Email ID

Add

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the Azentio ONEBanking web application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details (selected), Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Search Customer' and contains a form for entering customer information. The form fields are arranged in two columns: Customer Type (dropdown, set to 'Individual Customer'), CIF ID (text input, '165'), Application Number (text input, '561'), Customer Name (text input, 'Azentio'), ID Type (dropdown, 'Aadhar'), ID Number (text input), Mobile Number (text input), Date Of Birth (text input with a calendar icon), and Email ID (text input). Navigation tabs at the top include 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', and 'Next'. The top right of the page shows user interface elements like language (Engl...), location (LOS), user profile (Aze...), and a notification bell.