Cucumber Report

Aug 12, 2022, 11:49:32 AM

Start : Aug 12, 11:47:46.363 AM	End : Aug 12, 11:49:30.531 AM	Duration : 1 m 44.168 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 17 FAILED - 1 SKIPPED - 10

1

1

28

Pass %

0 %

Pass %

0 %

Pass %

60 %

#	Feature Name	T	P	F	S	Duration
1	collateral Functionality	1	0	1	0	1 m 44.168 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	collateral Functionality	Asset collateral category - List View WIP Records	28	17	1	10	1 m 44.164 s

(F)- collateral Functionality

FAILED	DURATION - 1 m 44.168 s		Scenarios		Steps	
			Total - 1		Total - 28	
/ 11:47:46.363 AM // 11:49:30.531 AM /			Pass - 0	1	Pass - 17	28
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 10	

(S)- Asset collateral category - List View WIP Records

FAILED	DURATION - 1 m 44.164 s		Steps	
/ 11:47:46.367 AM // 11:49:30.531 AM /			Total - 28	
collateral Functionality			Pass - 17	28
@ACCM_07_004 @collateral_return @ACCM_07_003			Fail - 1	
			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
	+		
2	And User Login as maker	PASSED	4.949 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Asset collateral config	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.592 s
	screenshot		
4	Then click on collateral Edit icon	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		
5	Then open collateral wip record for return	PASSED	1.845 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
6	Then click on collateral save button	PASSED	0.520 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then validate Success pop up	PASSED	1.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
8	Then click on inbox	PASSED	0.577 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
9	Then click on search icon of record list	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
10	Then search collateral record	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And maker user open the record from inbox	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
12	Then maker user submit the Record	PASSED	5.844 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
13	Then user logout from the application	PASSED	2.547 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot		
14	And User Login as Checker	PASSED	4.830 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	Then click on inbox	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot 		
16	Then click on search icon of record list	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot 		
17	Then search collateral record	PASSED	0.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot 		
18	Then checker user open the record from inbox	FAILED	1 m 1.097 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (2bae12c7b847f956e3cba0eac80a7e31)] -> xpath: //span[contains(text(),'252')]/../../td/button] (tried for 60 second(s) with 2000 milliseconds interval)
	   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)		

| #	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.ProductMaster_Retail.checker_user_open_the_record_from_inbox(ProductMaster_Retail.java:460)		
	at ?.checker user open the record from inbox(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:45)		
	Caused by: org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2bae12c7b847f956e3cba0eac80a7e31, isElementDisplayed {id=8b69ec7b-d028-4010-b23e-d029dc2d781a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65177}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65177/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2bae12c7b847f956e3cba0eac80a7e31)] -> xpath: //span[contains(text(),'252')]/../../td/button] Session ID: 2bae12c7b847f956e3cba0eac80a7e31		
	at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.ProductMaster_Retail.checker_user_open_the_record_from_inbox(ProductMaster_Retail.java:460)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
* Not displayable characters are replaced by '?'.			

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot 		
19	Then validate Txn status is completed	SKIPPED	0.000 s
20	Then close the collateral view summary	SKIPPED	0.000 s
21	Then checker user return the record	SKIPPED	0.000 s
22	Then user logout from the application	SKIPPED	0.000 s
23	And User Login as maker	SKIPPED	0.001 s
24	Then click on Asset collateral config	SKIPPED	0.000 s
25	Then click on collateral Edit icon	SKIPPED	0.000 s
26	Then search and validate the approved record	SKIPPED	0.000 s
27	Then open collateral wip record for return	SKIPPED	0.000 s
28	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

List of Asset/Collateral categories

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
✏️ 👁	FD34	FixedDepo	in00135	Active	MAKER

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

Asset / Collateral categories

Asset / Collateral Category Detail

Description *
FixedDepo

Asset / Collateral Category Code *
FD34

Module *
LC

Registration Required

Repossession Allowed

Status

Remarks *
ok

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset collateral category - List View
WIP Records

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

AZENTIO
ONEBanking

Inbox

Sub-ordinates | X COLLATERAL

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	252	UW_OFFSET_CONTROL	CHECKER	LOSCHK	in01951	12-Aug-2022 11:47	TSW	
	62	BOUNCE_MST	CHECKER	LOSCHK	in01951	12-Aug-2022 11:34	TSW	
	564	WAREHOUSE_MST	CHECKER	LOSCHK	in01951	11-Aug-2022 18:30	TSW	
	157	ASSET_AUTO_MST	CHECKER	LOSCHK	in01951	11-Aug-2022 18:27	TSW	
	57	BOUNCE_MST	CHECKER	LOSCHK	in01951	11-Aug-2022 17:50	TSW	
	352	DEPOSIT_ACC_MST	CHECKER	LOSCHK	in01951	11-Aug-2022 17:31	TSW	
	184	ASSET_AUTO_MST	CHECKER	LOSCHK	in01951	11-Aug-2022 17:9	TSW	
	163	ASSET_AUTO_MST	CHECKER	LOSCHK	in01951	11-Aug-2022 17:5	TSW	
	162	ASSET_AUTO_MST	CHECKER	LOSCHK	in01951	11-Aug-2022 16:47	TSW	
	166	ASSET_AUTO_MST	CHECKER	LOSCHK	in01951	11-Aug-2022 16:11	TSW	

Showing 1 to 10 of 288 entries « ‹ 1 2 3 4 5 › » 10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset collateral category - List View WIP Records

(F) collateral Functionality

AZENTIO
ONEBanking

Inbox

Sub-ordinates | X COLLATERAL

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	237	COLLATERAL	CHECKER	LOSCHK	in01951	10-Aug-2022 10:57	TSW	
	234	COLLATERAL	CHECKER	LOSCHK	in01951	10-Aug-2022 0:3	TSW	
	229	COLLATERAL	CHECKER	LOSCHK	in01951	09-Aug-2022 20:46	TSW	
	221	COLLATERAL	CHECKER	LOSCHK	in01951	09-Aug-2022 17:51	TSW	
	220	COLLATERAL	CHECKER	LOSCHK	in01951	09-Aug-2022 17:50	TSW	
	216	COLLATERAL	CHECKER	LOSCHK	in01951	09-Aug-2022 17:40	TSW	
	213	COLLATERAL	CHECKER	LOSCHK	in01951	09-Aug-2022 17:28	TSW	
	211	COLLATERAL	CHECKER	LOSCHK	in01951	09-Aug-2022 17:15	TSW	
	209	COLLATERAL	CHECKER	LOSCHK	in01951	09-Aug-2022 17:8	TSW	
	207	COLLATERAL	CHECKER	LOSCHK	in01951	09-Aug-2022 16:44	TSW	

Showing 1 to 10 of 36 entries « ‹ 1 2 3 4 › » 10