Cucumber Report

| *Start : Jul 25, 1:49:10.093 PM*	*End : Jul 25, 1:49:35.021 PM*	*Duration : 24.928 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	24.928 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Product Master Retail Functionality*	*Product Master Retail Field validation*	13	13	0	0	24.924 s

(F)- Product Master Retail Functionality

PASSED	DURATION - 24.928 s	Scenarios		Steps	
/ 1:49:10.093 PM // 1:49:35.021 PM /		Total - 1		Total - 13	
		Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Product Master Retail Field validation

PASSED	DURATION - 24.924 s		Steps	
/ 1:49:10.097 PM // 1:49:35.021 PM /			Total - 13	
Product Master Retail Functionality			Pass - 13	13
@ProductMaster_Retail			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.824 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
5	Then click on Product Master add button	PASSED	1.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot 		
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.693 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot 		
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot 		
10	Then verify functionality of the field DM Code	PASSED	1.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then verify the field Remarks	PASSED	2.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot 		
12	Then verify the functionality of Back button	PASSED	2.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot 		
13	Then user logout from the application	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality