


FEATURES SUMMARY -- 2 --



| # | Feature Name   | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Check the functionality of Customer Address Details screen | 1 | 0 | 1 | 0 | 48.378 s |



| # | Feature Name                        | Scenario Name  | T  | P | F | S  | Duration |
|---|-------------------------------------|--|----|---|---|----|----------|
| 1 | Check the functionality of Customer | To verify user can not able to create the customer address | 40 | 3 | 1 | 36 | 48.369 s |
|   | Address Details screen              | deatisl with invalid input                                 |    |   |   |    |          |

DETAILED SECTION

## (F)- Check the functionality of Customer Address Details screen

| FAILED          | DURATION - 48.378 s    | Scenarios |   | Steps      |    |
|-----------------|------------------------|-----------|---|------------|----|
|                 |                        | Total - 1 |   | Total - 40 |    |
| / 6:34:59.230 F | PM // 6:35:47.608 PM / | Pass - 0  | 1 | Pass - 3   | 40 |
|                 |                        | Fail - 1  |   | Fail - 1   |    |
|                 |                        | Skip - 0  |   | Skip - 36  |    |

## (S)- To verify user can not able to create the customer address deatisl with invalid input

| FAILED DURATION - 48.369 s                  | 20                                  |    |
|---|-------------------------------------|----|
| / 6:34:59.239 PM // 6:35:47.608 PM /        | 15 Total - 40                       |    |
| Check the functionality of Customer Address | 10 -   Pass - 3                     | 40 |
| Details screen                              | 5 -                                 |    |
| @AT_CAD_004                                 | 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 |    |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launch the kuls application   | PASSED | 11.205 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.487 s  |
|   | screenshot   |        |          |
|   | AZENTIO (MELTRO) (MELTRO)  |        |          |
| 2 | And User Login as maker  | PASSED | 3.958 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.288 s  |
|   | screenshot   |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | C 2 9 1 00 00 00 10 1  |        |          |
| 3 | And user click on Inbox Icon   | PASSED | 0.371 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 1.105 s  |
|   | screenshot   |        |          |
|   | ## CHAPTO  ## CHAPTO |        |          |
| 4 | And search for app data entry record   | FAILED | 20.056 s |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[text()=' Inbox ']//parent::div//following-sibling::span//input' (tried for 20 second(s) with 1 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitHelper.waitForElementToVisibleWithFluentWait.java:231) at stepdefinitions.PropertyDetails_Steps.search_for_app_data_entry_record(PropertyDetails_Steps.java:49) at ?search for app_data entry record(file://IC:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:209)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"/lspan[text()=' Inbox ///parent::div//following-sibling::span//input") (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions///ino_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6ae25bd07b748e422e7faa126fb524f7, findElement {using=xpath, value=//span[text()=' Inbox ///parent::div//following-sibling::span//input)} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:Users\NiNDC-11AppDataL,), goog::chromeOptions: {debuggerAddress: localhost:62651, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se::dp: ws://localhost:62651/devtoo, se::dpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {imp        |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)                 |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)                           |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)         |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)               |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)                                   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)             |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)                                |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)                               |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)                               |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)       |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)                |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)                      |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)                       |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)                       |        |          |
|   | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   |        |          |
|   | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103)                                   |        |          |
|   | at stepdefinitions.PropertyDetails_Steps.search_for_app_data_entry_record(PropertyDetails_Steps.java:49)          |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)                                 |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)               |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)       |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)   |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)                           |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  |        |          |
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)                                 |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)                   |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)   |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:64)   |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)                                     |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:104)  |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)   |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)                  |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)               |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)                             |        |          |
|   | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)                |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)                                 |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)               |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)       |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |         |          |
|    | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)   |         |          |
|    | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)   |         |          |
|    | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)   |         |          |
|    | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)   |         |          |
|    | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)  |         |          |
|    | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)  |         |          |
|    | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)  |         |          |
|    | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)  |         |          |
|    | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)   |         |          |
|    | at org.testng.TestRunner.privateRun(TestRunner.java:794)  |         |          |
|    | at org.testng.TestRunner.run(TestRunner.java:596)   |         |          |
|    | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)   |         |          |
|    | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)   |         |          |
|    | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)  |         |          |
|    | at org.testng.SuiteRunner.run(SuiteRunner.java:276)   |         |          |
|    | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)   |         |          |
|    | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)  |         |          |
|    | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)  |         |          |
|    | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)   |         |          |
|    | at org.testng.TestNG.runSuites(TestNG.java:1063)  |         |          |
|    | at org.testng.TestNG.run(TestNG.java:1031)  |         |          |
|    | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)  |         |          |
|    | at org.testing.remote.RemoteTestNG.main(RemoteTestNG.java:77)   |         |          |
|    | * Not displayable characters are replaced by '?'.   |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.127 s  |
|    |   | THOOLD  | 0.127 3  |
|    | screenshot  |         |          |
|    | T AZENTO II II Ø II ING ING ING ING III Ø II ING ING ING III Ø II ING ING ING III Ø II ING III  |         |          |
|    | \$\frac{1}{4}\$ \$\ |         |          |
|    | ▼         1         Majora disolation desser dans 1         2         2         2         2         2         2         2         2         2         2         2         2         2         <   |         |          |
|    | 1 14 APART SIGNEY COME AND  |         |          |
|    | 1 01 ACLIAN DAM DAM AND   |         |          |
| E  | And coloot the one data entry first record  | CKIDDED | 0.001.0  |
| 5  | And select the app data entry first record  | SKIPPED | 0.001 s  |
| 6  | And go to additional customer info tab  | SKIPPED | 0.000 s  |
| 7  | And select the additional customer info first record  | SKIPPED | 0.000 s  |
| 8  | And click on add button under the address details   | SKIPPED | 0.000 s  |
| 9  | And click on save button without filling the mandatory field  | SKIPPED | 0.000 s  |
| 10 | Then verify address type field should show the validation message   | SKIPPED | 0.000 s  |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 11 | Then verify address status field should show the validation message  | SKIPPED | 0.000 s  |
| 12 | Then verify Residential or Occupancy Status should show validation message   | SKIPPED | 0.000 s  |
| 13 | Then verify address line 1 field should show the validation message  | SKIPPED | 0.000 s  |
| 14 | Then verify address line 2 field should show the validation message  | SKIPPED | 0.000 s  |
| 15 | Then verify Country field should show the validation message   | SKIPPED | 0.000 s  |
| 16 | Then verify provice id field should show the validation message  | SKIPPED | 0.000 s  |
| 17 | Then verify Neighbourhood District Name field should show the validation message   | SKIPPED | 0.000 s  |
| 18 | Then verify City id field should show the validation message   | SKIPPED | 0.001 s  |
| 19 | Then verify Zip Code field should show the validation message  | SKIPPED | 0.000 s  |
| 20 | Then verify Occupancy Date field should show the validation message  | SKIPPED | 0.002 s  |
| 21 | Then verify system should show the validation message post entering the special character input in address line one input box                | SKIPPED | 0.000 s  |
| 22 | Then verify system should show the validation message post entering the special character input in address line two input box                | SKIPPED | 0.000 s  |
| 23 | Then verify system should show the validation message post entering the special character input in neighboorhood district name input box     | SKIPPED | 0.000 s  |
| 24 | Then verify system should show the validation message post entering the special character input in Zip code input box                        | SKIPPED | 0.001 s  |
| 25 | Then verify system should show the validation message post entering the special character input in Latitude details of the address input box | SKIPPED | 0.001 s  |
| 26 | Then verify system should show the validation message post entering the special character input in Logitude details of the address input box | SKIPPED | 0.000 s  |
| 27 | Then verify system should show the validation message post entering the special character input in Land mark input box                       | SKIPPED | 0.000 s  |
| 28 | Then verify system should show the validation message post entering the special character input in Landloard Name input box                  | SKIPPED | 0.000 s  |
| 29 | Then verify system should show the validation message post entering the special character input in Landloard Name input box                  | SKIPPED | 0.000 s  |
| 30 | Then verify system should show the validation message post entering the special character input in Landloard mobile number input box         | SKIPPED | 0.000 s  |
| 31 | Then verify system should show the validation message post enter the above seven digit pin code  | SKIPPED | 0.000 s  |
| 32 | Then verify system should show the validation post enter the negative po box number  | SKIPPED | 0.012 s  |
| 33 | Then verify system should show the validation post enter the invalid landlord mobile number  | SKIPPED | 0.001 s  |
| 34 | Then verify system should not allow user to enter character input in po box number   | SKIPPED | 0.000 s  |
| 35 | Then verify system should not allow user to enter character input in duration of stay  | SKIPPED | 0.002 s  |
| 36 | Then verify system should not allow user to enter character input in Rent amount   | SKIPPED | 0.001 s  |
| 37 | Then verify system should show the validation for invalid mobile number in mobile number field   | SKIPPED | 0.001 s  |
| 38 | Then verify system should show the validation for invalid mobile number in mobile number field   | SKIPPED | 0.000 s  |
| 39 | When user enter above 7 digit in po box number field   | SKIPPED | 0.000 s  |
| 40 | Then system should show the validation for po box number   | SKIPPED | 0.001 s  |

