
Start: Jul 25, 11:05:50.872 PM End: Jul 25, 11:06:13.677 PM **Duration**: 22.805 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 2 SKIPPED - 0 SKIPPED - 0 SKIPPED - 18 21 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	22.805 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product	Product Master - Modify records (approve, reject and return)	21	2	1	18	22.801 s
	<u>master</u>	at checker stage					

DETAILED SECTION -- 4 --

## **(F)-** Check the functionality of product master

FAILED	DURATION - 22.805 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 11:05:50.872 P	M // 11:06:13.677 PM /	Pass - 0	1	Pass - 2	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 18	

## (S)- Product Master - Modify records (approve, reject and return) at checker stage

FAILED	DURATION - 22.801 s	10			_			-,	·				-, -			·		Steps		
/ 11:05:50.87	76 PM // 11:06:13.677 PM /	8			ı				÷-					-		+-		Total - 21		<b>L</b>
		6		1								- [				1-		Pass - 2	21	
Check the fun	nctionality of product master	2	-  -		٠				·						-	÷-		Fail - 1		
@M7 @Produ	uctMaster	0	-			1			<u> </u>				1	<u>-                                    </u>		<u> </u>		Skip - 18		
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.590 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s
	screenshot		
	AZENTIO' End-to-ford Banking Suite Institute in manufacture for more and perfect formers of the		
2	And User Login as checker	PASSED	0.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		

#	Step / Hook Details	Status	Duration
	AZENTIO  End-to-fin8 Banking Suite  Direction of the State S		
3	Then click on menu button	FAILED	10.233 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-menu-toggle/ion-button' (fried for 10 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.incutException(FluentWait.java:233) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:33) at stepdefinitions. ProductMaster Retail.java:342) at stepdefinitions. ProductMaster Retail.java:342) at 2.click on menu button(file://IIC/Jusers/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:43)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//ion-menu-toggle/ion-button"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/fno.such.element Build info: version: '40.0-e-1', revision': '05-01-124' System info: host: "Pc00XRKU", ip: 10.1.47.12r, os. name: Windows 10', os. arch: 'amd64', os. version: '10.0', java version: '17.0 '1 'Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1b0146800eab2c9138080bf058b0491, findElement (using=xpath, value=/ion-menu-toggle/ion-button)] Capabilities (acceptinsecureCerts: talse, browsenName: chrome, browserVersion: 100.0.4896.127, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: CiUsersiNiNDC-1\AppDataL), goog-chromeOptions: (debuggerAddress: localhost.63522), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WinDNOWS, platformName: WiNDOWS, platformScaled (winder-plate) at java.base/jdk.internal.reflect.NativeConstructorAccessor/mpl.newinstance(Okative ConstructorAccessor/mpl.java:77) at java.base/jdk.		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93)		
	at stepdefinitions.ProductMaster_Retail.click_on_menu_button(ProductMaster_Retail.java:342)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

Step / Hook Details	Status	Duration
at org.testng.TestRunner.privateRun(TestRunner.java:596) at org.testng.SuiteRunner.run(TestRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestnG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Not displayable characters are replaced by '?'.		
reenshot  AZENTIC Ford-o-ford Banking Sult Warren war ware ware ware ware ware ware ware	PASSED	0.305 s
nen click on inbox button	SKIPPED	0.000 s
nen select the modified record to approve	SKIPPED	0.000 s
nen select approve button	SKIPPED	0.000 s
nen enter remark for approve	SKIPPED	0.000 s
nen click on approve button	SKIPPED	0.000 s
nen system should display confirmation message after approved	SKIPPED	0.000 s
nen click on inbox button	SKIPPED	0.000 s
nen select the modified record to reject	SKIPPED	0.000 s
nen select the modified record to reject nen select reject button	SKIPPED SKIPPED	0.000 s 0.001 s
•		
nen select reject button	SKIPPED	0.001 s
nen select reject button nen enter remark for reject	SKIPPED SKIPPED	0.001 s 0.001 s
nen select reject button nen enter remark for reject nen click on reject button	SKIPPED SKIPPED SKIPPED	0.001 s 0.001 s 0.000 s
	at org.testng.TestRunner.run(TestRunner.java:794) at org.testng.SuiteRunner.run(TestRunner.java:396) at org.testng.SuiteRunner.runSest(suiteRunner.java:377) at org.testng.SuiteRunner.runSest(suiteRunner.java:371) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:332) at org.testng.SuiteRunner.runSeuteRunner.java:276) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuitesCestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1063) at org.testng.renote.AbstractRemoteTestNG.java:101) at org.testng.renote.RemoteTestNG.initAnGrun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.initAnGrun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:777) tot displayable characters are replaced by '7'. TETER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) reenshot  +  ***PRICE***  **PRICE***  ***PRICE***  ***PRICE**  ***PRICE***  ***PRICE***  ***PRICE***  ***PRICE***  ***PRICE**  ***PRICE***  ***PRICE***  ***PRICE***  ***PRICE***  ***PRICE**  ***PRICE***  ***PRICE**  ***PRI	at org testing.TestRunner.privateRun(TestRunner.java:794) at org.testing.TestRunner.run(TestRunner.java:596) at org.testing.SuiteRunner.run(TestRunner.java:377) at org.testing.SuiteRunner.run(Sequentially(SuiteRunner.java:371) at org.testing.SuiteRunner.run(Sequentially(SuiteRunner.java:371) at org.testing.SuiteRunner.run(Sequentially(SuiteRunner.java:332) at org.testing.SuiteRunner.run(Sequentially(SuiteRunner.java:332) at org.testing.SuiteRunnerWorker.run(SuiteRunnerWorker.java:53) at org.testing.TestinG.runSuitesCoulteRunnerWorker.java:96) at org.testing.TestinG.runSuitesCoulty(TestinG.java:1212) at org.testing.TestinG.runSuitesCoulty(TestinG.java:1134) at org.testing.TestinG.runSuitesCoulty(TestinG.java:1134) at org.testing.restinG.runSuitesCoulty(TestinG.java:1033) at org.testing.remote.AbstractRemoteTestinG.run(AbstractRemoteTestinG.java:115) at org.testing.remote.RemoteTestinG.minAndRun(RemoteTestinG.java:251) at org.testing.remote.RemoteTestinG.man(RemoteTestinG.java:277) tot displayable characters are replaced by "?.  TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  reenshot  ###################################

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
18	Then select return button	SKIPPED	0.000 s
19	Then enter remark for return	SKIPPED	0.000 s
20	Then click on return button	SKIPPED	0.000 s
21	Then system should display confirmation message after return	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **AZENTIO** User ID (S) Product Master - Modify records **End-to-End Banking Suite** (approve, reject and return) at checker Enabling banks to continually redefine themselves, catering to stage the entire spectrum of banking functions - lending, core CONTINUE banking, treasury, trade finance, anti-money laundering and integrated risk management. (F) Check the functionality of product master

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at checker stage

(F) Check the functionality of product master

