Cucumber Report

Start : Sep 09, 6:22:37.176 pm	End : Sep 09, 6:23:15.025 pm	Duration : 37.849 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 17 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Application Details New App	1	1	0	0	37.849 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Application Details New App	verify user is able to add new Template Application details record in the system by entering invalid data	17	17	0	0	37.843 s

(F)- Check the functionality of Application Details New App

| PASSED	DURATION - 37.849 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 6:22:37.176 pm // 6:23:15.025 pm /		Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify user is able to add new Template Application details record in the system by entering invalid data

PASSED	DURATION - 37.843 s		Steps	
/ 6:22:37.182 pm // 6:23:15.025 pm /			Total - 17	
Check the functionality of Application Details New App			Pass - 17	17
			Fail - 0	
@AT_ADA_002			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	10.787 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
2	Then user click on Transaction Module	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click on Application Details	PASSED	5.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
4	And user click the Add button annd verify it	PASSED	5.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
5	And user Choose customer Type	PASSED	0.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
6	And user Enter CIF ID	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s

#	Step / Hook Details	Status	Duration
	screenshot		
7	And user Enter Application Number	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
8	And user Enter Customer Name	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
9	And user choose ID Type	PASSED	0.301 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
10	And user Enter ID Number	PASSED	0.348 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot 		
11	And user Enter Mobile Number	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot 		
12	And user Choose Date of Birth	PASSED	0.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot 		
13	And user Enter Email ID	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot 		

#	Step / Hook Details	Status	Duration
14	And user Click the search button	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
15	And user click the Create New Record button	PASSED	5.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
16	And user Enter Character value in Numeric fields	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
17	And user save the record and verify the Message we get	PASSED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template Application details record in the system by entering invalid data

(F) Check the functionality of Application Details New App

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template Application details record in the system by entering invalid data

(F) Check the functionality of Application Details New App

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template Application details record in the
system by entering invalid data

(F) Check the functionality of Application
Details New App

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template Application details record in the
system by entering invalid data

(F) Check the functionality of Application
Details New App

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify user is able to add new Template Application details record in the system by entering invalid data (F) Check the functionality of Application Details New App	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify user is able to add new Template Application details record in the system by entering invalid data (F) Check the functionality of Application Details New App	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template Application details record in the system by entering invalid data

(F) Check the functionality of Application Details New App

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template Application details record in the system by entering invalid data

(F) Check the functionality of Application Details New App

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify user is able to add new Template Application details record in the system by entering invalid data	
(F) Check the functionality of Application Details New App	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify user is able to add new Template Application details record in the system by entering invalid data	
(F) Check the functionality of Application Details New App	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template Application details record in the
system by entering invalid data

(F) Check the functionality of Application
Details New App

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template Application details record in the
system by entering invalid data

(F) Check the functionality of Application
Details New App

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify user is able to add new Template Application details record in the system by entering invalid data	
(F) Check the functionality of Application Details New App	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify user is able to add new Template Application details record in the system by entering invalid data	
(F) Check the functionality of Application Details New App	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template Application details record in the system by entering invalid data

(F) Check the functionality of Application Details New App

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template Application details record in the system by entering invalid data

(F) Check the functionality of Application Details New App

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template Application details record in the system by entering invalid data

(F) Check the functionality of Application Details New App

AZENTIO
ONEBanking

Application Details

Application Details

Primary Product *

Select

Required field

Total Finance Amount Requested *

INR

Required field

Declared Current Obligations

INR

Sourcing Channel *

Select

Primary Sub Product *

Select

Required field

Declared Net Income *

INR

Required field

Special Promotion/Campaign

Select

Business Center Code *

Select

Please fill all the details

- Dashboard
- Configurations
- Transactions
  - Application manager
  - Customer details
  - Customer details islamic
  - Customer identification details
  - Customer address details
  - Application Details