# Cucumber Report

| Start : Sep 20, 3:26:13.674 pm | End : Sep 20, 3:27:36.555 pm | Duration : 1 m 22.881 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 4<br>FAILED - 1<br>SKIPPED - 1 |

Features: 1

Scenarios: 1

Steps: 6

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 66 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| *1* | *To verify the functional flow for customer entity layout facility details* | *1* | *0* | *1* | *0* | *1 m 22.881 s* |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify the functional flow for customer entity layout facility details | To verify the impact post selecting any record from list view | 6 | 4 | 1 | 1 | 1 m 22.878 s |

## (F)- To verify the functional flow for customer entity layout facility details

| FAILED | DURATION - 1 m 22.881 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 3:26:13.674 pm // 3:27:36.555 pm / | | Total - 1 | | Total - 6 | |
| | | Pass - 0 | 1 | Pass - 4 | 6 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |

## (S)- To verify the impact post selecting any record from list view

| FAILED | DURATION - 1 m 22.878 s | | Steps | |
|---|---|---|---|---|
| / 3:26:13.677 pm // 3:27:36.555 pm / | | | Total - 6 | |
| To verify the functional flow for customer entity layout facility details | | | Pass - 4 | 6 |
| | | | Fail - 1 | |
| @AT-FD-003 | | | Skip - 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User login as uls maker in transaction | PASSED | 10.659 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.297 s |
| | screenshot | | |
| | | | |
| 2 | And User click the inbox mail icon in application detail offering | PASSED | 0.165 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.314 s |
| | screenshot | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And User click the action edit icon in customer entity layout facility details | PASSED | 2.314 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.220 s |
|   | screenshot  | | |
| 4 | And User click the facility info tab in customer entity layout facility details | PASSED | 5.169 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.439 s |
|   | screenshot  | | |
| 5 | And User verify system display the List view in customer entity layout facility details | FAILED | 1 m 0.409 s |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@mode='ios']' (tried for 60 second(s) with 5000 milliseconds interval) <br> at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) <br> at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) <br> at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) <br> at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_verify_system_display_the_list_view_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:537) <br> at ?.User verify system display the List view in customer entity layout facility details(file:///C:/Users/inindc00071/git/repositoryKarthiM/ mKarthi_AzentioULSFramework3/src/test/java/features/Customer_Entity_Layout_FacilityDetails.feature:49) <br> Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@mode='ios']"}   (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016574', ip: '10.1.47.116', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [91446477a6f64da80ff80aaa32aed178, findElement {using=xpath, value=//input[@mode='ios']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56632}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56632/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 91446477a6f64da80ff80aaa32aed178 <br> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) <br> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) <br> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) | | |
| | at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_verify_system_display_the_list_view_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:537) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot  | | |
| 6 | And User verify the impact post selecting any record from list view in customer entity layout facility details | SKIPPED | 0.001 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact post selecting any record from list view

(F) To verify the functional flow for customer entity layout facility details



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact post selecting any record from list view

(F) To verify the functional flow for customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact post selecting any record from list view

(F) To verify the functional flow for customer entity layout facility details



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact post selecting any record from list view

(F) To verify the functional flow for customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact post selecting any record from list view

(F) To verify the functional flow for customer entity layout facility details

**AZENTIO**
ONEBanking

Prev | Application Info | Customer details | Additional Customer Info | Customer Financials | **Facility Info** | Document Details | Offering | Repayment Schedule | Policy Check | Fee Details | Next

Dashboard
Configurations
Transactions
Reports

**Conventional Facility List**

| Action | Product | Sub product | Tenure | Expiry date | Requested Amount | Status |
|---|---|---|---|---|---|---|
| ✏ 👁 | AHL | PLTPUR | 18 | | 10000 | Active |
| ✏ 👁 | AHL | HOMEXT | 18 | 22-Sep-2022 | 2222 | Active |

Showing 1 to 2 of 2 entries    «  ‹  1  ›  »    5 ⌄