Cucumber Report

Start : Nov 22, 3:23:35.447 PM	End : Nov 22, 3:24:03.473 PM	Duration : 28.026 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 7 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	*Check the functionality of project master*	*1*	*1*	*0*	*0*	*28.026 s*

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of project master	Project Master - To verify the impact when user enter numeric value in character field,	7	7	0	0	28.022 s

(F)- Check the functionality of project master

PASSED	DURATION - 28.026 s	Scenarios		Steps	
/ 3:23:35.447 PM // 3:24:03.473 PM /		Total - 1		Total - 7	
		Pass - 1		Pass - 7	
		Fail - 0	1	Fail - 0	7
		Skip - 0		Skip - 0	

## (S)- Project Master - To verify the impact when user enter numeric value in character field,

PASSED	DURATION - 28.022 s		Steps	
/ 3:23:35.451 PM // 3:24:03.473 PM /			Total - 7	
Check the functionality of project master			Pass - 7	7
@AT-PM-T004-D1			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	19.569 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
2	And Click the configuration	PASSED	0.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
4	And click on eye icon of project master	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
5	Then click on add button	PASSED	0.406 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.670 s
	screenshot		
6	Then Choose the data set id for invalid data types in project master	PASSED	0.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.905 s
	screenshot		
7	Then verify system should not allow to enter invalid datatypes in project master	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master - To verify the impact when user enter numeric value in character field,

(F) Check the functionality of project master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master - To verify the impact when user enter numeric value in character field,

(F) Check the functionality of project master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master - To verify the impact
when user enter numeric value in
character field,

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master - To verify the impact
when user enter numeric value in
character field,

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master - To verify the impact
when user enter numeric value in
character field,

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master - To verify the impact
when user enter numeric value in
character field,

(F) Check the functionality of project
master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master - To verify the impact when user enter numeric value in character field,

(F) Check the functionality of project master